

Global School-Based Student Health Survey 2015

Ministry of Public Health

report_generated_on: August 29, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
THA_2015_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2015

ABBREVIATION OR ACRONYM
GSHS 2015

COUNTRY

| Name | Country code |
|----------|--------------|
| Thailand | THA |

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the second GSHS conducted by Thailand.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-14

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

| Topic | Vocabulary |
|--|------------|
| Global School-based Student Health Survey (GSHS) | Survey |

KEYWORDS

| Keyword |
|-----------------------------------|
| adolescents |
| school health |
| noncommunicable diseases |
| risk factors |
| protective factors |
| health surveys |
| alcohol use |
| diet |
| nutrition |
| drug use |
| hygiene |
| mental health |
| physical activity |
| sexual behaviours |
| tobacco use |
| violence and unintentional injury |
| overweight |
| obesity |
| bullying |

Coverage

GEOGRAPHIC COVERAGE

National, private and public

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

| Name |
|---------------------------|
| Ministry of Public Health |

FUNDING AGENCY/SPONSOR

| Name | Abbreviation |
|---------------------------|--------------|
| World Health Organization | WHO |

Sampling

SAMPLING PROCEDURE

The 2015 Thailand GSHS was a school-based survey of students in Grades 7-12, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Grades 7-12 in Thailand. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

National: The school response rate was 98%, the student response rate was 90%, and the overall response rate was 89%.
Private: The school response rate was 97%, the student response rate was 91%, and the overall response rate was 88%.
Public: The school response rate was 100%, the student response rate was 90%, and the overall response rate was 90%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

| Start | End |
|---------|---------|
| 2015-05 | 2015-06 |

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

| Name | Affiliation | Email | URL |
|-----------------------|---------------------------|-----------------------|----------------------|
| NCD Surveillance Team | World Health Organization | ncdmonitoring@who.int | Link |

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_THA_2015_GSHS_v01_M

PRODUCERS

| Name | Abbreviation | Affiliation | Role |
|----------------------------------|--------------|---------------------------|---|
| Yue Wu | | World Health Organization | Documentation of data |
| Melanie Cowan | | World Health Organization | Supervision and review of metadata and documentation of study |
| Development Economics Data Group | DECDG | The World Bank | Metadata adapted for World Bank Microdata Library |

DATE OF METADATA PRODUCTION

2018-08-14

DDI DOCUMENT VERSION

Identical to a metadata (THA_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

| Data file | Cases | variables |
|--|--------------|------------------|
| THA2015_Public_Use_national Thailand public-use dataset | 5894 | 141 |
| THA2015_Public_Use_private Thailand private public-use dataset | 3386 | 141 |
| THA2015_Public_Use_public Thailand public public-use dataset | 2508 | 141 |

Data file: THA2015_Public_Use_national

Thailand public-use dataset

Cases: 5894

variables: 141

variables

| ID | Name | Label | Question |
|-----|------|------------------------------|--|
| V1 | Q1 | Custom Age | How old are you? |
| V2 | Q2 | Sex | What is your sex? |
| V3 | Q3 | In what grade are you | In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS |
| V4 | Q4 | How tall are you | How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V5 | Q5 | How much do you weigh | How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V6 | Q6 | How often went hungry | During the past 30 days, how often did you go hungry because there was not enough food in your home? |
| V7 | Q7 | No fruit eating | During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES? |
| V8 | Q8 | No vegetable eating | During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES? |
| V9 | Q9 | Soft drinks | During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.) |
| V10 | Q10 | Fast food eating | During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES? |
| V11 | Q11 | Tooth brushing | During the past 30 days, how many times per day did you usually clean or brush your teeth? |
| V12 | Q12 | Hand washing before eating | During the past 30 days, how often did you wash your hands before eating? |
| V13 | Q13 | Hand washing after toilet | During the past 30 days, how often did you wash your hands after using the toilet or latrine? |
| V14 | Q14 | Hand washing with soap | During the past 30 days, how often did you use soap when washing your hands? |
| V15 | Q15 | Physically attacked | During the past 12 months, how many times were you physically attacked? |
| V16 | Q16 | Physical fighting | During the past 12 months, how many times were you in a physical fight? |
| V17 | Q17 | Seriously injured | During the past 12 months, how many times were you seriously injured? |
| V18 | Q18 | Serious injury broken bone | During the past 12 months, what was the most serious injury that happened to you? |
| V19 | Q19 | Serious injury motor vehicle | During the past 12 months, what was the major cause of the most serious injury that happened to you? |
| V20 | Q20 | Bullied | During the past 30 days, on how many days were you bullied? |
| V21 | Q21 | Bullied by hitting | During the past 30 days, how were you bullied most often? |
| V22 | Q22 | Felt lonely | During the past 12 months, how often have you felt lonely? |
| V23 | Q23 | Could not sleep | During the past 12 months, how often have you been so worried about something that you could not sleep at night? |

| ID | Name | Label | Question |
|-----|------|------------------------------------|---|
| V24 | Q24 | Considered suicide | During the past 12 months, did you ever seriously consider attempting suicide? |
| V25 | Q25 | Made a suicide plan | During the past 12 months, did you make a plan about how you would attempt suicide? |
| V26 | Q26 | Attempted suicide | During the past 12 months, how many times did you actually attempt suicide? |
| V27 | Q27 | Close friends | How many close friends do you have? |
| V28 | Q28 | Initiation of cigarette use | How old were you when you first tried a cigarette? |
| V29 | Q29 | Current cigarette use | During the past 30 days, on how many days did you smoke cigarettes? |
| V30 | Q30 | Other tobacco use | During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES? |
| V31 | Q31 | Smoking cessation | During the past 12 months, have you ever tried to stop smoking cigarettes? |
| V32 | Q32 | Smoking in their presence | During the past 7 days, on how many days have people smoked in your presence? |
| V33 | Q33 | Parental tobacco use | Which of your parents or guardians use any form of tobacco? |
| V34 | Q34 | Initiation of alcohol use | How old were you when you had your first drink of alcohol other than a few sips? |
| V35 | Q35 | Current alcohol use | During the past 30 days, on how many days did you have at least one drink containing alcohol? |
| V36 | Q36 | Drank 2+ drinks | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? |
| V37 | Q37 | Source of alcohol | During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE. |
| V38 | Q38 | Really drunk | During your life, how many times did you drink so much alcohol that you were really drunk? |
| V39 | Q39 | Trouble from drinking | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? |
| V40 | Q40 | Initiation of drug use | How old were you when you first used drugs? |
| V41 | Q41 | Ever marijuana use | During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V42 | Q42 | Current marijuana use | During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V43 | Q43 | Amphetamine or methamphetamine use | During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)? |
| V44 | Q44 | Ever sexual intercourse | Have you ever had sexual intercourse? |
| V45 | Q45 | Sex before 14 years | How old were you when you had sexual intercourse for the first time? |
| V46 | Q46 | Multiple sex partners | During your life, with how many people have you had sexual intercourse? |
| V47 | Q47 | Condom use | The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]? |
| V48 | Q48 | Birth control used | The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy? |
| V49 | Q49 | Physical activity \geq 5 days | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY. |
| V50 | Q50 | Walk or bike to school | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? |

| ID | Name | Label | Question |
|-----|------|--|--|
| V51 | Q51 | PE attendance | During this school year, on how many days did you go to physical education (PE) class each week? |
| V52 | Q52 | Sitting activities | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES? |
| V53 | Q53 | Miss school no permission | During the past 30 days, on how many days did you miss classes or school without permission? |
| V54 | Q54 | Other students kind and helpful | During the past 30 days, how often were most of the students in your school kind and helpful? |
| V55 | Q55 | Parents check homework | During the past 30 days, how often did your parents or guardians check to see if your homework was done? |
| V56 | Q56 | Parents understand problems | During the past 30 days, how often did your parents or guardians understand your problems and worries? |
| V57 | Q57 | Parents know about free time | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? |
| V58 | Q58 | Parents go through their things | During the past 30 days, how often did your parents or guardians go through your things without your approval? |
| V59 | QN6 | Most of the time or always went hungry | Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey) |
| V60 | QN7 | Did not eat fruit | Percentage of students who did not eat fruit (during the 30 days before the survey) |
| V61 | QN8 | Did not eat vegetables | Percentage of students who did not eat vegetables (during the 30 days before the survey) |
| V62 | QN9 | Did not drink carbonated soft drinks | Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey) |
| V63 | QN10 | Did not eat food from a fast food restaurant | Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey) |
| V64 | QN11 | Usually cleaned or brushed their teeth | Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey) |
| V65 | QN12 | Never or rarely washed their hands before eating | Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey) |
| V66 | QN13 | Never or rarely washed their hands after using the toilet or latrine | Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey) |
| V67 | QN14 | Never or rarely used soap when washing their hands | Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey) |
| V68 | QN15 | Were physically attacked | Percentage of students who were physically attacked (one or more times during the 12 months before the survey) |
| V69 | QN16 | Were in a physical fight | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) |
| V70 | QN17 | Were seriously injured | Percentage of students who were seriously injured (one or more times during the 12 months before the survey) |
| V71 | QN18 | Reported that their most serious injury was a broken bone or dislocated joint | Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey) |
| V72 | QN19 | Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle | Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey) |
| V73 | QN20 | Were bullied | Percentage of students who were bullied (on one or more days during the 30 days before the survey) |
| V74 | QN21 | Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey) |

| ID | Name | Label | Question |
|-----|------|---|--|
| V75 | QN22 | Most of the time or always felt lonely | Percentage of students who most of the time or always felt lonely (during the 12 months before the survey) |
| V76 | QN23 | Most of the time or always were so worried about something that they could not sleep at night | Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey) |
| V77 | QN24 | Seriously considered attempting suicide | Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) |
| V78 | QN25 | Made a plan about how they would attempt suicide | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) |
| V79 | QN26 | Attempted suicide | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) |
| V80 | QN27 | Did not have any close friends | Percentage of students who did not have any close friends |
| V81 | QN28 | Tried a cigarette before age 14 years | Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes) |
| V82 | QN29 | Currently smoked cigarettes | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) |
| V83 | QN30 | Currently used any tobacco products other than cigarettes | Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey) |
| V84 | QN31 | Tried to quit smoking cigarettes | Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey) |
| V85 | QN32 | Reported that people smoked in their presence | Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey) |
| V86 | QN33 | Had parents or guardians who used any form of tobacco | Percentage of students who had parents or guardians who used any form of tobacco |
| V87 | QN34 | Drank alcohol before age 14 years | Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips) |
| V88 | QN35 | Currently drank alcohol | Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) |
| V89 | QN36 | Usually drank two or more drinks per day | Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey) |
| V90 | QN37 | Usually obtained the alcohol they drank from friends | Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey) |
| V91 | QN38 | Ever drank so much alcohol that they were really drunk | Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life) |
| V92 | QN39 | Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol | Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life) |
| V93 | QN40 | Used drugs before age 14 years | Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs) |
| V94 | QN41 | Ever used marijuana | Percentage of students who ever used marijuana (one or more times during their life) |
| V95 | QN42 | Currently used marijuana | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) |
| V96 | QN43 | Ever used amphetamines or methamphetamines | Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life) |
| V97 | QN44 | Ever had sexual intercourse | Percentage of students who ever had sexual intercourse |
| V98 | QN45 | Had sexual intercourse before age 14 years | Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse) |

| ID | Name | Label | Question |
|------|----------|---|--|
| V99 | QN46 | Had sexual intercourse with two or more persons | Percentage of students who had sexual intercourse with two or more persons (during their life) |
| V100 | QN47 | Used a condom | Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse) |
| V101 | QN48 | Used a method of birth control other than condoms | Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V102 | QN49 | Were not physically active | Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey) |
| V103 | QN50 | Did not walk or ride a bicycle to or from school | Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey) |
| V104 | QN51 | Did not attend physical education classes | Percentage of students who did not attend physical education classes (each week during this school year) |
| V105 | QN52 | Spent three or more hours per day doing sitting activities | Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day) |
| V106 | QN53 | Missed classes or school without permission | Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) |
| V107 | QN54 | Reported that most of the students in their school were most of the time or always kind and helpful | Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey) |
| V108 | QN55 | Reported that their parents or guardians most of the time or always checked to see if their homework was done | Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey) |
| V109 | QN56 | Reported that their parents or guardians most of the time or always understood their problems and worries | Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey) |
| V110 | QN57 | Reported that their parents or guardians most of the time or always really knew what they were doing with their free time | Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey) |
| V111 | QN58 | Reported that their parents or guardians never or rarely went through their things without their approval | Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey) |
| V115 | qnunwtg | Were underweight | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) |
| V116 | qnowtg | Were overweight | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) |
| V117 | qnobeseg | Were obese | Percentage of students who were obese (>+2SD from median for BMI by age and sex) |
| V118 | qnfrlg | Usually ate fruit less than one time per day | Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey) |
| V119 | qnfr1g | Usually ate fruit one or more times per day | Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey) |
| V120 | qnfr2g | Usually ate fruit two or more times per day | Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey) |
| V121 | qnfr3g | Usually ate fruit three or more times per day | Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey) |
| V122 | qnveglg | Usually ate vegetables less than one time per day | Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|----------|--|--|
| V123 | qnveg1g | Usually ate vegetables one or more times per day | Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey) |
| V124 | qnveg2g | Usually ate vegetables two or more times per day | Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey) |
| V125 | qnveg3g | Usually ate vegetables three or more times per day | Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey) |
| V126 | qnsodalg | Usually drank carbonated soft drinks less than one time per day | Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey) |
| V127 | qnsoda1g | Usually drank carbonated soft drinks one or more times per day | Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey) |
| V128 | qnsoda2g | Usually drank carbonated soft drinks two or more times per day | Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey) |
| V129 | qnsoda3g | Usually drank carbonated soft drinks three or more times per day | Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey) |
| V130 | qnff1g | Ate food from a fast food restaurant one or more days | Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey) |
| V131 | qnff2g | Ate food from a fast food restaurant two or more days | Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey) |
| V132 | qnff3g | Ate food from a fast food restaurant three or more days | Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey) |
| V133 | qnc2g | Were bullied and could not sleep at night | Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey) |
| V134 | qntob2g | Currently used any tobacco product | Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey) |
| V135 | qnotb2g | Did not currently use any tobacco products | Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey) |
| V136 | qnbcanyg | Used a method of birth control | Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V137 | qnc1g | Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk | Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life) |
| V138 | qnpa5g | Were physically active at least 60 minutes per day on 5 or more days | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey) |
| V139 | qnpa7g | Were physically active at least 60 minutes per day on all 7 days | Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey) |
| V140 | qnpe3g | Attended physical education classes on three or more days | Percentage of students who attended physical education classes on three or more days (each week during this school year) |
| V141 | qnpe5g | Attended physical education classes on five or more days | Percentage of students who attended physical education classes on five or more days (each week during this school year) |
| V142 | weight | | |
| V143 | stratum | | |
| V144 | psu | | |

total: 141

Data file: THA2015_Public_Use_private

Thailand private public-use dataset

Cases: 3386

variables: 141

variables

| ID | Name | Label | Question |
|------|------|------------------------------|--|
| V145 | Q1 | Custom Age | How old are you? |
| V146 | Q2 | Sex | What is your sex? |
| V147 | Q3 | In what grade are you | In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS |
| V148 | Q4 | How tall are you | How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V149 | Q5 | How much do you weigh | How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V150 | Q6 | How often went hungry | During the past 30 days, how often did you go hungry because there was not enough food in your home? |
| V151 | Q7 | No fruit eating | During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES? |
| V152 | Q8 | No vegetable eating | During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES? |
| V153 | Q9 | Soft drinks | During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.) |
| V154 | Q10 | Fast food eating | During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES? |
| V155 | Q11 | Tooth brushing | During the past 30 days, how many times per day did you usually clean or brush your teeth? |
| V156 | Q12 | Hand washing before eating | During the past 30 days, how often did you wash your hands before eating? |
| V157 | Q13 | Hand washing after toilet | During the past 30 days, how often did you wash your hands after using the toilet or latrine? |
| V158 | Q14 | Hand washing with soap | During the past 30 days, how often did you use soap when washing your hands? |
| V159 | Q15 | Physically attacked | During the past 12 months, how many times were you physically attacked? |
| V160 | Q16 | Physical fighting | During the past 12 months, how many times were you in a physical fight? |
| V161 | Q17 | Seriously injured | During the past 12 months, how many times were you seriously injured? |
| V162 | Q18 | Serious injury broken bone | During the past 12 months, what was the most serious injury that happened to you? |
| V163 | Q19 | Serious injury motor vehicle | During the past 12 months, what was the major cause of the most serious injury that happened to you? |
| V164 | Q20 | Bullied | During the past 30 days, on how many days were you bullied? |
| V165 | Q21 | Bullied by hitting | During the past 30 days, how were you bullied most often? |
| V166 | Q22 | Felt lonely | During the past 12 months, how often have you felt lonely? |
| V167 | Q23 | Could not sleep | During the past 12 months, how often have you been so worried about something that you could not sleep at night? |

| ID | Name | Label | Question |
|------|------|------------------------------------|---|
| V168 | Q24 | Considered suicide | During the past 12 months, did you ever seriously consider attempting suicide? |
| V169 | Q25 | Made a suicide plan | During the past 12 months, did you make a plan about how you would attempt suicide? |
| V170 | Q26 | Attempted suicide | During the past 12 months, how many times did you actually attempt suicide? |
| V171 | Q27 | Close friends | How many close friends do you have? |
| V172 | Q28 | Initiation of cigarette use | How old were you when you first tried a cigarette? |
| V173 | Q29 | Current cigarette use | During the past 30 days, on how many days did you smoke cigarettes? |
| V174 | Q30 | Other tobacco use | During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES? |
| V175 | Q31 | Smoking cessation | During the past 12 months, have you ever tried to stop smoking cigarettes? |
| V176 | Q32 | Smoking in their presence | During the past 7 days, on how many days have people smoked in your presence? |
| V177 | Q33 | Parental tobacco use | Which of your parents or guardians use any form of tobacco? |
| V178 | Q34 | Initiation of alcohol use | How old were you when you had your first drink of alcohol other than a few sips? |
| V179 | Q35 | Current alcohol use | During the past 30 days, on how many days did you have at least one drink containing alcohol? |
| V180 | Q36 | Drank 2+ drinks | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? |
| V181 | Q37 | Source of alcohol | During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE. |
| V182 | Q38 | Really drunk | During your life, how many times did you drink so much alcohol that you were really drunk? |
| V183 | Q39 | Trouble from drinking | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? |
| V184 | Q40 | Initiation of drug use | How old were you when you first used drugs? |
| V185 | Q41 | Ever marijuana use | During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V186 | Q42 | Current marijuana use | During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V187 | Q43 | Amphetamine or methamphetamine use | During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)? |
| V188 | Q44 | Ever sexual intercourse | Have you ever had sexual intercourse? |
| V189 | Q45 | Sex before 14 years | How old were you when you had sexual intercourse for the first time? |
| V190 | Q46 | Multiple sex partners | During your life, with how many people have you had sexual intercourse? |
| V191 | Q47 | Condom use | The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]? |
| V192 | Q48 | Birth control used | The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy? |
| V193 | Q49 | Physical activity \geq 5 days | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY. |
| V194 | Q50 | Walk or bike to school | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? |

| ID | Name | Label | Question |
|------|------|--|--|
| V195 | Q51 | PE attendance | During this school year, on how many days did you go to physical education (PE) class each week? |
| V196 | Q52 | Sitting activities | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES? |
| V197 | Q53 | Miss school no permission | During the past 30 days, on how many days did you miss classes or school without permission? |
| V198 | Q54 | Other students kind and helpful | During the past 30 days, how often were most of the students in your school kind and helpful? |
| V199 | Q55 | Parents check homework | During the past 30 days, how often did your parents or guardians check to see if your homework was done? |
| V200 | Q56 | Parents understand problems | During the past 30 days, how often did your parents or guardians understand your problems and worries? |
| V201 | Q57 | Parents know about free time | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? |
| V202 | Q58 | Parents go through their things | During the past 30 days, how often did your parents or guardians go through your things without your approval? |
| V203 | QN6 | Most of the time or always went hungry | Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey) |
| V204 | QN7 | Did not eat fruit | Percentage of students who did not eat fruit (during the 30 days before the survey) |
| V205 | QN8 | Did not eat vegetables | Percentage of students who did not eat vegetables (during the 30 days before the survey) |
| V206 | QN9 | Did not drink carbonated soft drinks | Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey) |
| V207 | QN10 | Did not eat food from a fast food restaurant | Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey) |
| V208 | QN11 | Usually cleaned or brushed their teeth | Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey) |
| V209 | QN12 | Never or rarely washed their hands before eating | Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey) |
| V210 | QN13 | Never or rarely washed their hands after using the toilet or latrine | Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey) |
| V211 | QN14 | Never or rarely used soap when washing their hands | Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey) |
| V212 | QN15 | Were physically attacked | Percentage of students who were physically attacked (one or more times during the 12 months before the survey) |
| V213 | QN16 | Were in a physical fight | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) |
| V214 | QN17 | Were seriously injured | Percentage of students who were seriously injured (one or more times during the 12 months before the survey) |
| V215 | QN18 | Reported that their most serious injury was a broken bone or dislocated joint | Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey) |
| V216 | QN19 | Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle | Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey) |
| V217 | QN20 | Were bullied | Percentage of students who were bullied (on one or more days during the 30 days before the survey) |
| V218 | QN21 | Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|------|---|--|
| V219 | QN22 | Most of the time or always felt lonely | Percentage of students who most of the time or always felt lonely (during the 12 months before the survey) |
| V220 | QN23 | Most of the time or always were so worried about something that they could not sleep at night | Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey) |
| V221 | QN24 | Seriously considered attempting suicide | Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) |
| V222 | QN25 | Made a plan about how they would attempt suicide | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) |
| V223 | QN26 | Attempted suicide | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) |
| V224 | QN27 | Did not have any close friends | Percentage of students who did not have any close friends |
| V225 | QN28 | Tried a cigarette before age 14 years | Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes) |
| V226 | QN29 | Currently smoked cigarettes | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) |
| V227 | QN30 | Currently used any tobacco products other than cigarettes | Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey) |
| V228 | QN31 | Tried to quit smoking cigarettes | Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey) |
| V229 | QN32 | Reported that people smoked in their presence | Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey) |
| V230 | QN33 | Had parents or guardians who used any form of tobacco | Percentage of students who had parents or guardians who used any form of tobacco |
| V231 | QN34 | Drank alcohol before age 14 years | Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips) |
| V232 | QN35 | Currently drank alcohol | Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) |
| V233 | QN36 | Usually drank two or more drinks per day | Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey) |
| V234 | QN37 | Usually obtained the alcohol they drank from friends | Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey) |
| V235 | QN38 | Ever drank so much alcohol that they were really drunk | Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life) |
| V236 | QN39 | Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol | Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life) |
| V237 | QN40 | Used drugs before age 14 years | Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs) |
| V238 | QN41 | Ever used marijuana | Percentage of students who ever used marijuana (one or more times during their life) |
| V239 | QN42 | Currently used marijuana | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) |
| V240 | QN43 | Ever used amphetamines or methamphetamines | Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life) |
| V241 | QN44 | Ever had sexual intercourse | Percentage of students who ever had sexual intercourse |
| V242 | QN45 | Had sexual intercourse before age 14 years | Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse) |

| ID | Name | Label | Question |
|------|----------|---|--|
| V243 | QN46 | Had sexual intercourse with two or more persons | Percentage of students who had sexual intercourse with two or more persons (during their life) |
| V244 | QN47 | Used a condom | Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse) |
| V245 | QN48 | Used a method of birth control other than condoms | Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V246 | QN49 | Were not physically active | Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey) |
| V247 | QN50 | Did not walk or ride a bicycle to or from school | Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey) |
| V248 | QN51 | Did not attend physical education classes | Percentage of students who did not attend physical education classes (each week during this school year) |
| V249 | QN52 | Spent three or more hours per day doing sitting activities | Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day) |
| V250 | QN53 | Missed classes or school without permission | Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) |
| V251 | QN54 | Reported that most of the students in their school were most of the time or always kind and helpful | Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey) |
| V252 | QN55 | Reported that their parents or guardians most of the time or always checked to see if their homework was done | Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey) |
| V253 | QN56 | Reported that their parents or guardians most of the time or always understood their problems and worries | Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey) |
| V254 | QN57 | Reported that their parents or guardians most of the time or always really knew what they were doing with their free time | Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey) |
| V255 | QN58 | Reported that their parents or guardians never or rarely went through their things without their approval | Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey) |
| V259 | qnunwtg | Were underweight | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) |
| V260 | qnowtg | Were overweight | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) |
| V261 | qnobeseg | Were obese | Percentage of students who were obese (>+2SD from median for BMI by age and sex) |
| V262 | qnfrlg | Usually ate fruit less than one time per day | Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey) |
| V263 | qnfr1g | Usually ate fruit one or more times per day | Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey) |
| V264 | qnfr2g | Usually ate fruit two or more times per day | Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey) |
| V265 | qnfr3g | Usually ate fruit three or more times per day | Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey) |
| V266 | qnveglg | Usually ate vegetables less than one time per day | Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|----------|--|--|
| V267 | qnveg1g | Usually ate vegetables one or more times per day | Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey) |
| V268 | qnveg2g | Usually ate vegetables two or more times per day | Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey) |
| V269 | qnveg3g | Usually ate vegetables three or more times per day | Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey) |
| V270 | qnsodalg | Usually drank carbonated soft drinks less than one time per day | Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey) |
| V271 | qnsoda1g | Usually drank carbonated soft drinks one or more times per day | Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey) |
| V272 | qnsoda2g | Usually drank carbonated soft drinks two or more times per day | Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey) |
| V273 | qnsoda3g | Usually drank carbonated soft drinks three or more times per day | Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey) |
| V274 | qnff1g | Ate food from a fast food restaurant one or more days | Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey) |
| V275 | qnff2g | Ate food from a fast food restaurant two or more days | Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey) |
| V276 | qnff3g | Ate food from a fast food restaurant three or more days | Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey) |
| V277 | qnc2g | Were bullied and could not sleep at night | Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey) |
| V278 | qntob2g | Currently used any tobacco product | Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey) |
| V279 | qnnotb2g | Did not currently use any tobacco products | Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey) |
| V280 | qnbcanyg | Used a method of birth control | Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V281 | qnc1g | Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk | Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life) |
| V282 | qnpa5g | Were physically active at least 60 minutes per day on 5 or more days | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey) |
| V283 | qnpa7g | Were physically active at least 60 minutes per day on all 7 days | Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey) |
| V284 | qnpe3g | Attended physical education classes on three or more days | Percentage of students who attended physical education classes on three or more days (each week during this school year) |
| V285 | qnpe5g | Attended physical education classes on five or more days | Percentage of students who attended physical education classes on five or more days (each week during this school year) |
| V286 | weight | | |
| V287 | stratum | | |
| V288 | psu | | |

total: 141

Data file: THA2015_Public_Use_public

Thailand public public-use dataset

Cases: 2508

variables: 141

variables

| ID | Name | Label | Question |
|------|------|------------------------------|--|
| V289 | Q1 | Custom Age | How old are you? |
| V290 | Q2 | Sex | What is your sex? |
| V291 | Q3 | In what grade are you | In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS |
| V292 | Q4 | How tall are you | How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V293 | Q5 | How much do you weigh | How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER. |
| V294 | Q6 | How often went hungry | During the past 30 days, how often did you go hungry because there was not enough food in your home? |
| V295 | Q7 | No fruit eating | During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES? |
| V296 | Q8 | No vegetable eating | During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES? |
| V297 | Q9 | Soft drinks | During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.) |
| V298 | Q10 | Fast food eating | During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES? |
| V299 | Q11 | Tooth brushing | During the past 30 days, how many times per day did you usually clean or brush your teeth? |
| V300 | Q12 | Hand washing before eating | During the past 30 days, how often did you wash your hands before eating? |
| V301 | Q13 | Hand washing after toilet | During the past 30 days, how often did you wash your hands after using the toilet or latrine? |
| V302 | Q14 | Hand washing with soap | During the past 30 days, how often did you use soap when washing your hands? |
| V303 | Q15 | Physically attacked | During the past 12 months, how many times were you physically attacked? |
| V304 | Q16 | Physical fighting | During the past 12 months, how many times were you in a physical fight? |
| V305 | Q17 | Seriously injured | During the past 12 months, how many times were you seriously injured? |
| V306 | Q18 | Serious injury broken bone | During the past 12 months, what was the most serious injury that happened to you? |
| V307 | Q19 | Serious injury motor vehicle | During the past 12 months, what was the major cause of the most serious injury that happened to you? |
| V308 | Q20 | Bullied | During the past 30 days, on how many days were you bullied? |
| V309 | Q21 | Bullied by hitting | During the past 30 days, how were you bullied most often? |
| V310 | Q22 | Felt lonely | During the past 12 months, how often have you felt lonely? |
| V311 | Q23 | Could not sleep | During the past 12 months, how often have you been so worried about something that you could not sleep at night? |

| ID | Name | Label | Question |
|------|------|------------------------------------|---|
| V312 | Q24 | Considered suicide | During the past 12 months, did you ever seriously consider attempting suicide? |
| V313 | Q25 | Made a suicide plan | During the past 12 months, did you make a plan about how you would attempt suicide? |
| V314 | Q26 | Attempted suicide | During the past 12 months, how many times did you actually attempt suicide? |
| V315 | Q27 | Close friends | How many close friends do you have? |
| V316 | Q28 | Initiation of cigarette use | How old were you when you first tried a cigarette? |
| V317 | Q29 | Current cigarette use | During the past 30 days, on how many days did you smoke cigarettes? |
| V318 | Q30 | Other tobacco use | During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES? |
| V319 | Q31 | Smoking cessation | During the past 12 months, have you ever tried to stop smoking cigarettes? |
| V320 | Q32 | Smoking in their presence | During the past 7 days, on how many days have people smoked in your presence? |
| V321 | Q33 | Parental tobacco use | Which of your parents or guardians use any form of tobacco? |
| V322 | Q34 | Initiation of alcohol use | How old were you when you had your first drink of alcohol other than a few sips? |
| V323 | Q35 | Current alcohol use | During the past 30 days, on how many days did you have at least one drink containing alcohol? |
| V324 | Q36 | Drank 2+ drinks | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? |
| V325 | Q37 | Source of alcohol | During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE. |
| V326 | Q38 | Really drunk | During your life, how many times did you drink so much alcohol that you were really drunk? |
| V327 | Q39 | Trouble from drinking | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? |
| V328 | Q40 | Initiation of drug use | How old were you when you first used drugs? |
| V329 | Q41 | Ever marijuana use | During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V330 | Q42 | Current marijuana use | During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)? |
| V331 | Q43 | Amphetamine or methamphetamine use | During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)? |
| V332 | Q44 | Ever sexual intercourse | Have you ever had sexual intercourse? |
| V333 | Q45 | Sex before 14 years | How old were you when you had sexual intercourse for the first time? |
| V334 | Q46 | Multiple sex partners | During your life, with how many people have you had sexual intercourse? |
| V335 | Q47 | Condom use | The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]? |
| V336 | Q48 | Birth control used | The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy? |
| V337 | Q49 | Physical activity \geq 5 days | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY. |
| V338 | Q50 | Walk or bike to school | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? |

| ID | Name | Label | Question |
|------|------|--|--|
| V339 | Q51 | PE attendance | During this school year, on how many days did you go to physical education (PE) class each week? |
| V340 | Q52 | Sitting activities | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES? |
| V341 | Q53 | Miss school no permission | During the past 30 days, on how many days did you miss classes or school without permission? |
| V342 | Q54 | Other students kind and helpful | During the past 30 days, how often were most of the students in your school kind and helpful? |
| V343 | Q55 | Parents check homework | During the past 30 days, how often did your parents or guardians check to see if your homework was done? |
| V344 | Q56 | Parents understand problems | During the past 30 days, how often did your parents or guardians understand your problems and worries? |
| V345 | Q57 | Parents know about free time | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? |
| V346 | Q58 | Parents go through their things | During the past 30 days, how often did your parents or guardians go through your things without your approval? |
| V347 | QN6 | Most of the time or always went hungry | Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey) |
| V348 | QN7 | Did not eat fruit | Percentage of students who did not eat fruit (during the 30 days before the survey) |
| V349 | QN8 | Did not eat vegetables | Percentage of students who did not eat vegetables (during the 30 days before the survey) |
| V350 | QN9 | Did not drink carbonated soft drinks | Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey) |
| V351 | QN10 | Did not eat food from a fast food restaurant | Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey) |
| V352 | QN11 | Usually cleaned or brushed their teeth | Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey) |
| V353 | QN12 | Never or rarely washed their hands before eating | Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey) |
| V354 | QN13 | Never or rarely washed their hands after using the toilet or latrine | Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey) |
| V355 | QN14 | Never or rarely used soap when washing their hands | Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey) |
| V356 | QN15 | Were physically attacked | Percentage of students who were physically attacked (one or more times during the 12 months before the survey) |
| V357 | QN16 | Were in a physical fight | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) |
| V358 | QN17 | Were seriously injured | Percentage of students who were seriously injured (one or more times during the 12 months before the survey) |
| V359 | QN18 | Reported that their most serious injury was a broken bone or dislocated joint | Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey) |
| V360 | QN19 | Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle | Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey) |
| V361 | QN20 | Were bullied | Percentage of students who were bullied (on one or more days during the 30 days before the survey) |
| V362 | QN21 | Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|------|---|--|
| V363 | QN22 | Most of the time or always felt lonely | Percentage of students who most of the time or always felt lonely (during the 12 months before the survey) |
| V364 | QN23 | Most of the time or always were so worried about something that they could not sleep at night | Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey) |
| V365 | QN24 | Seriously considered attempting suicide | Percentage of students who seriously considered attempting suicide (during the 12 months before the survey) |
| V366 | QN25 | Made a plan about how they would attempt suicide | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) |
| V367 | QN26 | Attempted suicide | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) |
| V368 | QN27 | Did not have any close friends | Percentage of students who did not have any close friends |
| V369 | QN28 | Tried a cigarette before age 14 years | Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes) |
| V370 | QN29 | Currently smoked cigarettes | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) |
| V371 | QN30 | Currently used any tobacco products other than cigarettes | Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey) |
| V372 | QN31 | Tried to quit smoking cigarettes | Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey) |
| V373 | QN32 | Reported that people smoked in their presence | Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey) |
| V374 | QN33 | Had parents or guardians who used any form of tobacco | Percentage of students who had parents or guardians who used any form of tobacco |
| V375 | QN34 | Drank alcohol before age 14 years | Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips) |
| V376 | QN35 | Currently drank alcohol | Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey) |
| V377 | QN36 | Usually drank two or more drinks per day | Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey) |
| V378 | QN37 | Usually obtained the alcohol they drank from friends | Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey) |
| V379 | QN38 | Ever drank so much alcohol that they were really drunk | Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life) |
| V380 | QN39 | Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol | Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life) |
| V381 | QN40 | Used drugs before age 14 years | Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs) |
| V382 | QN41 | Ever used marijuana | Percentage of students who ever used marijuana (one or more times during their life) |
| V383 | QN42 | Currently used marijuana | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) |
| V384 | QN43 | Ever used amphetamines or methamphetamines | Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life) |
| V385 | QN44 | Ever had sexual intercourse | Percentage of students who ever had sexual intercourse |
| V386 | QN45 | Had sexual intercourse before age 14 years | Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse) |

| ID | Name | Label | Question |
|------|----------|---|--|
| V387 | QN46 | Had sexual intercourse with two or more persons | Percentage of students who had sexual intercourse with two or more persons (during their life) |
| V388 | QN47 | Used a condom | Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse) |
| V389 | QN48 | Used a method of birth control other than condoms | Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V390 | QN49 | Were not physically active | Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey) |
| V391 | QN50 | Did not walk or ride a bicycle to or from school | Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey) |
| V392 | QN51 | Did not attend physical education classes | Percentage of students who did not attend physical education classes (each week during this school year) |
| V393 | QN52 | Spent three or more hours per day doing sitting activities | Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day) |
| V394 | QN53 | Missed classes or school without permission | Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey) |
| V395 | QN54 | Reported that most of the students in their school were most of the time or always kind and helpful | Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey) |
| V396 | QN55 | Reported that their parents or guardians most of the time or always checked to see if their homework was done | Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey) |
| V397 | QN56 | Reported that their parents or guardians most of the time or always understood their problems and worries | Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey) |
| V398 | QN57 | Reported that their parents or guardians most of the time or always really knew what they were doing with their free time | Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey) |
| V399 | QN58 | Reported that their parents or guardians never or rarely went through their things without their approval | Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey) |
| V403 | qnunwtg | Were underweight | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) |
| V404 | qnowtg | Were overweight | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) |
| V405 | qnobeseg | Were obese | Percentage of students who were obese (>+2SD from median for BMI by age and sex) |
| V406 | qnfrlg | Usually ate fruit less than one time per day | Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey) |
| V407 | qnfr1g | Usually ate fruit one or more times per day | Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey) |
| V408 | qnfr2g | Usually ate fruit two or more times per day | Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey) |
| V409 | qnfr3g | Usually ate fruit three or more times per day | Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey) |
| V410 | qnveglg | Usually ate vegetables less than one time per day | Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey) |

| ID | Name | Label | Question |
|------|----------|--|--|
| V411 | qnveg1g | Usually ate vegetables one or more times per day | Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey) |
| V412 | qnveg2g | Usually ate vegetables two or more times per day | Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey) |
| V413 | qnveg3g | Usually ate vegetables three or more times per day | Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey) |
| V414 | qnsodalg | Usually drank carbonated soft drinks less than one time per day | Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey) |
| V415 | qnsoda1g | Usually drank carbonated soft drinks one or more times per day | Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey) |
| V416 | qnsoda2g | Usually drank carbonated soft drinks two or more times per day | Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey) |
| V417 | qnsoda3g | Usually drank carbonated soft drinks three or more times per day | Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey) |
| V418 | qnff1g | Ate food from a fast food restaurant one or more days | Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey) |
| V419 | qnff2g | Ate food from a fast food restaurant two or more days | Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey) |
| V420 | qnff3g | Ate food from a fast food restaurant three or more days | Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey) |
| V421 | qnc2g | Were bullied and could not sleep at night | Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey) |
| V422 | qntob2g | Currently used any tobacco product | Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey) |
| V423 | qnnotb2g | Did not currently use any tobacco products | Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey) |
| V424 | qnbcanyg | Used a method of birth control | Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse) |
| V425 | qnc1g | Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk | Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life) |
| V426 | qnpa5g | Were physically active at least 60 minutes per day on 5 or more days | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey) |
| V427 | qnpa7g | Were physically active at least 60 minutes per day on all 7 days | Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey) |
| V428 | qnpe3g | Attended physical education classes on three or more days | Percentage of students who attended physical education classes on three or more days (each week during this school year) |
| V429 | qnpe5g | Attended physical education classes on five or more days | Percentage of students who attended physical education classes on five or more days (each week during this school year) |
| V430 | weight | | |
| V431 | stratum | | |
| V432 | psu | | |

total: 141

Q1: Custom Age**Data file: THA2015_Public_Use_national****Overview**

Valid: 5877 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | 11 years old or younger | 33 | 0.6% |
| 2 | 12 years old | 640 | 10.9% |
| 3 | 13 years old | 1278 | 21.7% |
| 4 | 14 years old | 1216 | 20.7% |
| 5 | 15 years old | 998 | 17% |
| 6 | 16 years old | 754 | 12.8% |
| 7 | 17 years old | 744 | 12.7% |
| 8 | 18 years old or older | 214 | 3.6% |
| Sysmiss | | 17 | |

Q10: Fast food eating**Data file: THA2015_Public_Use_national****Overview**

Valid: 5838 Invalid: 56 Minimum: 1 Maximum: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 1042 | 17.8% |
| 2 | 1 day | 926 | 15.9% |
| 3 | 2 days | 808 | 13.8% |

| | | | |
|---------|--------|------|-------|
| 4 | 3 days | 619 | 10.6% |
| 5 | 4 days | 319 | 5.5% |
| 6 | 5 days | 1292 | 22.1% |
| 7 | 6 days | 166 | 2.8% |
| 8 | 7 days | 666 | 11.4% |
| Sysmiss | | 56 | |

Q2: Sex

Data file: THA2015_Public_Use_national

Overview

Valid: 5863 Invalid: 31 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Male | 2528 | 43.1% |
| 2 | Female | 3335 | 56.9% |
| Sysmiss | | 31 | |

Q3: In what grade are you

Data file: THA2015_Public_Use_national

Overview

Valid: 5847 Invalid: 47 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | Grade 7 | 1283 | 21.9% |
| 2 | Grade 8 | 1270 | 21.7% |
| 3 | Grade 9 | 1170 | 20% |

| | | | |
|---------|----------|-----|-------|
| 4 | Grade 10 | 727 | 12.4% |
| 5 | Grade 11 | 722 | 12.3% |
| 6 | Grade 12 | 675 | 11.5% |
| Sysmiss | | 47 | |

Q4: How tall are you

Data file: THA2015_Public_Use_national

Overview

Valid: 5575 Invalid: 319 Mean: 1.592 Standard deviation: 0.0887
 Type: Continuous Decimal: 2 Width: 5 Range: 1.28 - 2.01 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: THA2015_Public_Use_national

Overview

Valid: 5575 Invalid: 319 Mean: 50.953 Standard deviation: 12.95
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 168 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: THA2015_Public_Use_national

Overview

Valid: 5882 Invalid: 12 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 2583 | 43.9% |
| 2 | Rarely | 1502 | 25.5% |
| 3 | Sometimes | 1582 | 26.9% |
| 4 | Most of the time | 111 | 1.9% |
| 5 | Always | 104 | 1.8% |
| Sysmiss | | 12 | |

Q7: No fruit eating

Data file: THA2015_Public_Use_national

Overview

Valid: 5844 Invalid: 50 Minimum: 1 Maximum: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat fruit | 383 | 6.6% |
| 2 | Less than one time per day | 1202 | 20.6% |
| 3 | 1 time per day | 1847 | 31.6% |
| 4 | 2 times per day | 1353 | 23.2% |
| 5 | 3 times per day | 602 | 10.3% |
| 6 | 4 times per day | 130 | 2.2% |
| 7 | 5 or more times per day | 327 | 5.6% |
| Sysmiss | | 50 | |

Q8: No vegetable eating**Data file: THA2015_Public_Use_national****Overview**

Valid: 5767 Invalid: 127 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat vegetables | 207 | 3.6% |
| 2 | Less than one time per day | 688 | 11.9% |
| 3 | 1 time per day | 1325 | 23% |
| 4 | 2 times per day | 1627 | 28.2% |
| 5 | 3 times per day | 1290 | 22.4% |
| 6 | 4 times per day | 182 | 3.2% |
| 7 | 5 or more times per day | 448 | 7.8% |
| Sysmiss | | 127 | |

Q9: Soft drinks**Data file: THA2015_Public_Use_national****Overview**

Valid: 5869 Invalid: 25 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

| Value | Category | Cases | |
|-------|----------------------------|-------|-------|
| 1 | Did not drink soft drinks | 831 | 14.2% |
| 2 | Less than one time per day | 1935 | 33% |

| | | | |
|---------|-------------------------|------|-------|
| 3 | 1 time per day | 1406 | 24% |
| 4 | 2 times per day | 851 | 14.5% |
| 5 | 3 times per day | 427 | 7.3% |
| 6 | 4 times per day | 142 | 2.4% |
| 7 | 5 or more times per day | 277 | 4.7% |
| Sysmiss | | 25 | |

Q11: Tooth brushing

Data file: THA2015_Public_Use_national

Overview

Valid: 5877 Invalid: 17 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------|-------|-------|
| 1 | Did not brush my teeth | 130 | 2.2% |
| 2 | Less than 1 time per day | 128 | 2.2% |
| 3 | 1 time per day | 554 | 9.4% |
| 4 | 2 times per day | 3740 | 63.6% |
| 5 | 3 times per day | 1057 | 18% |
| 6 | 4 or more times per day | 268 | 4.6% |
| Sysmiss | | 17 | |

Q12: Hand washing before eating

Data file: THA2015_Public_Use_national

Overview

Valid: 5858 Invalid: 36 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 327 | 5.6% |
| 2 | Rarely | 655 | 11.2% |
| 3 | Sometimes | 1934 | 33% |
| 4 | Most of the time | 1259 | 21.5% |
| 5 | Always | 1683 | 28.7% |
| Sysmiss | | 36 | |

Q13: Hand washing after toilet

Data file: THA2015_Public_Use_national

Overview

Valid: 5840 Invalid: 54 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 126 | 2.2% |
| 2 | Rarely | 245 | 4.2% |
| 3 | Sometimes | 588 | 10.1% |
| 4 | Most of the time | 898 | 15.4% |
| 5 | Always | 3983 | 68.2% |
| Sysmiss | | 54 | |

Q14: Hand washing with soap

Data file: THA2015_Public_Use_national

Overview

Valid: 5769 Invalid: 125 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 216 | 3.7% |
| 2 | Rarely | 623 | 10.8% |
| 3 | Sometimes | 1985 | 34.4% |
| 4 | Most of the time | 1430 | 24.8% |
| 5 | Always | 1515 | 26.3% |
| Sysmiss | | 125 | |

Q15: Physically attacked

Data file: THA2015_Public_Use_national

Overview

Valid: 5753 Invalid: 141 Minimum: 1 Maximum: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 4208 | 73.1% |
| 2 | 1 time | 408 | 7.1% |
| 3 | 2 or 3 times | 532 | 9.2% |
| 4 | 4 or 5 times | 189 | 3.3% |
| 5 | 6 or 7 times | 75 | 1.3% |
| 6 | 8 or 9 times | 59 | 1% |
| 7 | 10 or 11 times | 28 | 0.5% |
| 8 | 12 or more times | 254 | 4.4% |
| Sysmiss | | 141 | |

Q16: Physical fighting**Data file: THA2015_Public_Use_national****Overview**

Valid: 5874 Invalid: 20 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|------|
| 1 | 0 times | 4289 | 73% |
| 2 | 1 time | 574 | 9.8% |
| 3 | 2 or 3 times | 549 | 9.3% |
| 4 | 4 or 5 times | 153 | 2.6% |
| 5 | 6 or 7 times | 58 | 1% |
| 6 | 8 or 9 times | 48 | 0.8% |
| 7 | 10 or 11 times | 24 | 0.4% |
| 8 | 12 or more times | 179 | 3% |
| Sysmiss | | 20 | |

Q17: Seriously injured**Data file: THA2015_Public_Use_national****Overview**

Valid: 4823 Invalid: 1071 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2785 | 57.7% |
| 2 | 1 time | 1064 | 22.1% |
| 3 | 2 or 3 times | 681 | 14.1% |
| 4 | 4 or 5 times | 132 | 2.7% |
| 5 | 6 or 7 times | 48 | 1% |
| 6 | 8 or 9 times | 35 | 0.7% |
| 7 | 10 or 11 times | 13 | 0.3% |
| 8 | 12 or more times | 65 | 1.3% |
| Sysmiss | | 1071 | |

Q18: Serious injury broken bone

Data file: THA2015_Public_Use_national

Overview

Valid: 5305 Invalid: 589 Minimum: 1 Maximum: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Not seriously injured | 3709 | 69.9% |
| 2 | Broken bone/dislocated joint | 219 | 4.1% |
| 3 | I had a cut or stab wound | 336 | 6.3% |
| 4 | Concussion/head injury | 128 | 2.4% |
| 5 | I had a gunshot wound | 38 | 0.7% |
| 6 | I had a bad burn | 80 | 1.5% |
| 7 | I was poisoned | 28 | 0.5% |
| 8 | Something else happened to me | 767 | 14.5% |
| Sysmiss | | 589 | |

Q19: Serious injury motor vehicle

Data file: THA2015_Public_Use_national

Overview

Valid: 4907 Invalid: 987 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | Not seriously injured | 3161 | 64.4% |
| 2 | Motor vehicle accident | 448 | 9.1% |
| 3 | I fell | 521 | 10.6% |
| 4 | Something fell on me or hit me | 151 | 3.1% |
| 5 | I was attacked | 123 | 2.5% |
| 6 | Was in a fire | 28 | 0.6% |
| 7 | breathed something bad | 39 | 0.8% |
| 8 | Something else | 436 | 8.9% |
| Sysmiss | | 987 | |

Q20: Bullied

Data file: THA2015_Public_Use_national

Overview

Valid: 5230 Invalid: 664 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-----|
| 1 | 0 days | 3609 | 69% |

| | | | |
|---------|---------------|-----|-------|
| 2 | 1 or 2 days | 883 | 16.9% |
| 3 | 3 to 5 days | 310 | 5.9% |
| 4 | 6 to 9 days | 141 | 2.7% |
| 5 | 10 to 19 days | 88 | 1.7% |
| 6 | 20 to 29 days | 59 | 1.1% |
| 7 | All 30 days | 140 | 2.7% |
| Sysmiss | | 664 | |

Q21: Bullied by hitting

Data file: THA2015_Public_Use_national

Overview

Valid: 5331 Invalid: 563 Minimum: 1 Maximum: 8
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Not bullied | 3935 | 73.8% |
| 2 | Kicked, pushed, or shoved | 306 | 5.7% |
| 3 | Made fun of race | 119 | 2.2% |
| 4 | Made fun because of religion | 48 | 0.9% |
| 5 | Made fun of about sex | 436 | 8.2% |
| 6 | Left out of activities | 59 | 1.1% |
| 7 | Made fun of about body | 126 | 2.4% |
| 8 | Some other way | 302 | 5.7% |
| Sysmiss | | 563 | |

Q22: Felt lonely

Data file: THA2015_Public_Use_national

Overview

Valid: 5820 Invalid: 74 Minimum: 1 Maximum: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1925 | 33.1% |
| 2 | Rarely | 1631 | 28% |
| 3 | Sometimes | 1659 | 28.5% |
| 4 | Most of the time | 389 | 6.7% |
| 5 | Always | 216 | 3.7% |
| Sysmiss | | 74 | |

Q23: Could not sleep

Data file: THA2015_Public_Use_national

Overview

Valid: 5792 Invalid: 102 Minimum: 1 Maximum: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1849 | 31.9% |
| 2 | Rarely | 1772 | 30.6% |
| 3 | Sometimes | 1641 | 28.3% |
| 4 | Most of the time | 357 | 6.2% |
| 5 | Always | 173 | 3% |
| Sysmiss | | 102 | |

Q24: Considered suicide**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5645 Invalid: 249 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 665 | 11.8% |
| 2 | No | 4980 | 88.2% |
| Sysmiss | | 249 | |

Q25: Made a suicide plan**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5668 Invalid: 226 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 730 | 12.9% |
| 2 | No | 4938 | 87.1% |
| Sysmiss | | 226 | |

Q26: Attempted suicide**Data file:** THA2015_Public_Use_national

Overview

Valid: 5808 Invalid: 86 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|-------|
| 1 | 0 times | 5077 | 87.4% |
| 2 | 1 time | 297 | 5.1% |
| 3 | 2 or 3 times | 216 | 3.7% |
| 4 | 4 or 5 times | 159 | 2.7% |
| 5 | 6 or more times | 59 | 1% |
| Sysmiss | | 86 | |

Q27: Close friends

Data file: THA2015_Public_Use_national

Overview

Valid: 5802 Invalid: 92 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------|-------|-------|
| 1 | 0 | 359 | 6.2% |
| 2 | 1 | 460 | 7.9% |
| 3 | 2 | 636 | 11% |
| 4 | 3 or more | 4347 | 74.9% |
| Sysmiss | | 92 | |

Q28: Initiation of cigarette use**Data file: THA2015_Public_Use_national****Overview**

Valid: 5666 Invalid: 228 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 4500 | 79.4% |
| 2 | 7 years old or younger | 167 | 2.9% |
| 3 | 8 or 9 years old | 154 | 2.7% |
| 4 | 10 or 11 years old | 174 | 3.1% |
| 5 | 12 or 13 years old | 338 | 6% |
| 6 | 14 or 15 years old | 247 | 4.4% |
| 7 | 16 or 17 years old | 84 | 1.5% |
| 8 | 18 years old or older | 2 | 0% |
| Sysmiss | | 228 | |

Q29: Current cigarette use**Data file: THA2015_Public_Use_national****Overview**

Valid: 5728 Invalid: 166 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

| Value | Category | Cases | |
|-------|-------------|-------|-------|
| 1 | 0 days | 5112 | 89.2% |
| 2 | 1 or 2 days | 201 | 3.5% |

| | | | |
|---------|---------------|-----|------|
| 3 | 3 to 5 days | 124 | 2.2% |
| 4 | 6 to 9 days | 74 | 1.3% |
| 5 | 10 to 19 days | 59 | 1% |
| 6 | 20 to 29 days | 61 | 1.1% |
| 7 | All 30 days | 97 | 1.7% |
| Sysmiss | | 166 | |

Q30: Other tobacco use

Data file: THA2015_Public_Use_national

Overview

Valid: 5850 Invalid: 44 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 5314 | 90.8% |
| 2 | 1 or 2 days | 230 | 3.9% |
| 3 | 3 to 5 days | 117 | 2% |
| 4 | 6 to 9 days | 60 | 1% |
| 5 | 10 to 19 days | 57 | 1% |
| 6 | 20 to 29 days | 32 | 0.5% |
| 7 | All 30 days | 40 | 0.7% |
| Sysmiss | | 44 | |

Q31: Smoking cessation

Data file: THA2015_Public_Use_national

Overview

Valid: 5674 Invalid: 220 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 4828 | 85.1% |
| 2 | Did not smoke cigarettes | 302 | 5.3% |
| 3 | Yes | 440 | 7.8% |
| 4 | No | 104 | 1.8% |
| Sysmiss | | 220 | |

Q32: Smoking in their presence

Data file: THA2015_Public_Use_national

Overview

Valid: 5777 Invalid: 117 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------|-------|-------|
| 1 | 0 days | 3475 | 60.2% |
| 2 | 1 or 2 days | 1120 | 19.4% |
| 3 | 3 or 4 days | 398 | 6.9% |
| 4 | 5 or 6 days | 202 | 3.5% |
| 5 | All 7 days | 582 | 10.1% |
| Sysmiss | | 117 | |

Q33: Parental tobacco use

Data file: THA2015_Public_Use_national

Overview

Valid: 5835 Invalid: 59 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Neither | 3793 | 65% |
| 2 | My father or male guardian | 1510 | 25.9% |
| 3 | My mother or female guardian | 117 | 2% |
| 4 | Both | 106 | 1.8% |
| 5 | I do not know | 309 | 5.3% |
| Sysmiss | | 59 | |

Q34: Initiation of alcohol use

Data file: THA2015_Public_Use_national

Overview

Valid: 5314 Invalid: 580 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

| Value | Category | Cases | |
|-------|------------------------|-------|-------|
| 1 | Never drank alcohol | 3155 | 59.4% |
| 2 | 7 years old or younger | 211 | 4% |
| 3 | 8 or 9 years old | 178 | 3.3% |
| 4 | 10 or 11 years old | 255 | 4.8% |
| 5 | 12 or 13 years old | 643 | 12.1% |
| 6 | 14 or 15 years old | 626 | 11.8% |

| | | | |
|---------|-----------------------|-----|------|
| 7 | 16 or 17 years old | 236 | 4.4% |
| 8 | 18 years old or older | 10 | 0.2% |
| Sysmiss | | 580 | |

Q35: Current alcohol use

Data file: THA2015_Public_Use_national

Overview

Valid: 5704 Invalid: 190 Minimum: 1 Maximum: 7
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 4551 | 79.8% |
| 2 | 1 or 2 days | 667 | 11.7% |
| 3 | 3 to 5 days | 224 | 3.9% |
| 4 | 6 to 9 days | 120 | 2.1% |
| 5 | 10 to 19 days | 68 | 1.2% |
| 6 | 20 to 29 days | 37 | 0.6% |
| 7 | All 30 days | 37 | 0.6% |
| Sysmiss | | 190 | |

Q36: Drank 2+ drinks

Data file: THA2015_Public_Use_national

Overview

Valid: 5742 Invalid: 152 Minimum: 1 Maximum: 7
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 4447 | 77.4% |
| 2 | Less than one drink | 425 | 7.4% |
| 3 | 1 drink | 256 | 4.5% |
| 4 | 2 drinks | 155 | 2.7% |
| 5 | 3 drinks | 112 | 2% |
| 6 | 4 drinks | 55 | 1% |
| 7 | 5 or more drinks | 292 | 5.1% |
| Sysmiss | | 152 | |

Q37: Source of alcohol

Data file: THA2015_Public_Use_national

Overview

Valid: 5632 Invalid: 262 Minimum: 1 Maximum: 7
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 4443 | 78.9% |
| 2 | I bought in a store | 574 | 10.2% |
| 3 | I gave someone money to buy | 132 | 2.3% |
| 4 | I got it from my friends | 201 | 3.6% |
| 5 | I got it from my family | 155 | 2.8% |
| 6 | I stole it | 21 | 0.4% |
| 7 | Some other way | 106 | 1.9% |
| Sysmiss | | 262 | |

Q38: Really drunk**Data file: THA2015_Public_Use_national****Overview**

Valid: 5637 Invalid: 257 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 4483 | 79.5% |
| 2 | 1 or 2 times | 811 | 14.4% |
| 3 | 3 to 9 times | 214 | 3.8% |
| 4 | 10 or more times | 129 | 2.3% |
| Sysmiss | | 257 | |

Q39: Trouble from drinking**Data file: THA2015_Public_Use_national****Overview**

Valid: 5580 Invalid: 314 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 times | 5054 | 90.6% |

| | | | |
|---------|------------------|-----|------|
| 2 | 1 or 2 times | 342 | 6.1% |
| 3 | 3 to 9 times | 108 | 1.9% |
| 4 | 10 or more times | 76 | 1.4% |
| Sysmiss | | 314 | |

Q40: Initiation of drug use

Data file: THA2015_Public_Use_national

Overview

Valid: 5602 Invalid: 292 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | I have never used drugs | 5036 | 89.9% |
| 2 | 7 years old or younger | 124 | 2.2% |
| 3 | 8 or 9 years old | 112 | 2% |
| 4 | 10 or 11 years old | 69 | 1.2% |
| 5 | 12 or 13 years old | 126 | 2.2% |
| 6 | 14 or 15 years old | 102 | 1.8% |
| 7 | 16 or 17 years old | 31 | 0.6% |
| 8 | 18 years old or older | 2 | 0% |
| Sysmiss | | 292 | |

Q41: Ever marijuana use

Data file: THA2015_Public_Use_national

Overview

Valid: 5646 Invalid: 248 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 5281 | 93.5% |
| 2 | 1 or 2 times | 144 | 2.6% |
| 3 | 3 to 9 times | 90 | 1.6% |
| 4 | 10 to 19 times | 53 | 0.9% |
| 5 | 20 or more times | 78 | 1.4% |
| Sysmiss | | 248 | |

Q42: Current marijuana use

Data file: THA2015_Public_Use_national

Overview

Valid: 5718 Invalid: 176 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 5443 | 95.2% |
| 2 | 1 or 2 times | 114 | 2% |
| 3 | 3 to 9 times | 68 | 1.2% |
| 4 | 10 to 19 times | 47 | 0.8% |
| 5 | 20 or more times | 46 | 0.8% |
| Sysmiss | | 176 | |

Q43: Amphetamine or methamphetamine use

Data file: THA2015_Public_Use_national

Overview

Valid: 5741 Invalid: 153 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 5505 | 95.9% |
| 2 | 1 or 2 times | 88 | 1.5% |
| 3 | 3 to 9 times | 63 | 1.1% |
| 4 | 10 to 19 times | 47 | 0.8% |
| 5 | 20 or more times | 38 | 0.7% |
| Sysmiss | | 153 | |

Q44: Ever sexual intercourse

Data file: THA2015_Public_Use_national

Overview

Valid: 5388 Invalid: 506 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 884 | 16.4% |
| 2 | No | 4504 | 83.6% |
| Sysmiss | | 506 | |

Q45: Sex before 14 years**Data file: THA2015_Public_Use_national****Overview**

Valid: 5713 Invalid: 181 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | Never had sex | 5022 | 87.9% |
| 2 | 11 years old or younger | 120 | 2.1% |
| 3 | 12 years old | 72 | 1.3% |
| 4 | 13 years old | 109 | 1.9% |
| 5 | 14 years old | 132 | 2.3% |
| 6 | 15 years old | 134 | 2.3% |
| 7 | 16 or 17 years old | 118 | 2.1% |
| 8 | 18 years old or older | 6 | 0.1% |
| Sysmiss | | 181 | |

Q46: Multiple sex partners**Data file: THA2015_Public_Use_national****Overview**

Valid: 5713 Invalid: 181 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

| Value | Category | Cases | |
|-------|---------------|-------|-------|
| 1 | Never had sex | 5067 | 88.7% |
| 2 | 1 person | 271 | 4.7% |

| | | | |
|---------|------------------|-----|------|
| 3 | 2 people | 129 | 2.3% |
| 4 | 3 people | 78 | 1.4% |
| 5 | 4 people | 58 | 1% |
| 6 | 5 people | 34 | 0.6% |
| 7 | 6 or more people | 76 | 1.3% |
| Sysmiss | | 181 | |

Q47: Condom use

Data file: THA2015_Public_Use_national

Overview

Valid: 5668 Invalid: 226 Minimum: 1 Maximum: 3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | Never had sex | 5094 | 89.9% |
| 2 | Yes | 335 | 5.9% |
| 3 | No | 239 | 4.2% |
| Sysmiss | | 226 | |

Q48: Birth control used

Data file: THA2015_Public_Use_national

Overview

Valid: 5458 Invalid: 436 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|------|
| 1 | Never had sex | 4856 | 89% |
| 2 | Yes | 337 | 6.2% |
| 3 | No | 187 | 3.4% |
| 4 | I do not know | 78 | 1.4% |
| Sysmiss | | 436 | |

Q49: Physical activity \geq 5 days

Data file: THA2015_Public_Use_national

Overview

Valid: 5836 Invalid: 58 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 1385 | 23.7% |
| 2 | 1 day | 1291 | 22.1% |
| 3 | 2 days | 961 | 16.5% |
| 4 | 3 days | 757 | 13% |
| 5 | 4 days | 282 | 4.8% |
| 6 | 5 days | 388 | 6.6% |
| 7 | 6 days | 83 | 1.4% |
| 8 | 7 days | 689 | 11.8% |
| Sysmiss | | 58 | |

Q50: Walk or bike to school

Data file: THA2015_Public_Use_national

Overview

Valid: 5742 Invalid: 152 Minimum: 1 Maximum: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 3028 | 52.7% |
| 2 | 1 day | 512 | 8.9% |
| 3 | 2 days | 405 | 7.1% |
| 4 | 3 days | 254 | 4.4% |
| 5 | 4 days | 134 | 2.3% |
| 6 | 5 days | 507 | 8.8% |
| 7 | 6 days | 75 | 1.3% |
| 8 | 7 days | 827 | 14.4% |
| Sysmiss | | 152 | |

Q51: PE attendance

Data file: THA2015_Public_Use_national

Overview

Valid: 5775 Invalid: 119 Minimum: 1 Maximum: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 800 | 13.9% |
| 2 | 1 day | 3927 | 68% |
| 3 | 2 days | 475 | 8.2% |

| | | | |
|---------|----------------|-----|------|
| 4 | 3 days | 164 | 2.8% |
| 5 | 4 days | 62 | 1.1% |
| 6 | 5 or more days | 347 | 6% |
| Sysmiss | | 119 | |

Q52: Sitting activities

Data file: THA2015_Public_Use_national

Overview

Valid: 5780 Invalid: 114 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------------------|-------|-------|
| 1 | Less than 1 hour per day | 1166 | 20.2% |
| 2 | 1 to 2 hours per day | 1473 | 25.5% |
| 3 | 3 to 4 hours per day | 1411 | 24.4% |
| 4 | 5 to 6 hours per day | 871 | 15.1% |
| 5 | 7 to 8 hours per day | 307 | 5.3% |
| 6 | More than 8 hours per day | 552 | 9.6% |
| Sysmiss | | 114 | |

Q53: Miss school no permission

Data file: THA2015_Public_Use_national

Overview

Valid: 5762 Invalid: 132 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|-------|
| 1 | 0 days | 4569 | 79.3% |
| 2 | 1 or 2 days | 727 | 12.6% |
| 3 | 3 to 5 days | 266 | 4.6% |
| 4 | 6 to 9 days | 107 | 1.9% |
| 5 | 10 or more days | 93 | 1.6% |
| Sysmiss | | 132 | |

Q54: Other students kind and helpful

Data file: THA2015_Public_Use_national

Overview

Valid: 5753 Invalid: 141 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 664 | 11.5% |
| 2 | Rarely | 834 | 14.5% |
| 3 | Sometimes | 2061 | 35.8% |
| 4 | Most of the time | 1387 | 24.1% |
| 5 | Always | 807 | 14% |
| Sysmiss | | 141 | |

Q55: Parents check homework

Data file: THA2015_Public_Use_national

Overview

Valid: 5663 Invalid: 231 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1646 | 29.1% |
| 2 | Rarely | 990 | 17.5% |
| 3 | Sometimes | 1404 | 24.8% |
| 4 | Most of the time | 683 | 12.1% |
| 5 | Always | 940 | 16.6% |
| Sysmiss | | 231 | |

Q56: Parents understand problems

Data file: THA2015_Public_Use_national

Overview

Valid: 5774 Invalid: 120 Minimum: 1 Maximum: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1586 | 27.5% |
| 2 | Rarely | 1060 | 18.4% |
| 3 | Sometimes | 1471 | 25.5% |
| 4 | Most of the time | 804 | 13.9% |
| 5 | Always | 853 | 14.8% |
| Sysmiss | | 120 | |

Q57: Parents know about free time

Data file: THA2015_Public_Use_national

Overview

Valid: 5750 Invalid: 144 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 988 | 17.2% |
| 2 | Rarely | 816 | 14.2% |
| 3 | Sometimes | 1466 | 25.5% |
| 4 | Most of the time | 1126 | 19.6% |
| 5 | Always | 1354 | 23.5% |
| Sysmiss | | 144 | |

Q58: Parents go through their things

Data file: THA2015_Public_Use_national

Overview

Valid: 5711 Invalid: 183 Minimum: 1 Maximum: 5 Mean: 2.066 Standard deviation: 1.264
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 2739 | 48% |
| 2 | | 1085 | 19% |
| 3 | | 1078 | 18.9% |
| 4 | | 389 | 6.8% |
| 5 | | 420 | 7.4% |
| Sysmiss | | 183 | |

QN6: Most of the time or always went hungry**Data file: THA2015_Public_Use_national****Overview**

Valid: 5882 Invalid: 12 Minimum: 1 Maximum: 2 Mean: 1.963 Standard deviation: 0.188
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 215 | 3.7% |
| 2 | No | 5667 | 96.3% |
| Sysmiss | | 12 | |

QN7: Did not eat fruit**Data file: THA2015_Public_Use_national****Overview**

Valid: 5844 Invalid: 50 Minimum: 1 Maximum: 2 Mean: 1.934 Standard deviation: 0.247
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 383 | 6.6% |
| 2 | No | 5461 | 93.4% |
| Sysmiss | | 50 | |

QN8: Did not eat vegetables**Data file: THA2015_Public_Use_national****Overview**

Valid: 5767 Invalid: 127 Minimum: 1 Maximum: 2 Mean: 1.964 Standard deviation: 0.186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 207 | 3.6% |
| 2 | No | 5560 | 96.4% |
| Sysmiss | | 127 | |

QN9: Did not drink carbonated soft drinks

Data file: THA2015_Public_Use_national

Overview

Valid: 5869 Invalid: 25 Minimum: 1 Maximum: 2 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 831 | 14.2% |
| 2 | No | 5038 | 85.8% |
| Sysmiss | | 25 | |

QN10: Did not eat food from a fast food restaurant

Data file: THA2015_Public_Use_national

Overview

Valid: 5838 Invalid: 56 Minimum: 1 Maximum: 2 Mean: 1.822 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1042 | 17.8% |
| 2 | No | 4796 | 82.2% |
| Sysmiss | | 56 | |

QN11: Usually cleaned or brushed their teeth

Data file: THA2015_Public_Use_national

Overview

Valid: 5877 Invalid: 17 Minimum: 1 Maximum: 2 Mean: 1.044 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 5619 | 95.6% |
| 2 | No | 258 | 4.4% |
| Sysmiss | | 17 | |

QN12: Never or rarely washed their hands before eating

Data file: THA2015_Public_Use_national

Overview

Valid: 5858 Invalid: 36 Minimum: 1 Maximum: 2 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 982 | 16.8% |
| 2 | No | 4876 | 83.2% |
| Sysmiss | | 36 | |

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5840 Invalid: 54 Minimum: 1 Maximum: 2 Mean: 1.936 Standard deviation: 0.244
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 371 | 6.4% |
| 2 | No | 5469 | 93.6% |
| Sysmiss | | 54 | |

QN14: Never or rarely used soap when washing their hands**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5769 Invalid: 125 Minimum: 1 Maximum: 2 Mean: 1.855 Standard deviation: 0.353
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 839 | 14.5% |
| 2 | No | 4930 | 85.5% |
| Sysmiss | | 125 | |

QN15: Were physically attacked**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5753 Invalid: 141 Minimum: 1 Maximum: 2 Mean: 1.731 Standard deviation: 0.443
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1545 | 26.9% |
| 2 | No | 4208 | 73.1% |
| Sysmiss | | 141 | |

QN16: Were in a physical fight

Data file: THA2015_Public_Use_national

Overview

Valid: 5874 Invalid: 20 Minimum: 1 Maximum: 2 Mean: 1.73 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 1585 | 27% |
| 2 | No | 4289 | 73% |
| Sysmiss | | 20 | |

QN17: Were seriously injured

Data file: THA2015_Public_Use_national

Overview

Valid: 4823 Invalid: 1071 Minimum: 1 Maximum: 2 Mean: 1.577 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 2038 | 42.3% |
| 2 | No | 2785 | 57.7% |
| Sysmiss | | 1071 | |

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: THA2015_Public_Use_national

Overview

Valid: 1596 Invalid: 4298 Minimum: 1 Maximum: 2 Mean: 1.863 Standard deviation: 0.344
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 219 | 13.7% |
| 2 | No | 1377 | 86.3% |
| Sysmiss | | 4298 | |

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: THA2015_Public_Use_national

Overview

Valid: 1746 Invalid: 4148 Minimum: 1 Maximum: 2 Mean: 1.743 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 448 | 25.7% |
| 2 | No | 1298 | 74.3% |
| Sysmiss | | 4148 | |

QN20: Were bullied**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5230 Invalid: 664 Minimum: 1 Maximum: 2 Mean: 1.69 Standard deviation: 0.463
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 1621 | 31% |
| 2 | No | 3609 | 69% |
| Sysmiss | | 664 | |

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** THA2015_Public_Use_national**Overview**

Valid: 1396 Invalid: 4498 Minimum: 1 Maximum: 2 Mean: 1.781 Standard deviation: 0.414
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 306 | 21.9% |
| 2 | No | 1090 | 78.1% |
| Sysmiss | | 4498 | |

QN22: Most of the time or always felt lonely**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5820 Invalid: 74 Minimum: 1 Maximum: 2 Mean: 1.896 Standard deviation: 0.305
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 605 | 10.4% |
| 2 | No | 5215 | 89.6% |
| Sysmiss | | 74 | |

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: THA2015_Public_Use_national

Overview

Valid: 5792 Invalid: 102 Minimum: 1 Maximum: 2 Mean: 1.908 Standard deviation: 0.288
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 530 | 9.2% |
| 2 | No | 5262 | 90.8% |
| Sysmiss | | 102 | |

QN24: Seriously considered attempting suicide

Data file: THA2015_Public_Use_national

Overview

Valid: 5645 Invalid: 249 Minimum: 1 Maximum: 2 Mean: 1.882 Standard deviation: 0.322
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 665 | 11.8% |
| 2 | No | 4980 | 88.2% |
| Sysmiss | | 249 | |

QN25: Made a plan about how they would attempt suicide

Data file: THA2015_Public_Use_national

Overview

Valid: 5668 Invalid: 226 Minimum: 1 Maximum: 2 Mean: 1.871 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 730 | 12.9% |
| 2 | No | 4938 | 87.1% |
| Sysmiss | | 226 | |

QN26: Attempted suicide

Data file: THA2015_Public_Use_national

Overview

Valid: 5808 Invalid: 86 Minimum: 1 Maximum: 2 Mean: 1.874 Standard deviation: 0.332
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 731 | 12.6% |
| 2 | No | 5077 | 87.4% |
| Sysmiss | | 86 | |

QN27: Did not have any close friends**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5802 Invalid: 92 Minimum: 1 Maximum: 2 Mean: 1.938 Standard deviation: 0.241
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 359 | 6.2% |
| 2 | No | 5443 | 93.8% |
| Sysmiss | | 92 | |

QN28: Tried a cigarette before age 14 years**Data file:** THA2015_Public_Use_national**Overview**

Valid: 1166 Invalid: 4728 Minimum: 1 Maximum: 2 Mean: 1.286 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 833 | 71.4% |
| 2 | No | 333 | 28.6% |
| Sysmiss | | 4728 | |

QN29: Currently smoked cigarettes**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5728 Invalid: 166 Minimum: 1 Maximum: 2 Mean: 1.892 Standard deviation: 0.31
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 616 | 10.8% |
| 2 | No | 5112 | 89.2% |
| Sysmiss | | 166 | |

QN30: Currently used any tobacco products other than cigarettes

Data file: THA2015_Public_Use_national

Overview

Valid: 5850 Invalid: 44 Minimum: 1 Maximum: 2 Mean: 1.908 Standard deviation: 0.289
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 536 | 9.2% |
| 2 | No | 5314 | 90.8% |
| Sysmiss | | 44 | |

QN31: Tried to quit smoking cigarettes

Data file: THA2015_Public_Use_national

Overview

Valid: 544 Invalid: 5350 Minimum: 1 Maximum: 2 Mean: 1.191 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 440 | 80.9% |
| 2 | No | 104 | 19.1% |
| Sysmiss | | 5350 | |

QN32: Reported that people smoked in their presence

Data file: THA2015_Public_Use_national

Overview

Valid: 5777 Invalid: 117 Minimum: 1 Maximum: 2 Mean: 1.602 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2302 | 39.8% |
| 2 | No | 3475 | 60.2% |
| Sysmiss | | 117 | |

QN33: Had parents or guardians who used any form of tobacco

Data file: THA2015_Public_Use_national

Overview

Valid: 5835 Invalid: 59 Minimum: 1 Maximum: 2 Mean: 1.703 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1733 | 29.7% |
| 2 | No | 4102 | 70.3% |
| Sysmiss | | 59 | |

QN34: Drank alcohol before age 14 years**Data file: THA2015_Public_Use_national****Overview**

Valid: 2159 Invalid: 3735 Minimum: 1 Maximum: 2 Mean: 1.404 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1287 | 59.6% |
| 2 | No | 872 | 40.4% |
| Sysmiss | | 3735 | |

QN35: Currently drank alcohol**Data file: THA2015_Public_Use_national****Overview**

Valid: 5704 Invalid: 190 Minimum: 1 Maximum: 2 Mean: 1.798 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1153 | 20.2% |
| 2 | No | 4551 | 79.8% |
| Sysmiss | | 190 | |

QN36: Usually drank two or more drinks per day**Data file: THA2015_Public_Use_national****Overview**

Valid: 1295 Invalid: 4599 Minimum: 1 Maximum: 2 Mean: 1.526 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 614 | 47.4% |
| 2 | No | 681 | 52.6% |
| Sysmiss | | 4599 | |

QN37: Usually obtained the alcohol they drank from friends

Data file: THA2015_Public_Use_national

Overview

Valid: 1189 Invalid: 4705 Minimum: 1 Maximum: 2 Mean: 1.831 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 201 | 16.9% |
| 2 | No | 988 | 83.1% |
| Sysmiss | | 4705 | |

QN47: Used a condom

Data file: THA2015_Public_Use_national

Overview

Valid: 574 Invalid: 5320 Minimum: 1 Maximum: 2 Mean: 1.416 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 335 | 58.4% |
| 2 | No | 239 | 41.6% |
| Sysmiss | | 5320 | |

QN38: Ever drank so much alcohol that they were really drunk

Data file: THA2015_Public_Use_national

Overview

Valid: 5637 Invalid: 257 Minimum: 1 Maximum: 2 Mean: 1.795 Standard deviation: 0.404
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1154 | 20.5% |
| 2 | No | 4483 | 79.5% |
| Sysmiss | | 257 | |

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: THA2015_Public_Use_national

Overview

Valid: 5580 Invalid: 314 Minimum: 1 Maximum: 2 Mean: 1.906 Standard deviation: 0.292
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 526 | 9.4% |
| 2 | No | 5054 | 90.6% |
| Sysmiss | | 314 | |

QN40: Used drugs before age 14 years**Data file: THA2015_Public_Use_national****Overview**

Valid: 566 Invalid: 5328 Minimum: 1 Maximum: 2 Mean: 1.239 Standard deviation: 0.427
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 431 | 76.1% |
| 2 | No | 135 | 23.9% |
| Sysmiss | | 5328 | |

QN41: Ever used marijuana**Data file: THA2015_Public_Use_national****Overview**

Valid: 5646 Invalid: 248 Minimum: 1 Maximum: 2 Mean: 1.935 Standard deviation: 0.246
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 365 | 6.5% |
| 2 | No | 5281 | 93.5% |
| Sysmiss | | 248 | |

QN42: Currently used marijuana**Data file: THA2015_Public_Use_national****Overview**

Valid: 5718 Invalid: 176 Minimum: 1 Maximum: 2 Mean: 1.952 Standard deviation: 0.214
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 275 | 4.8% |
| 2 | No | 5443 | 95.2% |
| Sysmiss | | 176 | |

QN43: Ever used amphetamines or methamphetamines

Data file: THA2015_Public_Use_national

Overview

Valid: 5741 Invalid: 153 Minimum: 1 Maximum: 2 Mean: 1.959 Standard deviation: 0.199
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 236 | 4.1% |
| 2 | No | 5505 | 95.9% |
| Sysmiss | | 153 | |

QN44: Ever had sexual intercourse

Data file: THA2015_Public_Use_national

Overview

Valid: 5388 Invalid: 506 Minimum: 1 Maximum: 2 Mean: 1.836 Standard deviation: 0.37
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 884 | 16.4% |
| 2 | No | 4504 | 83.6% |
| Sysmiss | | 506 | |

QN45: Had sexual intercourse before age 14 years

Data file: THA2015_Public_Use_national

Overview

Valid: 691 Invalid: 5203 Minimum: 1 Maximum: 2 Mean: 1.564 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 301 | 43.6% |
| 2 | No | 390 | 56.4% |
| Sysmiss | | 5203 | |

QN46: Had sexual intercourse with two or more persons

Data file: THA2015_Public_Use_national

Overview

Valid: 5713 Invalid: 181 Minimum: 1 Maximum: 2 Mean: 1.934 Standard deviation: 0.248
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 375 | 6.6% |
| 2 | No | 5338 | 93.4% |
| Sysmiss | | 181 | |

QN48: Used a method of birth control other than condoms**Data file: THA2015_Public_Use_national****Overview**

Valid: 602 Invalid: 5292 Minimum: 1 Maximum: 2 Mean: 1.44 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 337 | 56% |
| 2 | No | 265 | 44% |
| Sysmiss | | 5292 | |

QN49: Were not physically active**Data file: THA2015_Public_Use_national****Overview**

Valid: 5836 Invalid: 58 Minimum: 1 Maximum: 2 Mean: 1.763 Standard deviation: 0.425
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1385 | 23.7% |
| 2 | No | 4451 | 76.3% |
| Sysmiss | | 58 | |

QN50: Did not walk or ride a bicycle to or from school**Data file: THA2015_Public_Use_national****Overview**

Valid: 5742 Invalid: 152 Minimum: 1 Maximum: 2 Mean: 1.473 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 3028 | 52.7% |
| 2 | No | 2714 | 47.3% |
| Sysmiss | | 152 | |

QN51: Did not attend physical education classes

Data file: THA2015_Public_Use_national

Overview

Valid: 5775 Invalid: 119 Minimum: 1 Maximum: 2 Mean: 1.861 Standard deviation: 0.345
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 800 | 13.9% |
| 2 | No | 4975 | 86.1% |
| Sysmiss | | 119 | |

QN52: Spent three or more hours per day doing sitting activities

Data file: THA2015_Public_Use_national

Overview

Valid: 5780 Invalid: 114 Minimum: 1 Maximum: 2 Mean: 1.457 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 3141 | 54.3% |
| 2 | No | 2639 | 45.7% |
| Sysmiss | | 114 | |

QN53: Missed classes or school without permission

Data file: THA2015_Public_Use_national

Overview

Valid: 5762 Invalid: 132 Minimum: 1 Maximum: 2 Mean: 1.793 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1193 | 20.7% |
| 2 | No | 4569 | 79.3% |
| Sysmiss | | 132 | |

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: THA2015_Public_Use_national

Overview

Valid: 5753 Invalid: 141 Minimum: 1 Maximum: 2 Mean: 1.619 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2194 | 38.1% |
| 2 | No | 3559 | 61.9% |
| Sysmiss | | 141 | |

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5663 Invalid: 231 Minimum: 1 Maximum: 2 Mean: 1.713 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1623 | 28.7% |
| 2 | No | 4040 | 71.3% |
| Sysmiss | | 231 | |

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5774 Invalid: 120 Minimum: 1 Maximum: 2 Mean: 1.713 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1657 | 28.7% |
| 2 | No | 4117 | 71.3% |
| Sysmiss | | 120 | |

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time**Data file:** THA2015_Public_Use_national

Overview

Valid: 5750 Invalid: 144 Minimum: 1 Maximum: 2 Mean: 1.569 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2480 | 43.1% |
| 2 | No | 3270 | 56.9% |
| Sysmiss | | 144 | |

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: THA2015_Public_Use_national

Overview

Valid: 5711 Invalid: 183 Minimum: 1 Maximum: 2 Mean: 1.33 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 3824 | 67% |
| 2 | No | 1887 | 33% |
| Sysmiss | | 183 | |

QNUNWTG: Were underweight

Data file: THA2015_Public_Use_national

Overview

Valid: 5575 Invalid: 319 Minimum: 1 Maximum: 2 Mean: 1.918 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 455 | 8.2% |
| 2 | No | 5120 | 91.8% |
| Sysmiss | | 319 | |

QNOWTG: Were overweight

Data file: THA2015_Public_Use_national

Overview

Valid: 5575 Invalid: 319 Minimum: 1 Maximum: 2 Mean: 1.82 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 1006 | 18% |
| 2 | No | 4569 | 82% |
| Sysmiss | | 319 | |

QNOBESEG: Were obese

Data file: THA2015_Public_Use_national

Overview

Valid: 5575 Invalid: 319 Minimum: 1 Maximum: 2 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 351 | 6.3% |
| 2 | No | 5224 | 93.7% |
| Sysmiss | | 319 | |

QNFR1G: Usually ate fruit less than one time per day

Data file: THA2015_Public_Use_national

Overview

Valid: 5844 Invalid: 50 Minimum: 1 Maximum: 2 Mean: 1.794 Standard deviation: 0.404
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1202 | 20.6% |
| 2 | No | 4642 | 79.4% |
| Sysmiss | | 50 | |

QNFR1G: Usually ate fruit one or more times per day

Data file: THA2015_Public_Use_national

Overview

Valid: 5844 Invalid: 50 Minimum: 1 Maximum: 2 Mean: 1.271 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 4259 | 72.9% |
| 2 | No | 1585 | 27.1% |
| Sysmiss | | 50 | |

QNFR2G: Usually ate fruit two or more times per day**Data file: THA2015_Public_Use_national****Overview**

Valid: 5844 Invalid: 50 Minimum: 1 Maximum: 2 Mean: 1.587 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2412 | 41.3% |
| 2 | No | 3432 | 58.7% |
| Sysmiss | | 50 | |

QNFR3G: Usually ate fruit three or more times per day**Data file: THA2015_Public_Use_national****Overview**

Valid: 5844 Invalid: 50 Minimum: 1 Maximum: 2 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1059 | 18.1% |
| 2 | No | 4785 | 81.9% |
| Sysmiss | | 50 | |

QNVEGLG: Usually ate vegetables less than one time per day**Data file: THA2015_Public_Use_national****Overview**

Valid: 5767 Invalid: 127 Minimum: 1 Maximum: 2 Mean: 1.881 Standard deviation: 0.324
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 688 | 11.9% |
| 2 | No | 5079 | 88.1% |
| Sysmiss | | 127 | |

QNVEG1G: Usually ate vegetables one or more times per day

Data file: THA2015_Public_Use_national

Overview

Valid: 5767 Invalid: 127 Minimum: 1 Maximum: 2 Mean: 1.155 Standard deviation: 0.362
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 4872 | 84.5% |
| 2 | No | 895 | 15.5% |
| Sysmiss | | 127 | |

QNVEG2G: Usually ate vegetables two or more times per day

Data file: THA2015_Public_Use_national

Overview

Valid: 5767 Invalid: 127 Minimum: 1 Maximum: 2 Mean: 1.385 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 3547 | 61.5% |
| 2 | No | 2220 | 38.5% |
| Sysmiss | | 127 | |

QNVEG3G: Usually ate vegetables three or more times per day

Data file: THA2015_Public_Use_national

Overview

Valid: 5767 Invalid: 127 Minimum: 1 Maximum: 2 Mean: 1.667 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1920 | 33.3% |
| 2 | No | 3847 | 66.7% |
| Sysmiss | | 127 | |

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: THA2015_Public_Use_national

Overview

Valid: 5869 Invalid: 25 Minimum: 1 Maximum: 2 Mean: 1.67 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 1935 | 33% |
| 2 | No | 3934 | 67% |
| Sysmiss | | 25 | |

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5869 Invalid: 25 Minimum: 1 Maximum: 2 Mean: 1.471 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 3103 | 52.9% |
| 2 | No | 2766 | 47.1% |
| Sysmiss | | 25 | |

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5869 Invalid: 25 Minimum: 1 Maximum: 2 Mean: 1.711 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1697 | 28.9% |
| 2 | No | 4172 | 71.1% |
| Sysmiss | | 25 | |

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5869 Invalid: 25 Minimum: 1 Maximum: 2 Mean: 1.856 Standard deviation: 0.351
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 846 | 14.4% |
| 2 | No | 5023 | 85.6% |
| Sysmiss | | 25 | |

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: THA2015_Public_Use_national

Overview

Valid: 5838 Invalid: 56 Minimum: 1 Maximum: 2 Mean: 1.178 Standard deviation: 0.383
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 4796 | 82.2% |
| 2 | No | 1042 | 17.8% |
| Sysmiss | | 56 | |

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: THA2015_Public_Use_national

Overview

Valid: 5838 Invalid: 56 Minimum: 1 Maximum: 2 Mean: 1.337 Standard deviation: 0.473
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 3870 | 66.3% |
| 2 | No | 1968 | 33.7% |
| Sysmiss | | 56 | |

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: THA2015_Public_Use_national

Overview

Valid: 5838 Invalid: 56 Minimum: 1 Maximum: 2 Mean: 1.476 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 3062 | 52.4% |
| 2 | No | 2776 | 47.6% |
| Sysmiss | | 56 | |

QNC2G: Were bullied and could not sleep at night

Data file: THA2015_Public_Use_national

Overview

Valid: 433 Invalid: 5461 Minimum: 1 Maximum: 2 Mean: 1.448 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 239 | 55.2% |
| 2 | No | 194 | 44.8% |
| Sysmiss | | 5461 | |

QNTOB2G: Currently used any tobacco product**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5780 Invalid: 114 Minimum: 1 Maximum: 2 Mean: 1.862 Standard deviation: 0.345
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 800 | 13.8% |
| 2 | No | 4980 | 86.2% |
| Sysmiss | | 114 | |

QNNOTB2G: Did not currently use any tobacco products**Data file:** THA2015_Public_Use_national**Overview**

Valid: 5718 Invalid: 176 Minimum: 1 Maximum: 2 Mean: 1.129 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 4980 | 87.1% |
| 2 | No | 738 | 12.9% |
| Sysmiss | | 176 | |

QNBCANYG: Used a method of birth control**Data file:** THA2015_Public_Use_national**Overview**

Valid: 506 Invalid: 5388 Minimum: 1 Maximum: 2 Mean: 1.152 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 429 | 84.8% |
| 2 | No | 77 | 15.2% |
| Sysmiss | | 5388 | |

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: THA2015_Public_Use_national

Overview

Valid: 1007 Invalid: 4887 Minimum: 1 Maximum: 2 Mean: 1.625 Standard deviation: 0.484
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 378 | 37.5% |
| 2 | No | 629 | 62.5% |
| Sysmiss | | 4887 | |

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: THA2015_Public_Use_national

Overview

Valid: 5836 Invalid: 58 Minimum: 1 Maximum: 2 Mean: 1.801 Standard deviation: 0.399
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1160 | 19.9% |
| 2 | No | 4676 | 80.1% |
| Sysmiss | | 58 | |

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: THA2015_Public_Use_national

Overview

Valid: 5836 Invalid: 58 Minimum: 1 Maximum: 2 Mean: 1.882 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 689 | 11.8% |
| 2 | No | 5147 | 88.2% |
| Sysmiss | | 58 | |

QNPE3G: Attended physical education classes on three or more days

Data file: THA2015_Public_Use_national

Overview

Valid: 5775 Invalid: 119 Minimum: 1 Maximum: 2 Mean: 1.901 Standard deviation: 0.299
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 573 | 9.9% |
| 2 | No | 5202 | 90.1% |
| Sysmiss | | 119 | |

QNPE5G: Attended physical education classes on five or more days**Data file: THA2015_Public_Use_national****Overview**

Valid: 5775 Invalid: 119 Minimum: 1 Maximum: 2 Mean: 1.94 Standard deviation: 0.238
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 347 | 6% |
| 2 | No | 5428 | 94% |
| Sysmiss | | 119 | |

WEIGHT:**Data file: THA2015_Public_Use_national****Overview**

Valid: 5894 Invalid: 0 Minimum: 76.258 Maximum: 2654.281 Mean: 577.121 Standard deviation: 526.204
 Type: Continuous Decimal: 0 Width: 10 Range: 76.2576 - 2654.2813 Format: Numeric

STRATUM:**Data file: THA2015_Public_Use_national****Overview**

Valid: 5894 Invalid: 0 Minimum: 201501001 Maximum: 201502015 Mean: 201501582.561 Standard deviation: 495.049
 Type: Continuous Decimal: 0 Width: 9 Range: 201501001 - 201502015 Format: Numeric

PSU:**Data file: THA2015_Public_Use_national****Overview**

Valid: 5894 Invalid: 0 Mean: 15.667 Standard deviation: 8.705
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 32 Format: Numeric

Q1: Custom Age**Data file: THA2015_Public_Use_private****Overview**

Valid: 3374 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | 11 years old or younger | 24 | 0.7% |
| 2 | 12 years old | 419 | 12.4% |
| 3 | 13 years old | 778 | 23.1% |
| 4 | 14 years old | 637 | 18.9% |
| 5 | 15 years old | 562 | 16.7% |
| 6 | 16 years old | 448 | 13.3% |
| 7 | 17 years old | 406 | 12% |
| 8 | 18 years old or older | 100 | 3% |
| Sysmiss | | 12 | |

Q2: Sex**Data file: THA2015_Public_Use_private****Overview**

Valid: 3363 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Male | 1435 | 42.7% |
| 2 | Female | 1928 | 57.3% |
| Sysmiss | | 23 | |

Q3: In what grade are you**Data file: THA2015_Public_Use_private****Overview**

Valid: 3352 Invalid: 34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Grade 7 | 813 | 24.3% |
| 2 | Grade 8 | 732 | 21.8% |
| 3 | Grade 9 | 598 | 17.8% |
| 4 | Grade 10 | 444 | 13.2% |
| 5 | Grade 11 | 400 | 11.9% |
| 6 | Grade 12 | 365 | 10.9% |
| Sysmiss | | 34 | |

Q4: How tall are you**Data file: THA2015_Public_Use_private****Overview**

Valid: 3180 Invalid: 206 Minimum: 1.28 Maximum: 2.01 Mean: 1.585 Standard deviation: 0.0919
 Type: Continuous Decimal: 2 Width: 5 Range: 1.28 - 2.01 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: THA2015_Public_Use_private****Overview**

Valid: 3180 Invalid: 206 Minimum: 28 Maximum: 168 Mean: 50.806 Standard deviation: 13.451
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 168 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: THA2015_Public_Use_private

Overview

Valid: 3378 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1405 | 41.6% |
| 2 | Rarely | 907 | 26.9% |
| 3 | Sometimes | 945 | 28% |
| 4 | Most of the time | 60 | 1.8% |
| 5 | Always | 61 | 1.8% |
| Sysmiss | | 8 | |

Q7: No fruit eating

Data file: THA2015_Public_Use_private

Overview

Valid: 3368 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat fruit | 237 | 7% |
| 2 | Less than one time per day | 701 | 20.8% |
| 3 | 1 time per day | 1040 | 30.9% |
| 4 | 2 times per day | 789 | 23.4% |
| 5 | 3 times per day | 350 | 10.4% |
| 6 | 4 times per day | 76 | 2.3% |
| 7 | 5 or more times per day | 175 | 5.2% |
| Sysmiss | | 18 | |

Q8: No vegetable eating

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat vegetables | 132 | 4% |
| 2 | Less than one time per day | 419 | 12.6% |
| 3 | 1 time per day | 758 | 22.8% |
| 4 | 2 times per day | 897 | 27% |
| 5 | 3 times per day | 749 | 22.5% |
| 6 | 4 times per day | 98 | 2.9% |
| 7 | 5 or more times per day | 275 | 8.3% |
| Sysmiss | | 58 | |

Q9: Soft drinks

Data file: THA2015_Public_Use_private

Overview

Valid: 3378 Invalid: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not drink soft drinks | 551 | 16.3% |
| 2 | Less than one time per day | 1142 | 33.8% |
| 3 | 1 time per day | 749 | 22.2% |
| 4 | 2 times per day | 459 | 13.6% |
| 5 | 3 times per day | 236 | 7% |
| 6 | 4 times per day | 77 | 2.3% |
| 7 | 5 or more times per day | 164 | 4.9% |
| Sysmiss | | 8 | |

Q10: Fast food eating

Data file: THA2015_Public_Use_private

Overview

Valid: 3362 Invalid: 24
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 587 | 17.5% |
| 2 | 1 day | 570 | 17% |
| 3 | 2 days | 517 | 15.4% |
| 4 | 3 days | 359 | 10.7% |

| | | | |
|---------|--------|-----|-------|
| 5 | 4 days | 199 | 5.9% |
| 6 | 5 days | 634 | 18.9% |
| 7 | 6 days | 113 | 3.4% |
| 8 | 7 days | 383 | 11.4% |
| Sysmiss | | 24 | |

Q11: Tooth brushing

Data file: THA2015_Public_Use_private

Overview

Valid: 3379 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------|-------|-------|
| 1 | Did not brush my teeth | 70 | 2.1% |
| 2 | Less than 1 time per day | 67 | 2% |
| 3 | 1 time per day | 276 | 8.2% |
| 4 | 2 times per day | 2039 | 60.3% |
| 5 | 3 times per day | 744 | 22% |
| 6 | 4 or more times per day | 183 | 5.4% |
| Sysmiss | | 7 | |

Q12: Hand washing before eating

Data file: THA2015_Public_Use_private

Overview

Valid: 3377 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 205 | 6.1% |
| 2 | Rarely | 395 | 11.7% |
| 3 | Sometimes | 1173 | 34.7% |
| 4 | Most of the time | 716 | 21.2% |
| 5 | Always | 888 | 26.3% |
| Sysmiss | | 9 | |

Q13: Hand washing after toilet

Data file: THA2015_Public_Use_private

Overview

Valid: 3360 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 75 | 2.2% |
| 2 | Rarely | 146 | 4.3% |
| 3 | Sometimes | 355 | 10.6% |
| 4 | Most of the time | 519 | 15.4% |
| 5 | Always | 2265 | 67.4% |
| Sysmiss | | 26 | |

Q14: Hand washing with soap

Data file: THA2015_Public_Use_private

Overview

Valid: 3323 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 134 | 4% |
| 2 | Rarely | 351 | 10.6% |
| 3 | Sometimes | 1164 | 35% |
| 4 | Most of the time | 816 | 24.6% |
| 5 | Always | 858 | 25.8% |
| Sysmiss | | 63 | |

Q15: Physically attacked

Data file: THA2015_Public_Use_private

Overview

Valid: 3315 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2375 | 71.6% |
| 2 | 1 time | 230 | 6.9% |
| 3 | 2 or 3 times | 322 | 9.7% |
| 4 | 4 or 5 times | 120 | 3.6% |
| 5 | 6 or 7 times | 49 | 1.5% |
| 6 | 8 or 9 times | 32 | 1% |
| 7 | 10 or 11 times | 18 | 0.5% |
| 8 | 12 or more times | 169 | 5.1% |
| Sysmiss | | 71 | |

Q16: Physical fighting**Data file: THA2015_Public_Use_private****Overview**

Valid: 3381 Invalid: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2399 | 71% |
| 2 | 1 time | 347 | 10.3% |
| 3 | 2 or 3 times | 346 | 10.2% |
| 4 | 4 or 5 times | 92 | 2.7% |
| 5 | 6 or 7 times | 35 | 1% |
| 6 | 8 or 9 times | 32 | 0.9% |
| 7 | 10 or 11 times | 14 | 0.4% |
| 8 | 12 or more times | 116 | 3.4% |
| Sysmiss | | 5 | |

Q17: Seriously injured**Data file: THA2015_Public_Use_private****Overview**

Valid: 2767 Invalid: 619
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 1503 | 54.3% |
| 2 | 1 time | 638 | 23.1% |
| 3 | 2 or 3 times | 422 | 15.3% |
| 4 | 4 or 5 times | 102 | 3.7% |
| 5 | 6 or 7 times | 29 | 1% |
| 6 | 8 or 9 times | 19 | 0.7% |
| 7 | 10 or 11 times | 11 | 0.4% |
| 8 | 12 or more times | 43 | 1.6% |
| Sysmiss | | 619 | |

Q18: Serious injury broken bone

Data file: THA2015_Public_Use_private

Overview

Valid: 3062 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Not seriously injured | 2073 | 67.7% |
| 2 | Broken bone/dislocated joint | 147 | 4.8% |
| 3 | I had a cut or stab wound | 189 | 6.2% |
| 4 | Concussion/head injury | 75 | 2.4% |
| 5 | I had a gunshot wound | 21 | 0.7% |
| 6 | I had a bad burn | 51 | 1.7% |
| 7 | I was poisoned | 17 | 0.6% |
| 8 | Something else happened to me | 489 | 16% |
| Sysmiss | | 324 | |

Q19: Serious injury motor vehicle

Data file: THA2015_Public_Use_private

Overview

Valid: 2809 Invalid: 577
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | Not seriously injured | 1706 | 60.7% |
| 2 | Motor vehicle accident | 271 | 9.6% |
| 3 | I fell | 331 | 11.8% |
| 4 | Something fell on me or hit me | 103 | 3.7% |
| 5 | I was attacked | 83 | 3% |
| 6 | Was in a fire | 15 | 0.5% |
| 7 | breathed something bad | 24 | 0.9% |
| 8 | Something else | 276 | 9.8% |
| Sysmiss | | 577 | |

Q20: Bullied

Data file: THA2015_Public_Use_private

Overview

Valid: 3027 Invalid: 359
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 2015 | 66.6% |

| | | | |
|---------|---------------|-----|-------|
| 2 | 1 or 2 days | 555 | 18.3% |
| 3 | 3 to 5 days | 199 | 6.6% |
| 4 | 6 to 9 days | 80 | 2.6% |
| 5 | 10 to 19 days | 53 | 1.8% |
| 6 | 20 to 29 days | 31 | 1% |
| 7 | All 30 days | 94 | 3.1% |
| Sysmiss | | 359 | |

Q21: Bullied by hitting

Data file: THA2015_Public_Use_private

Overview

Valid: 3082 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Not bullied | 2208 | 71.6% |
| 2 | Kicked, pushed, or shoved | 188 | 6.1% |
| 3 | Made fun of race | 70 | 2.3% |
| 4 | Made fun because of religion | 37 | 1.2% |
| 5 | Made fun of about sex | 264 | 8.6% |
| 6 | Left out of activities | 35 | 1.1% |
| 7 | Made fun of about body | 80 | 2.6% |
| 8 | Some other way | 200 | 6.5% |
| Sysmiss | | 304 | |

Q22: Felt lonely

Data file: THA2015_Public_Use_private

Overview

Valid: 3352 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1026 | 30.6% |
| 2 | Rarely | 969 | 28.9% |
| 3 | Sometimes | 987 | 29.4% |
| 4 | Most of the time | 242 | 7.2% |
| 5 | Always | 128 | 3.8% |
| Sysmiss | | 34 | |

Q23: Could not sleep

Data file: THA2015_Public_Use_private

Overview

Valid: 3341 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1024 | 30.6% |
| 2 | Rarely | 1058 | 31.7% |
| 3 | Sometimes | 942 | 28.2% |
| 4 | Most of the time | 219 | 6.6% |
| 5 | Always | 98 | 2.9% |
| Sysmiss | | 45 | |

Q24: Considered suicide**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3269 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 371 | 11.3% |
| 2 | No | 2898 | 88.7% |
| Sysmiss | | 117 | |

Q25: Made a suicide plan**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3270 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 395 | 12.1% |
| 2 | No | 2875 | 87.9% |
| Sysmiss | | 116 | |

Q26: Attempted suicide**Data file:** THA2015_Public_Use_private

Overview

Valid: 3342 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|-------|
| 1 | 0 times | 2929 | 87.6% |
| 2 | 1 time | 166 | 5% |
| 3 | 2 or 3 times | 130 | 3.9% |
| 4 | 4 or 5 times | 88 | 2.6% |
| 5 | 6 or more times | 29 | 0.9% |
| Sysmiss | | 44 | |

Q27: Close friends

Data file: THA2015_Public_Use_private

Overview

Valid: 3336 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------|-------|-------|
| 1 | 0 | 204 | 6.1% |
| 2 | 1 | 260 | 7.8% |
| 3 | 2 | 374 | 11.2% |
| 4 | 3 or more | 2498 | 74.9% |
| Sysmiss | | 50 | |

Q28: Initiation of cigarette use**Data file: THA2015_Public_Use_private****Overview**

Valid: 3268 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 2580 | 78.9% |
| 2 | 7 years old or younger | 90 | 2.8% |
| 3 | 8 or 9 years old | 91 | 2.8% |
| 4 | 10 or 11 years old | 97 | 3% |
| 5 | 12 or 13 years old | 217 | 6.6% |
| 6 | 14 or 15 years old | 145 | 4.4% |
| 7 | 16 or 17 years old | 47 | 1.4% |
| 8 | 18 years old or older | 1 | 0% |
| Sysmiss | | 118 | |

Q29: Current cigarette use**Data file: THA2015_Public_Use_private****Overview**

Valid: 3311 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

| Value | Category | Cases | |
|-------|-------------|-------|-------|
| 1 | 0 days | 2925 | 88.3% |
| 2 | 1 or 2 days | 128 | 3.9% |

| | | | |
|---------|---------------|----|------|
| 3 | 3 to 5 days | 76 | 2.3% |
| 4 | 6 to 9 days | 40 | 1.2% |
| 5 | 10 to 19 days | 33 | 1% |
| 6 | 20 to 29 days | 37 | 1.1% |
| 7 | All 30 days | 72 | 2.2% |
| Sysmiss | | 75 | |

Q30: Other tobacco use

Data file: THA2015_Public_Use_private

Overview

Valid: 3371 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 3053 | 90.6% |
| 2 | 1 or 2 days | 140 | 4.2% |
| 3 | 3 to 5 days | 65 | 1.9% |
| 4 | 6 to 9 days | 36 | 1.1% |
| 5 | 10 to 19 days | 27 | 0.8% |
| 6 | 20 to 29 days | 17 | 0.5% |
| 7 | All 30 days | 33 | 1% |
| Sysmiss | | 15 | |

Q31: Smoking cessation

Data file: THA2015_Public_Use_private

Overview

Valid: 3276 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 2762 | 84.3% |
| 2 | Did not smoke cigarettes | 180 | 5.5% |
| 3 | Yes | 271 | 8.3% |
| 4 | No | 63 | 1.9% |
| Sysmiss | | 110 | |

Q32: Smoking in their presence

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------|-------|-------|
| 1 | 0 days | 2046 | 61.5% |
| 2 | 1 or 2 days | 627 | 18.8% |
| 3 | 3 or 4 days | 223 | 6.7% |
| 4 | 5 or 6 days | 99 | 3% |
| 5 | All 7 days | 333 | 10% |
| Sysmiss | | 58 | |

Q33: Parental tobacco use

Data file: THA2015_Public_Use_private

Overview

Valid: 3361 Invalid: 25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Neither | 2241 | 66.7% |
| 2 | My father or male guardian | 809 | 24.1% |
| 3 | My mother or female guardian | 65 | 1.9% |
| 4 | Both | 66 | 2% |
| 5 | I do not know | 180 | 5.4% |
| Sysmiss | | 25 | |

Q34: Initiation of alcohol use

Data file: THA2015_Public_Use_private

Overview

Valid: 3066 Invalid: 320
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

| Value | Category | Cases | |
|-------|------------------------|-------|-------|
| 1 | Never drank alcohol | 1920 | 62.6% |
| 2 | 7 years old or younger | 124 | 4% |
| 3 | 8 or 9 years old | 100 | 3.3% |
| 4 | 10 or 11 years old | 156 | 5.1% |
| 5 | 12 or 13 years old | 364 | 11.9% |
| 6 | 14 or 15 years old | 290 | 9.5% |

| | | | |
|---------|-----------------------|-----|------|
| 7 | 16 or 17 years old | 106 | 3.5% |
| 8 | 18 years old or older | 6 | 0.2% |
| Sysmiss | | 320 | |

Q35: Current alcohol use

Data file: THA2015_Public_Use_private

Overview

Valid: 3278 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 2663 | 81.2% |
| 2 | 1 or 2 days | 362 | 11% |
| 3 | 3 to 5 days | 113 | 3.4% |
| 4 | 6 to 9 days | 67 | 2% |
| 5 | 10 to 19 days | 34 | 1% |
| 6 | 20 to 29 days | 14 | 0.4% |
| 7 | All 30 days | 25 | 0.8% |
| Sysmiss | | 108 | |

Q36: Drank 2+ drinks

Data file: THA2015_Public_Use_private

Overview

Valid: 3313 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 2605 | 78.6% |
| 2 | Less than one drink | 240 | 7.2% |
| 3 | 1 drink | 153 | 4.6% |
| 4 | 2 drinks | 80 | 2.4% |
| 5 | 3 drinks | 51 | 1.5% |
| 6 | 4 drinks | 31 | 0.9% |
| 7 | 5 or more drinks | 153 | 4.6% |
| Sysmiss | | 73 | |

Q37: Source of alcohol

Data file: THA2015_Public_Use_private

Overview

Valid: 3243 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 2605 | 80.3% |
| 2 | I bought in a store | 300 | 9.3% |
| 3 | I gave someone money to buy | 72 | 2.2% |
| 4 | I got it from my friends | 100 | 3.1% |
| 5 | I got it from my family | 86 | 2.7% |
| 6 | I stole it | 17 | 0.5% |
| 7 | Some other way | 63 | 1.9% |
| Sysmiss | | 143 | |

Q38: Really drunk**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3255 Invalid: 131

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2685 | 82.5% |
| 2 | 1 or 2 times | 382 | 11.7% |
| 3 | 3 to 9 times | 118 | 3.6% |
| 4 | 10 or more times | 70 | 2.2% |
| Sysmiss | | 131 | |

Q39: Trouble from drinking**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3224 Invalid: 162

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 times | 2948 | 91.4% |

| | | | |
|---------|------------------|-----|------|
| 2 | 1 or 2 times | 175 | 5.4% |
| 3 | 3 to 9 times | 57 | 1.8% |
| 4 | 10 or more times | 44 | 1.4% |
| Sysmiss | | 162 | |

Q40: Initiation of drug use

Data file: THA2015_Public_Use_private

Overview

Valid: 3232 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | I have never used drugs | 2881 | 89.1% |
| 2 | 7 years old or younger | 75 | 2.3% |
| 3 | 8 or 9 years old | 69 | 2.1% |
| 4 | 10 or 11 years old | 39 | 1.2% |
| 5 | 12 or 13 years old | 91 | 2.8% |
| 6 | 14 or 15 years old | 60 | 1.9% |
| 7 | 16 or 17 years old | 16 | 0.5% |
| 8 | 18 years old or older | 1 | 0% |
| Sysmiss | | 154 | |

Q41: Ever marijuana use

Data file: THA2015_Public_Use_private

Overview

Valid: 3256 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 3037 | 93.3% |
| 2 | 1 or 2 times | 86 | 2.6% |
| 3 | 3 to 9 times | 45 | 1.4% |
| 4 | 10 to 19 times | 32 | 1% |
| 5 | 20 or more times | 56 | 1.7% |
| Sysmiss | | 130 | |

Q42: Current marijuana use

Data file: THA2015_Public_Use_private

Overview

Valid: 3288 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 3132 | 95.3% |
| 2 | 1 or 2 times | 60 | 1.8% |
| 3 | 3 to 9 times | 34 | 1% |
| 4 | 10 to 19 times | 33 | 1% |
| 5 | 20 or more times | 29 | 0.9% |
| Sysmiss | | 98 | |

Q43: Amphetamine or methamphetamine use

Data file: THA2015_Public_Use_private

Overview

Valid: 3307 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|------|
| 1 | 0 times | 3174 | 96% |
| 2 | 1 or 2 times | 48 | 1.5% |
| 3 | 3 to 9 times | 32 | 1% |
| 4 | 10 to 19 times | 29 | 0.9% |
| 5 | 20 or more times | 24 | 0.7% |
| Sysmiss | | 79 | |

Q44: Ever sexual intercourse

Data file: THA2015_Public_Use_private

Overview

Valid: 3092 Invalid: 294

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 463 | 15% |
| 2 | No | 2629 | 85% |
| Sysmiss | | 294 | |

Q45: Sex before 14 years**Data file: THA2015_Public_Use_private****Overview**

Valid: 3287 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | Never had sex | 2933 | 89.2% |
| 2 | 11 years old or younger | 65 | 2% |
| 3 | 12 years old | 42 | 1.3% |
| 4 | 13 years old | 63 | 1.9% |
| 5 | 14 years old | 66 | 2% |
| 6 | 15 years old | 63 | 1.9% |
| 7 | 16 or 17 years old | 52 | 1.6% |
| 8 | 18 years old or older | 3 | 0.1% |
| Sysmiss | | 99 | |

Q46: Multiple sex partners**Data file: THA2015_Public_Use_private****Overview**

Valid: 3302 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

| Value | Category | Cases | |
|-------|---------------|-------|-------|
| 1 | Never had sex | 2959 | 89.6% |
| 2 | 1 person | 139 | 4.2% |

| | | | |
|---------|------------------|----|------|
| 3 | 2 people | 76 | 2.3% |
| 4 | 3 people | 41 | 1.2% |
| 5 | 4 people | 31 | 0.9% |
| 6 | 5 people | 14 | 0.4% |
| 7 | 6 or more people | 42 | 1.3% |
| Sysmiss | | 84 | |

Q47: Condom use

Data file: THA2015_Public_Use_private

Overview

Valid: 3271 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | Never had sex | 2968 | 90.7% |
| 2 | Yes | 160 | 4.9% |
| 3 | No | 143 | 4.4% |
| Sysmiss | | 115 | |

Q48: Birth control used

Data file: THA2015_Public_Use_private

Overview

Valid: 3150 Invalid: 236

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|------|
| 1 | Never had sex | 2834 | 90% |
| 2 | Yes | 163 | 5.2% |
| 3 | No | 103 | 3.3% |
| 4 | I do not know | 50 | 1.6% |
| Sysmiss | | 236 | |

Q49: Physical activity \geq 5 days

Data file: THA2015_Public_Use_private

Overview

Valid: 3359 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 781 | 23.3% |
| 2 | 1 day | 727 | 21.6% |
| 3 | 2 days | 558 | 16.6% |
| 4 | 3 days | 438 | 13% |
| 5 | 4 days | 174 | 5.2% |
| 6 | 5 days | 218 | 6.5% |
| 7 | 6 days | 55 | 1.6% |
| 8 | 7 days | 408 | 12.1% |
| Sysmiss | | 27 | |

Q50: Walk or bike to school

Data file: THA2015_Public_Use_private

Overview

Valid: 3324 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 1784 | 53.7% |
| 2 | 1 day | 293 | 8.8% |
| 3 | 2 days | 253 | 7.6% |
| 4 | 3 days | 149 | 4.5% |
| 5 | 4 days | 81 | 2.4% |
| 6 | 5 days | 247 | 7.4% |
| 7 | 6 days | 50 | 1.5% |
| 8 | 7 days | 467 | 14% |
| Sysmiss | | 62 | |

Q51: PE attendance

Data file: THA2015_Public_Use_private

Overview

Valid: 3322 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 469 | 14.1% |
| 2 | 1 day | 2325 | 70% |
| 3 | 2 days | 214 | 6.4% |

| | | | |
|---------|----------------|-----|------|
| 4 | 3 days | 91 | 2.7% |
| 5 | 4 days | 34 | 1% |
| 6 | 5 or more days | 189 | 5.7% |
| Sysmiss | | 64 | |

Q52: Sitting activities

Data file: THA2015_Public_Use_private

Overview

Valid: 3325 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------------------|-------|-------|
| 1 | Less than 1 hour per day | 713 | 21.4% |
| 2 | 1 to 2 hours per day | 871 | 26.2% |
| 3 | 3 to 4 hours per day | 761 | 22.9% |
| 4 | 5 to 6 hours per day | 480 | 14.4% |
| 5 | 7 to 8 hours per day | 168 | 5.1% |
| 6 | More than 8 hours per day | 332 | 10% |
| Sysmiss | | 61 | |

Q53: Miss school no permission

Data file: THA2015_Public_Use_private

Overview

Valid: 3319 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|-------|
| 1 | 0 days | 2603 | 78.4% |
| 2 | 1 or 2 days | 449 | 13.5% |
| 3 | 3 to 5 days | 155 | 4.7% |
| 4 | 6 to 9 days | 59 | 1.8% |
| 5 | 10 or more days | 53 | 1.6% |
| Sysmiss | | 67 | |

Q54: Other students kind and helpful

Data file: THA2015_Public_Use_private

Overview

Valid: 3315 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 382 | 11.5% |
| 2 | Rarely | 513 | 15.5% |
| 3 | Sometimes | 1204 | 36.3% |
| 4 | Most of the time | 792 | 23.9% |
| 5 | Always | 424 | 12.8% |
| Sysmiss | | 71 | |

Q55: Parents check homework

Data file: THA2015_Public_Use_private

Overview

Valid: 3265 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 946 | 29% |
| 2 | Rarely | 576 | 17.6% |
| 3 | Sometimes | 812 | 24.9% |
| 4 | Most of the time | 391 | 12% |
| 5 | Always | 540 | 16.5% |
| Sysmiss | | 121 | |

Q56: Parents understand problems

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 902 | 27.1% |
| 2 | Rarely | 640 | 19.2% |
| 3 | Sometimes | 833 | 25% |
| 4 | Most of the time | 451 | 13.6% |
| 5 | Always | 502 | 15.1% |
| Sysmiss | | 58 | |

Q57: Parents know about free time

Data file: THA2015_Public_Use_private

Overview

Valid: 3323 Invalid: 63
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 591 | 17.8% |
| 2 | Rarely | 469 | 14.1% |
| 3 | Sometimes | 834 | 25.1% |
| 4 | Most of the time | 662 | 19.9% |
| 5 | Always | 767 | 23.1% |
| Sysmiss | | 63 | |

Q58: Parents go through their things

Data file: THA2015_Public_Use_private

Overview

Valid: 3294 Invalid: 92 Mean: 2.061 Standard deviation: 1.25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 1565 | 47.5% |
| 2 | | 647 | 19.6% |
| 3 | | 629 | 19.1% |
| 4 | | 222 | 6.7% |
| 5 | | 231 | 7% |
| Sysmiss | | 92 | |

QN6: Most of the time or always went hungry**Data file: THA2015_Public_Use_private****Overview**

Valid: 3378 Invalid: 8 Mean: 1.964 Standard deviation: 0.186
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 121 | 3.6% |
| 2 | No | 3257 | 96.4% |
| Sysmiss | | 8 | |

QN7: Did not eat fruit**Data file: THA2015_Public_Use_private****Overview**

Valid: 3368 Invalid: 18 Mean: 1.93 Standard deviation: 0.256
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 237 | 7% |
| 2 | No | 3131 | 93% |
| Sysmiss | | 18 | |

QN8: Did not eat vegetables**Data file: THA2015_Public_Use_private****Overview**

Valid: 3328 Invalid: 58 Mean: 1.96 Standard deviation: 0.195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 132 | 4% |
| 2 | No | 3196 | 96% |
| Sysmiss | | 58 | |

QN9: Did not drink carbonated soft drinks

Data file: THA2015_Public_Use_private

Overview

Valid: 3378 Invalid: 8 Mean: 1.837 Standard deviation: 0.37
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 551 | 16.3% |
| 2 | No | 2827 | 83.7% |
| Sysmiss | | 8 | |

QN10: Did not eat food from a fast food restaurant

Data file: THA2015_Public_Use_private

Overview

Valid: 3362 Invalid: 24 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 587 | 17.5% |
| 2 | No | 2775 | 82.5% |
| Sysmiss | | 24 | |

QN11: Usually cleaned or brushed their teeth

Data file: THA2015_Public_Use_private

Overview

Valid: 3379 Invalid: 7 Mean: 1.041 Standard deviation: 0.197
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 3242 | 95.9% |
| 2 | No | 137 | 4.1% |
| Sysmiss | | 7 | |

QN12: Never or rarely washed their hands before eating

Data file: THA2015_Public_Use_private

Overview

Valid: 3377 Invalid: 9 Mean: 1.822 Standard deviation: 0.382
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 600 | 17.8% |
| 2 | No | 2777 | 82.2% |
| Sysmiss | | 9 | |

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3360 Invalid: 26 Mean: 1.934 Standard deviation: 0.248
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 221 | 6.6% |
| 2 | No | 3139 | 93.4% |
| Sysmiss | | 26 | |

QN14: Never or rarely used soap when washing their hands**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3323 Invalid: 63 Mean: 1.854 Standard deviation: 0.353
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 485 | 14.6% |
| 2 | No | 2838 | 85.4% |
| Sysmiss | | 63 | |

QN15: Were physically attacked**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3315 Invalid: 71 Mean: 1.716 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 940 | 28.4% |
| 2 | No | 2375 | 71.6% |
| Sysmiss | | 71 | |

QN16: Were in a physical fight

Data file: THA2015_Public_Use_private

Overview

Valid: 3381 Invalid: 5 Mean: 1.71 Standard deviation: 0.454
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 982 | 29% |
| 2 | No | 2399 | 71% |
| Sysmiss | | 5 | |

QN17: Were seriously injured

Data file: THA2015_Public_Use_private

Overview

Valid: 2767 Invalid: 619 Mean: 1.543 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 1264 | 45.7% |
| 2 | No | 1503 | 54.3% |
| Sysmiss | | 619 | |

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: THA2015_Public_Use_private

Overview

Valid: 989 Invalid: 2397 Mean: 1.851 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 147 | 14.9% |
| 2 | No | 842 | 85.1% |
| Sysmiss | | 2397 | |

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: THA2015_Public_Use_private

Overview

Valid: 1103 Invalid: 2283 Mean: 1.754 Standard deviation: 0.431
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 271 | 24.6% |
| 2 | No | 832 | 75.4% |
| Sysmiss | | 2283 | |

QN20: Were bullied**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3027 Invalid: 359 Mean: 1.666 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1012 | 33.4% |
| 2 | No | 2015 | 66.6% |
| Sysmiss | | 359 | |

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** THA2015_Public_Use_private**Overview**

Valid: 874 Invalid: 2512 Mean: 1.785 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 188 | 21.5% |
| 2 | No | 686 | 78.5% |
| Sysmiss | | 2512 | |

QN22: Most of the time or always felt lonely**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3352 Invalid: 34 Mean: 1.89 Standard deviation: 0.313
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 370 | 11% |
| 2 | No | 2982 | 89% |
| Sysmiss | | 34 | |

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: THA2015_Public_Use_private

Overview

Valid: 3341 Invalid: 45 Mean: 1.905 Standard deviation: 0.293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 317 | 9.5% |
| 2 | No | 3024 | 90.5% |
| Sysmiss | | 45 | |

QN24: Seriously considered attempting suicide

Data file: THA2015_Public_Use_private

Overview

Valid: 3269 Invalid: 117 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 371 | 11.3% |
| 2 | No | 2898 | 88.7% |
| Sysmiss | | 117 | |

QN25: Made a plan about how they would attempt suicide

Data file: THA2015_Public_Use_private

Overview

Valid: 3270 Invalid: 116 Mean: 1.879 Standard deviation: 0.326
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 395 | 12.1% |
| 2 | No | 2875 | 87.9% |
| Sysmiss | | 116 | |

QN26: Attempted suicide

Data file: THA2015_Public_Use_private

Overview

Valid: 3342 Invalid: 44 Mean: 1.876 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 413 | 12.4% |
| 2 | No | 2929 | 87.6% |
| Sysmiss | | 44 | |

QN27: Did not have any close friends**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3336 Invalid: 50 Mean: 1.939 Standard deviation: 0.24
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 204 | 6.1% |
| 2 | No | 3132 | 93.9% |
| Sysmiss | | 50 | |

QN28: Tried a cigarette before age 14 years**Data file:** THA2015_Public_Use_private**Overview**

Valid: 688 Invalid: 2698 Mean: 1.281 Standard deviation: 0.45
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 495 | 71.9% |
| 2 | No | 193 | 28.1% |
| Sysmiss | | 2698 | |

QN29: Currently smoked cigarettes**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3311 Invalid: 75 Mean: 1.883 Standard deviation: 0.321
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 386 | 11.7% |
| 2 | No | 2925 | 88.3% |
| Sysmiss | | 75 | |

QN30: Currently used any tobacco products other than cigarettes

Data file: THA2015_Public_Use_private

Overview

Valid: 3371 Invalid: 15 Mean: 1.906 Standard deviation: 0.292
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 318 | 9.4% |
| 2 | No | 3053 | 90.6% |
| Sysmiss | | 15 | |

QN31: Tried to quit smoking cigarettes

Data file: THA2015_Public_Use_private

Overview

Valid: 334 Invalid: 3052 Mean: 1.189 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 271 | 81.1% |
| 2 | No | 63 | 18.9% |
| Sysmiss | | 3052 | |

QN32: Reported that people smoked in their presence

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58 Mean: 1.615 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1282 | 38.5% |
| 2 | No | 2046 | 61.5% |
| Sysmiss | | 58 | |

QN33: Had parents or guardians who used any form of tobacco

Data file: THA2015_Public_Use_private

Overview

Valid: 3361 Invalid: 25 Mean: 1.72 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 940 | 28% |
| 2 | No | 2421 | 72% |
| Sysmiss | | 25 | |

QN34: Drank alcohol before age 14 years**Data file:** THA2015_Public_Use_private**Overview**

Valid: 1146 Invalid: 2240 Mean: 1.351 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 744 | 64.9% |
| 2 | No | 402 | 35.1% |
| Sysmiss | | 2240 | |

QN35: Currently drank alcohol**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3278 Invalid: 108 Mean: 1.812 Standard deviation: 0.39
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 615 | 18.8% |
| 2 | No | 2663 | 81.2% |
| Sysmiss | | 108 | |

QN36: Usually drank two or more drinks per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 708 Invalid: 2678 Mean: 1.555 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 315 | 44.5% |
| 2 | No | 393 | 55.5% |
| Sysmiss | | 2678 | |

QN37: Usually obtained the alcohol they drank from friends

Data file: THA2015_Public_Use_private

Overview

Valid: 638 Invalid: 2748 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 100 | 15.7% |
| 2 | No | 538 | 84.3% |
| Sysmiss | | 2748 | |

QN38: Ever drank so much alcohol that they were really drunk

Data file: THA2015_Public_Use_private

Overview

Valid: 3255 Invalid: 131 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 570 | 17.5% |
| 2 | No | 2685 | 82.5% |
| Sysmiss | | 131 | |

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: THA2015_Public_Use_private

Overview

Valid: 3224 Invalid: 162 Mean: 1.914 Standard deviation: 0.28
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 276 | 8.6% |
| 2 | No | 2948 | 91.4% |
| Sysmiss | | 162 | |

QN40: Used drugs before age 14 years

Data file: THA2015_Public_Use_private

Overview

Valid: 351 Invalid: 3035 Mean: 1.219 Standard deviation: 0.414
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 274 | 78.1% |
| 2 | No | 77 | 21.9% |
| Sysmiss | | 3035 | |

QN41: Ever used marijuana**Data file: THA2015_Public_Use_private****Overview**

Valid: 3256 Invalid: 130 Mean: 1.933 Standard deviation: 0.251
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 219 | 6.7% |
| 2 | No | 3037 | 93.3% |
| Sysmiss | | 130 | |

QN42: Currently used marijuana**Data file: THA2015_Public_Use_private****Overview**

Valid: 3288 Invalid: 98 Mean: 1.953 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 156 | 4.7% |
| 2 | No | 3132 | 95.3% |
| Sysmiss | | 98 | |

QN43: Ever used amphetamines or methamphetamines**Data file: THA2015_Public_Use_private****Overview**

Valid: 3307 Invalid: 79 Mean: 1.96 Standard deviation: 0.196
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 133 | 4% |
| 2 | No | 3174 | 96% |
| Sysmiss | | 79 | |

QN44: Ever had sexual intercourse

Data file: THA2015_Public_Use_private

Overview

Valid: 3092 Invalid: 294 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 463 | 15% |
| 2 | No | 2629 | 85% |
| Sysmiss | | 294 | |

QN45: Had sexual intercourse before age 14 years

Data file: THA2015_Public_Use_private

Overview

Valid: 354 Invalid: 3032 Mean: 1.52 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-----|
| 1 | Yes | 170 | 48% |
| 2 | No | 184 | 52% |
| Sysmiss | | 3032 | |

QN46: Had sexual intercourse with two or more persons

Data file: THA2015_Public_Use_private

Overview

Valid: 3302 Invalid: 84 Mean: 1.938 Standard deviation: 0.241
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 204 | 6.2% |
| 2 | No | 3098 | 93.8% |
| Sysmiss | | 84 | |

QN47: Used a condom

Data file: THA2015_Public_Use_private

Overview

Valid: 303 Invalid: 3083 Mean: 1.472 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 160 | 52.8% |
| 2 | No | 143 | 47.2% |
| Sysmiss | | 3083 | |

QN48: Used a method of birth control other than condoms**Data file:** THA2015_Public_Use_private**Overview**

Valid: 316 Invalid: 3070 Mean: 1.484 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 163 | 51.6% |
| 2 | No | 153 | 48.4% |
| Sysmiss | | 3070 | |

QN49: Were not physically active**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3359 Invalid: 27 Mean: 1.767 Standard deviation: 0.422
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 781 | 23.3% |
| 2 | No | 2578 | 76.7% |
| Sysmiss | | 27 | |

QN50: Did not walk or ride a bicycle to or from school**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3324 Invalid: 62 Mean: 1.463 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1784 | 53.7% |
| 2 | No | 1540 | 46.3% |
| Sysmiss | | 62 | |

QN51: Did not attend physical education classes

Data file: THA2015_Public_Use_private

Overview

Valid: 3322 Invalid: 64 Mean: 1.859 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 469 | 14.1% |
| 2 | No | 2853 | 85.9% |
| Sysmiss | | 64 | |

QN52: Spent three or more hours per day doing sitting activities

Data file: THA2015_Public_Use_private

Overview

Valid: 3325 Invalid: 61 Mean: 1.476 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 1741 | 52.4% |
| 2 | No | 1584 | 47.6% |
| Sysmiss | | 61 | |

QN53: Missed classes or school without permission

Data file: THA2015_Public_Use_private

Overview

Valid: 3319 Invalid: 67 Mean: 1.784 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 716 | 21.6% |
| 2 | No | 2603 | 78.4% |
| Sysmiss | | 67 | |

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: THA2015_Public_Use_private

Overview

Valid: 3315 Invalid: 71 Mean: 1.633 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1216 | 36.7% |
| 2 | No | 2099 | 63.3% |
| Sysmiss | | 71 | |

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: THA2015_Public_Use_private

Overview

Valid: 3265 Invalid: 121 Mean: 1.715 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 931 | 28.5% |
| 2 | No | 2334 | 71.5% |
| Sysmiss | | 121 | |

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58 Mean: 1.714 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 953 | 28.6% |
| 2 | No | 2375 | 71.4% |
| Sysmiss | | 58 | |

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: THA2015_Public_Use_private

Overview

Valid: 3323 Invalid: 63 Mean: 1.57 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 1429 | 43% |
| 2 | No | 1894 | 57% |
| Sysmiss | | 63 | |

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: THA2015_Public_Use_private

Overview

Valid: 3294 Invalid: 92 Mean: 1.328 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2212 | 67.2% |
| 2 | No | 1082 | 32.8% |
| Sysmiss | | 92 | |

QNUNWTG: Were underweight

Data file: THA2015_Public_Use_private

Overview

Valid: 3180 Invalid: 206 Mean: 1.918 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 260 | 8.2% |
| 2 | No | 2920 | 91.8% |
| Sysmiss | | 206 | |

QNOWTG: Were overweight

Data file: THA2015_Public_Use_private

Overview

Valid: 3180 Invalid: 206 Mean: 1.809 Standard deviation: 0.393
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 607 | 19.1% |
| 2 | No | 2573 | 80.9% |
| Sysmiss | | 206 | |

QNOBESEG: Were obese

Data file: THA2015_Public_Use_private

Overview

Valid: 3180 Invalid: 206 Mean: 1.931 Standard deviation: 0.253
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 218 | 6.9% |
| 2 | No | 2962 | 93.1% |
| Sysmiss | | 206 | |

QNFR1G: Usually ate fruit less than one time per day

Data file: THA2015_Public_Use_private

Overview

Valid: 3368 Invalid: 18 Mean: 1.792 Standard deviation: 0.406
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 701 | 20.8% |
| 2 | No | 2667 | 79.2% |
| Sysmiss | | 18 | |

QNFR1G: Usually ate fruit one or more times per day

Data file: THA2015_Public_Use_private

Overview

Valid: 3368 Invalid: 18 Mean: 1.279 Standard deviation: 0.448
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2430 | 72.1% |
| 2 | No | 938 | 27.9% |
| Sysmiss | | 18 | |

QNFR2G: Usually ate fruit two or more times per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3368 Invalid: 18 Mean: 1.587 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1390 | 41.3% |
| 2 | No | 1978 | 58.7% |
| Sysmiss | | 18 | |

QNFR3G: Usually ate fruit three or more times per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3368 Invalid: 18 Mean: 1.822 Standard deviation: 0.383
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 601 | 17.8% |
| 2 | No | 2767 | 82.2% |
| Sysmiss | | 18 | |

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3328 Invalid: 58 Mean: 1.874 Standard deviation: 0.332
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 419 | 12.6% |
| 2 | No | 2909 | 87.4% |
| Sysmiss | | 58 | |

QNVEG1G: Usually ate vegetables one or more times per day

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58 Mean: 1.166 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2777 | 83.4% |
| 2 | No | 551 | 16.6% |
| Sysmiss | | 58 | |

QNVEG2G: Usually ate vegetables two or more times per day

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58 Mean: 1.393 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 2019 | 60.7% |
| 2 | No | 1309 | 39.3% |
| Sysmiss | | 58 | |

QNVEG3G: Usually ate vegetables three or more times per day

Data file: THA2015_Public_Use_private

Overview

Valid: 3328 Invalid: 58 Mean: 1.663 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1122 | 33.7% |
| 2 | No | 2206 | 66.3% |
| Sysmiss | | 58 | |

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: THA2015_Public_Use_private

Overview

Valid: 3378 Invalid: 8 Mean: 1.662 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1142 | 33.8% |
| 2 | No | 2236 | 66.2% |
| Sysmiss | | 8 | |

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3378 Invalid: 8 Mean: 1.501 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1685 | 49.9% |
| 2 | No | 1693 | 50.1% |
| Sysmiss | | 8 | |

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3378 Invalid: 8 Mean: 1.723 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 936 | 27.7% |
| 2 | No | 2442 | 72.3% |
| Sysmiss | | 8 | |

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3378 Invalid: 8 Mean: 1.859 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 477 | 14.1% |
| 2 | No | 2901 | 85.9% |
| Sysmiss | | 8 | |

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: THA2015_Public_Use_private

Overview

Valid: 3362 Invalid: 24 Mean: 1.175 Standard deviation: 0.38
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2775 | 82.5% |
| 2 | No | 587 | 17.5% |
| Sysmiss | | 24 | |

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: THA2015_Public_Use_private

Overview

Valid: 3362 Invalid: 24 Mean: 1.344 Standard deviation: 0.475
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 2205 | 65.6% |
| 2 | No | 1157 | 34.4% |
| Sysmiss | | 24 | |

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: THA2015_Public_Use_private

Overview

Valid: 3362 Invalid: 24 Mean: 1.498 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1688 | 50.2% |
| 2 | No | 1674 | 49.8% |
| Sysmiss | | 24 | |

QNC2G: Were bullied and could not sleep at night

Data file: THA2015_Public_Use_private

Overview

Valid: 255 Invalid: 3131 Mean: 1.447 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 141 | 55.3% |
| 2 | No | 114 | 44.7% |
| Sysmiss | | 3131 | |

QNTOB2G: Currently used any tobacco product**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3330 Invalid: 56 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 474 | 14.2% |
| 2 | No | 2856 | 85.8% |
| Sysmiss | | 56 | |

QNNOTB2G: Did not currently use any tobacco products**Data file:** THA2015_Public_Use_private**Overview**

Valid: 3307 Invalid: 79 Mean: 1.136 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2856 | 86.4% |
| 2 | No | 451 | 13.6% |
| Sysmiss | | 79 | |

QNBCANYG: Used a method of birth control**Data file:** THA2015_Public_Use_private**Overview**

Valid: 262 Invalid: 3124 Mean: 1.179 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 215 | 82.1% |
| 2 | No | 47 | 17.9% |
| Sysmiss | | 3124 | |

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: THA2015_Public_Use_private

Overview

Valid: 489 Invalid: 2897 Mean: 1.622 Standard deviation: 0.485
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 185 | 37.8% |
| 2 | No | 304 | 62.2% |
| Sysmiss | | 2897 | |

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: THA2015_Public_Use_private

Overview

Valid: 3359 Invalid: 27 Mean: 1.797 Standard deviation: 0.402
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 681 | 20.3% |
| 2 | No | 2678 | 79.7% |
| Sysmiss | | 27 | |

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: THA2015_Public_Use_private

Overview

Valid: 3359 Invalid: 27 Mean: 1.879 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 408 | 12.1% |
| 2 | No | 2951 | 87.9% |
| Sysmiss | | 27 | |

QNPE3G: Attended physical education classes on three or more days

Data file: THA2015_Public_Use_private

Overview

Valid: 3322 Invalid: 64 Mean: 1.905 Standard deviation: 0.293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 314 | 9.5% |
| 2 | No | 3008 | 90.5% |
| Sysmiss | | 64 | |

QNPE5G: Attended physical education classes on five or more days**Data file: THA2015_Public_Use_private****Overview**

Valid: 3322 Invalid: 64 Mean: 1.943 Standard deviation: 0.232
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 189 | 5.7% |
| 2 | No | 3133 | 94.3% |
| Sysmiss | | 64 | |

WEIGHT:**Data file: THA2015_Public_Use_private****Overview**

Valid: 3386 Invalid: 0 Mean: 142.69 Standard deviation: 57.924
 Type: Continuous Decimal: 0 Width: 10 Range: 76.2576 - 489.8928 Format: Numeric

STRATUM:**Data file: THA2015_Public_Use_private****Overview**

Valid: 3386 Invalid: 0 Mean: 201502008.254 Standard deviation: 9.59
 Type: Discrete Decimal: 0 Width: 9 Range: 201502001 - 201502015 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-----------|----------|-------|------|
| 201502001 | | 198 | 5.8% |
| 201502002 | | 196 | 5.8% |
| 201502003 | | 172 | 5.1% |
| 201502004 | | 255 | 7.5% |
| 201502005 | | 210 | 6.2% |

| | | | |
|-----------|--|-----|------|
| 201502006 | | 205 | 6.1% |
| 201502007 | | 240 | 7.1% |
| 201502008 | | 205 | 6.1% |
| 201502009 | | 280 | 8.3% |
| 201502010 | | 266 | 7.9% |
| 201502011 | | 240 | 7.1% |
| 201502012 | | 252 | 7.4% |
| 201502013 | | 152 | 4.5% |
| 201502014 | | 322 | 9.5% |
| 201502015 | | 193 | 5.7% |

PSU:

Data file: THA2015_Public_Use_private

Overview

Valid: 3386 Invalid: 0 Mean: 16.035 Standard deviation: 8.501
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 31 Format: Numeric

Q1: Custom Age**Data file: THA2015_Public_Use_public****Overview**

Valid: 2503 Invalid: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | 11 years old or younger | 9 | 0.4% |
| 2 | 12 years old | 221 | 8.8% |
| 3 | 13 years old | 500 | 20% |
| 4 | 14 years old | 579 | 23.1% |
| 5 | 15 years old | 436 | 17.4% |
| 6 | 16 years old | 306 | 12.2% |
| 7 | 17 years old | 338 | 13.5% |
| 8 | 18 years old or older | 114 | 4.6% |
| Sysmiss | | 5 | |

Q2: Sex**Data file: THA2015_Public_Use_public****Overview**

Valid: 2500 Invalid: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Male | 1093 | 43.7% |
| 2 | Female | 1407 | 56.3% |
| Sysmiss | | 8 | |

Q3: In what grade are you**Data file: THA2015_Public_Use_public****Overview**

Valid: 2495 Invalid: 13
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Grade 7 | 470 | 18.8% |
| 2 | Grade 8 | 538 | 21.6% |
| 3 | Grade 9 | 572 | 22.9% |
| 4 | Grade 10 | 283 | 11.3% |
| 5 | Grade 11 | 322 | 12.9% |
| 6 | Grade 12 | 310 | 12.4% |
| Sysmiss | | 13 | |

Q4: How tall are you**Data file: THA2015_Public_Use_public****Overview**

Valid: 2395 Invalid: 113 Minimum: 1.35 Maximum: 1.89 Mean: 1.6 Standard deviation: 0.0834
 Type: Continuous Decimal: 2 Width: 5 Range: 1.35 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: THA2015_Public_Use_public****Overview**

Valid: 2395 Invalid: 113 Minimum: 28 Maximum: 143 Mean: 51.149 Standard deviation: 12.253
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 143 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: THA2015_Public_Use_public

Overview

Valid: 2504 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 1178 | 47% |
| 2 | Rarely | 595 | 23.8% |
| 3 | Sometimes | 637 | 25.4% |
| 4 | Most of the time | 51 | 2% |
| 5 | Always | 43 | 1.7% |
| Sysmiss | | 4 | |

Q7: No fruit eating

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat fruit | 146 | 5.9% |
| 2 | Less than one time per day | 501 | 20.2% |
| 3 | 1 time per day | 807 | 32.6% |
| 4 | 2 times per day | 564 | 22.8% |
| 5 | 3 times per day | 252 | 10.2% |
| 6 | 4 times per day | 54 | 2.2% |
| 7 | 5 or more times per day | 152 | 6.1% |
| Sysmiss | | 32 | |

Q8: No vegetable eating

Data file: THA2015_Public_Use_public

Overview

Valid: 2439 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not eat vegetables | 75 | 3.1% |
| 2 | Less than one time per day | 269 | 11% |
| 3 | 1 time per day | 567 | 23.2% |
| 4 | 2 times per day | 730 | 29.9% |
| 5 | 3 times per day | 541 | 22.2% |
| 6 | 4 times per day | 84 | 3.4% |
| 7 | 5 or more times per day | 173 | 7.1% |
| Sysmiss | | 69 | |

Q9: Soft drinks

Data file: THA2015_Public_Use_public

Overview

Valid: 2491 Invalid: 17
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

| Value | Category | Cases | |
|---------|----------------------------|-------|-------|
| 1 | Did not drink soft drinks | 280 | 11.2% |
| 2 | Less than one time per day | 793 | 31.8% |
| 3 | 1 time per day | 657 | 26.4% |
| 4 | 2 times per day | 392 | 15.7% |
| 5 | 3 times per day | 191 | 7.7% |
| 6 | 4 times per day | 65 | 2.6% |
| 7 | 5 or more times per day | 113 | 4.5% |
| Sysmiss | | 17 | |

Q10: Fast food eating

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 455 | 18.4% |
| 2 | 1 day | 356 | 14.4% |
| 3 | 2 days | 291 | 11.8% |
| 4 | 3 days | 260 | 10.5% |

| | | | |
|---------|--------|-----|-------|
| 5 | 4 days | 120 | 4.8% |
| 6 | 5 days | 658 | 26.6% |
| 7 | 6 days | 53 | 2.1% |
| 8 | 7 days | 283 | 11.4% |
| Sysmiss | | 32 | |

Q11: Tooth brushing

Data file: THA2015_Public_Use_public

Overview

Valid: 2498 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------|-------|-------|
| 1 | Did not brush my teeth | 60 | 2.4% |
| 2 | Less than 1 time per day | 61 | 2.4% |
| 3 | 1 time per day | 278 | 11.1% |
| 4 | 2 times per day | 1701 | 68.1% |
| 5 | 3 times per day | 313 | 12.5% |
| 6 | 4 or more times per day | 85 | 3.4% |
| Sysmiss | | 10 | |

Q12: Hand washing before eating

Data file: THA2015_Public_Use_public

Overview

Valid: 2481 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 122 | 4.9% |
| 2 | Rarely | 260 | 10.5% |
| 3 | Sometimes | 761 | 30.7% |
| 4 | Most of the time | 543 | 21.9% |
| 5 | Always | 795 | 32% |
| Sysmiss | | 27 | |

Q13: Hand washing after toilet

Data file: THA2015_Public_Use_public

Overview

Valid: 2480 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 51 | 2.1% |
| 2 | Rarely | 99 | 4% |
| 3 | Sometimes | 233 | 9.4% |
| 4 | Most of the time | 379 | 15.3% |
| 5 | Always | 1718 | 69.3% |
| Sysmiss | | 28 | |

Q14: Hand washing with soap

Data file: THA2015_Public_Use_public

Overview

Valid: 2446 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 82 | 3.4% |
| 2 | Rarely | 272 | 11.1% |
| 3 | Sometimes | 821 | 33.6% |
| 4 | Most of the time | 614 | 25.1% |
| 5 | Always | 657 | 26.9% |
| Sysmiss | | 62 | |

Q15: Physically attacked

Data file: THA2015_Public_Use_public

Overview

Valid: 2438 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 1833 | 75.2% |
| 2 | 1 time | 178 | 7.3% |
| 3 | 2 or 3 times | 210 | 8.6% |
| 4 | 4 or 5 times | 69 | 2.8% |
| 5 | 6 or 7 times | 26 | 1.1% |
| 6 | 8 or 9 times | 27 | 1.1% |
| 7 | 10 or 11 times | 10 | 0.4% |
| 8 | 12 or more times | 85 | 3.5% |
| Sysmiss | | 70 | |

Q16: Physical fighting**Data file: THA2015_Public_Use_public****Overview**

Valid: 2493 Invalid: 15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 1890 | 75.8% |
| 2 | 1 time | 227 | 9.1% |
| 3 | 2 or 3 times | 203 | 8.1% |
| 4 | 4 or 5 times | 61 | 2.4% |
| 5 | 6 or 7 times | 23 | 0.9% |
| 6 | 8 or 9 times | 16 | 0.6% |
| 7 | 10 or 11 times | 10 | 0.4% |
| 8 | 12 or more times | 63 | 2.5% |
| Sysmiss | | 15 | |

Q17: Seriously injured**Data file: THA2015_Public_Use_public****Overview**

Valid: 2056 Invalid: 452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 1282 | 62.4% |
| 2 | 1 time | 426 | 20.7% |
| 3 | 2 or 3 times | 259 | 12.6% |
| 4 | 4 or 5 times | 30 | 1.5% |
| 5 | 6 or 7 times | 19 | 0.9% |
| 6 | 8 or 9 times | 16 | 0.8% |
| 7 | 10 or 11 times | 2 | 0.1% |
| 8 | 12 or more times | 22 | 1.1% |
| Sysmiss | | 452 | |

Q18: Serious injury broken bone

Data file: THA2015_Public_Use_public

Overview

Valid: 2243 Invalid: 265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Not seriously injured | 1636 | 72.9% |
| 2 | Broken bone/dislocated joint | 72 | 3.2% |
| 3 | I had a cut or stab wound | 147 | 6.6% |
| 4 | Concussion/head injury | 53 | 2.4% |
| 5 | I had a gunshot wound | 17 | 0.8% |
| 6 | I had a bad burn | 29 | 1.3% |
| 7 | I was poisoned | 11 | 0.5% |
| 8 | Something else happened to me | 278 | 12.4% |
| Sysmiss | | 265 | |

Q19: Serious injury motor vehicle

Data file: THA2015_Public_Use_public

Overview

Valid: 2098 Invalid: 410
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | Not seriously injured | 1455 | 69.4% |
| 2 | Motor vehicle accident | 177 | 8.4% |
| 3 | I fell | 190 | 9.1% |
| 4 | Something fell on me or hit me | 48 | 2.3% |
| 5 | I was attacked | 40 | 1.9% |
| 6 | Was in a fire | 13 | 0.6% |
| 7 | breathed something bad | 15 | 0.7% |
| 8 | Something else | 160 | 7.6% |
| Sysmiss | | 410 | |

Q20: Bullied

Data file: THA2015_Public_Use_public

Overview

Valid: 2203 Invalid: 305
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 1594 | 72.4% |

| | | | |
|---------|---------------|-----|-------|
| 2 | 1 or 2 days | 328 | 14.9% |
| 3 | 3 to 5 days | 111 | 5% |
| 4 | 6 to 9 days | 61 | 2.8% |
| 5 | 10 to 19 days | 35 | 1.6% |
| 6 | 20 to 29 days | 28 | 1.3% |
| 7 | All 30 days | 46 | 2.1% |
| Sysmiss | | 305 | |

Q21: Bullied by hitting

Data file: THA2015_Public_Use_public

Overview

Valid: 2249 Invalid: 259

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Not bullied | 1727 | 76.8% |
| 2 | Kicked, pushed, or shoved | 118 | 5.2% |
| 3 | Made fun of race | 49 | 2.2% |
| 4 | Made fun because of religion | 11 | 0.5% |
| 5 | Made fun of about sex | 172 | 7.6% |
| 6 | Left out of activities | 24 | 1.1% |
| 7 | Made fun of about body | 46 | 2% |
| 8 | Some other way | 102 | 4.5% |
| Sysmiss | | 259 | |

Q22: Felt lonely

Data file: THA2015_Public_Use_public

Overview

Valid: 2468 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 899 | 36.4% |
| 2 | Rarely | 662 | 26.8% |
| 3 | Sometimes | 672 | 27.2% |
| 4 | Most of the time | 147 | 6% |
| 5 | Always | 88 | 3.6% |
| Sysmiss | | 40 | |

Q23: Could not sleep**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2451 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 825 | 33.7% |
| 2 | Rarely | 714 | 29.1% |
| 3 | Sometimes | 699 | 28.5% |
| 4 | Most of the time | 138 | 5.6% |
| 5 | Always | 75 | 3.1% |
| Sysmiss | | 57 | |

Q24: Considered suicide**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2376 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 294 | 12.4% |
| 2 | No | 2082 | 87.6% |
| Sysmiss | | 132 | |

Q25: Made a suicide plan**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2398 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 335 | 14% |
| 2 | No | 2063 | 86% |
| Sysmiss | | 110 | |

Q26: Attempted suicide**Data file:** THA2015_Public_Use_public

Overview

Valid: 2466 Invalid: 42
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|-------|
| 1 | 0 times | 2148 | 87.1% |
| 2 | 1 time | 131 | 5.3% |
| 3 | 2 or 3 times | 86 | 3.5% |
| 4 | 4 or 5 times | 71 | 2.9% |
| 5 | 6 or more times | 30 | 1.2% |
| Sysmiss | | 42 | |

Q27: Close friends

Data file: THA2015_Public_Use_public

Overview

Valid: 2466 Invalid: 42
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------|-------|-------|
| 1 | 0 | 155 | 6.3% |
| 2 | 1 | 200 | 8.1% |
| 3 | 2 | 262 | 10.6% |
| 4 | 3 or more | 1849 | 75% |
| Sysmiss | | 42 | |

Q28: Initiation of cigarette use**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2398 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 1920 | 80.1% |
| 2 | 7 years old or younger | 77 | 3.2% |
| 3 | 8 or 9 years old | 63 | 2.6% |
| 4 | 10 or 11 years old | 77 | 3.2% |
| 5 | 12 or 13 years old | 121 | 5% |
| 6 | 14 or 15 years old | 102 | 4.3% |
| 7 | 16 or 17 years old | 37 | 1.5% |
| 8 | 18 years old or older | 1 | 0% |
| Sysmiss | | 110 | |

Q29: Current cigarette use**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2417 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

| Value | Category | Cases | |
|-------|-------------|-------|-------|
| 1 | 0 days | 2187 | 90.5% |
| 2 | 1 or 2 days | 73 | 3% |

| | | | |
|---------|---------------|----|------|
| 3 | 3 to 5 days | 48 | 2% |
| 4 | 6 to 9 days | 34 | 1.4% |
| 5 | 10 to 19 days | 26 | 1.1% |
| 6 | 20 to 29 days | 24 | 1% |
| 7 | All 30 days | 25 | 1% |
| Sysmiss | | 91 | |

Q30: Other tobacco use

Data file: THA2015_Public_Use_public

Overview

Valid: 2479 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 2261 | 91.2% |
| 2 | 1 or 2 days | 90 | 3.6% |
| 3 | 3 to 5 days | 52 | 2.1% |
| 4 | 6 to 9 days | 24 | 1% |
| 5 | 10 to 19 days | 30 | 1.2% |
| 6 | 20 to 29 days | 15 | 0.6% |
| 7 | All 30 days | 7 | 0.3% |
| Sysmiss | | 29 | |

Q31: Smoking cessation

Data file: THA2015_Public_Use_public

Overview

Valid: 2398 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

| Value | Category | Cases | |
|---------|--------------------------------|-------|-------|
| 1 | I have never smoked cigarettes | 2066 | 86.2% |
| 2 | Did not smoke cigarettes | 122 | 5.1% |
| 3 | Yes | 169 | 7% |
| 4 | No | 41 | 1.7% |
| Sysmiss | | 110 | |

Q32: Smoking in their presence

Data file: THA2015_Public_Use_public

Overview

Valid: 2449 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------|-------|-------|
| 1 | 0 days | 1429 | 58.4% |
| 2 | 1 or 2 days | 493 | 20.1% |
| 3 | 3 or 4 days | 175 | 7.1% |
| 4 | 5 or 6 days | 103 | 4.2% |
| 5 | All 7 days | 249 | 10.2% |
| Sysmiss | | 59 | |

Q33: Parental tobacco use

Data file: THA2015_Public_Use_public

Overview

Valid: 2474 Invalid: 34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------------------|-------|-------|
| 1 | Neither | 1552 | 62.7% |
| 2 | My father or male guardian | 701 | 28.3% |
| 3 | My mother or female guardian | 52 | 2.1% |
| 4 | Both | 40 | 1.6% |
| 5 | I do not know | 129 | 5.2% |
| Sysmiss | | 34 | |

Q34: Initiation of alcohol use

Data file: THA2015_Public_Use_public

Overview

Valid: 2248 Invalid: 260
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

| Value | Category | Cases | |
|-------|------------------------|-------|-------|
| 1 | Never drank alcohol | 1235 | 54.9% |
| 2 | 7 years old or younger | 87 | 3.9% |
| 3 | 8 or 9 years old | 78 | 3.5% |
| 4 | 10 or 11 years old | 99 | 4.4% |
| 5 | 12 or 13 years old | 279 | 12.4% |
| 6 | 14 or 15 years old | 336 | 14.9% |

| | | | |
|---------|-----------------------|-----|------|
| 7 | 16 or 17 years old | 130 | 5.8% |
| 8 | 18 years old or older | 4 | 0.2% |
| Sysmiss | | 260 | |

Q35: Current alcohol use

Data file: THA2015_Public_Use_public

Overview

Valid: 2426 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | 0 days | 1888 | 77.8% |
| 2 | 1 or 2 days | 305 | 12.6% |
| 3 | 3 to 5 days | 111 | 4.6% |
| 4 | 6 to 9 days | 53 | 2.2% |
| 5 | 10 to 19 days | 34 | 1.4% |
| 6 | 20 to 29 days | 23 | 0.9% |
| 7 | All 30 days | 12 | 0.5% |
| Sysmiss | | 82 | |

Q36: Drank 2+ drinks

Data file: THA2015_Public_Use_public

Overview

Valid: 2429 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 1842 | 75.8% |
| 2 | Less than one drink | 185 | 7.6% |
| 3 | 1 drink | 103 | 4.2% |
| 4 | 2 drinks | 75 | 3.1% |
| 5 | 3 drinks | 61 | 2.5% |
| 6 | 4 drinks | 24 | 1% |
| 7 | 5 or more drinks | 139 | 5.7% |
| Sysmiss | | 79 | |

Q37: Source of alcohol

Data file: THA2015_Public_Use_public

Overview

Valid: 2389 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------------|-------|-------|
| 1 | Did not drink in past 30 days | 1838 | 76.9% |
| 2 | I bought in a store | 274 | 11.5% |
| 3 | I gave someone money to buy | 60 | 2.5% |
| 4 | I got it from my friends | 101 | 4.2% |
| 5 | I got it from my family | 69 | 2.9% |
| 6 | I stole it | 4 | 0.2% |
| 7 | Some other way | 43 | 1.8% |
| Sysmiss | | 119 | |

Q38: Really drunk**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2382 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 1798 | 75.5% |
| 2 | 1 or 2 times | 429 | 18% |
| 3 | 3 to 9 times | 96 | 4% |
| 4 | 10 or more times | 59 | 2.5% |
| Sysmiss | | 126 | |

Q39: Trouble from drinking**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2356 Invalid: 152

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 times | 2106 | 89.4% |

| | | | |
|---------|------------------|-----|------|
| 2 | 1 or 2 times | 167 | 7.1% |
| 3 | 3 to 9 times | 51 | 2.2% |
| 4 | 10 or more times | 32 | 1.4% |
| Sysmiss | | 152 | |

Q40: Initiation of drug use

Data file: THA2015_Public_Use_public

Overview

Valid: 2370 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | I have never used drugs | 2155 | 90.9% |
| 2 | 7 years old or younger | 49 | 2.1% |
| 3 | 8 or 9 years old | 43 | 1.8% |
| 4 | 10 or 11 years old | 30 | 1.3% |
| 5 | 12 or 13 years old | 35 | 1.5% |
| 6 | 14 or 15 years old | 42 | 1.8% |
| 7 | 16 or 17 years old | 15 | 0.6% |
| 8 | 18 years old or older | 1 | 0% |
| Sysmiss | | 138 | |

Q41: Ever marijuana use

Data file: THA2015_Public_Use_public

Overview

Valid: 2390 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2244 | 93.9% |
| 2 | 1 or 2 times | 58 | 2.4% |
| 3 | 3 to 9 times | 45 | 1.9% |
| 4 | 10 to 19 times | 21 | 0.9% |
| 5 | 20 or more times | 22 | 0.9% |
| Sysmiss | | 118 | |

Q42: Current marijuana use

Data file: THA2015_Public_Use_public

Overview

Valid: 2430 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2311 | 95.1% |
| 2 | 1 or 2 times | 54 | 2.2% |
| 3 | 3 to 9 times | 34 | 1.4% |
| 4 | 10 to 19 times | 14 | 0.6% |
| 5 | 20 or more times | 17 | 0.7% |
| Sysmiss | | 78 | |

Q43: Amphetamine or methamphetamine use

Data file: THA2015_Public_Use_public

Overview

Valid: 2434 Invalid: 74
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | 0 times | 2331 | 95.8% |
| 2 | 1 or 2 times | 40 | 1.6% |
| 3 | 3 to 9 times | 31 | 1.3% |
| 4 | 10 to 19 times | 18 | 0.7% |
| 5 | 20 or more times | 14 | 0.6% |
| Sysmiss | | 74 | |

Q44: Ever sexual intercourse

Data file: THA2015_Public_Use_public

Overview

Valid: 2296 Invalid: 212
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 421 | 18.3% |
| 2 | No | 1875 | 81.7% |
| Sysmiss | | 212 | |

Q45: Sex before 14 years**Data file: THA2015_Public_Use_public****Overview**

Valid: 2426 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

| Value | Category | Cases | |
|---------|-------------------------|-------|-------|
| 1 | Never had sex | 2089 | 86.1% |
| 2 | 11 years old or younger | 55 | 2.3% |
| 3 | 12 years old | 30 | 1.2% |
| 4 | 13 years old | 46 | 1.9% |
| 5 | 14 years old | 66 | 2.7% |
| 6 | 15 years old | 71 | 2.9% |
| 7 | 16 or 17 years old | 66 | 2.7% |
| 8 | 18 years old or older | 3 | 0.1% |
| Sysmiss | | 82 | |

Q46: Multiple sex partners**Data file: THA2015_Public_Use_public****Overview**

Valid: 2411 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

| Value | Category | Cases | |
|-------|---------------|-------|-------|
| 1 | Never had sex | 2108 | 87.4% |
| 2 | 1 person | 132 | 5.5% |

| | | | |
|---------|------------------|----|------|
| 3 | 2 people | 53 | 2.2% |
| 4 | 3 people | 37 | 1.5% |
| 5 | 4 people | 27 | 1.1% |
| 6 | 5 people | 20 | 0.8% |
| 7 | 6 or more people | 34 | 1.4% |
| Sysmiss | | 97 | |

Q47: Condom use

Data file: THA2015_Public_Use_public

Overview

Valid: 2397 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | Never had sex | 2126 | 88.7% |
| 2 | Yes | 175 | 7.3% |
| 3 | No | 96 | 4% |
| Sysmiss | | 111 | |

Q48: Birth control used

Data file: THA2015_Public_Use_public

Overview

Valid: 2308 Invalid: 200

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------|-------|-------|
| 1 | Never had sex | 2022 | 87.6% |
| 2 | Yes | 174 | 7.5% |
| 3 | No | 84 | 3.6% |
| 4 | I do not know | 28 | 1.2% |
| Sysmiss | | 200 | |

Q49: Physical activity \geq 5 days

Data file: THA2015_Public_Use_public

Overview

Valid: 2477 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 604 | 24.4% |
| 2 | 1 day | 564 | 22.8% |
| 3 | 2 days | 403 | 16.3% |
| 4 | 3 days | 319 | 12.9% |
| 5 | 4 days | 108 | 4.4% |
| 6 | 5 days | 170 | 6.9% |
| 7 | 6 days | 28 | 1.1% |
| 8 | 7 days | 281 | 11.3% |
| Sysmiss | | 31 | |

Q50: Walk or bike to school

Data file: THA2015_Public_Use_public

Overview

Valid: 2418 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | 0 days | 1244 | 51.4% |
| 2 | 1 day | 219 | 9.1% |
| 3 | 2 days | 152 | 6.3% |
| 4 | 3 days | 105 | 4.3% |
| 5 | 4 days | 53 | 2.2% |
| 6 | 5 days | 260 | 10.8% |
| 7 | 6 days | 25 | 1% |
| 8 | 7 days | 360 | 14.9% |
| Sysmiss | | 90 | |

Q51: PE attendance

Data file: THA2015_Public_Use_public

Overview

Valid: 2453 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|-------|
| 1 | 0 days | 331 | 13.5% |
| 2 | 1 day | 1602 | 65.3% |
| 3 | 2 days | 261 | 10.6% |

| | | | |
|---------|----------------|-----|------|
| 4 | 3 days | 73 | 3% |
| 5 | 4 days | 28 | 1.1% |
| 6 | 5 or more days | 158 | 6.4% |
| Sysmiss | | 55 | |

Q52: Sitting activities

Data file: THA2015_Public_Use_public

Overview

Valid: 2455 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

| Value | Category | Cases | |
|---------|---------------------------|-------|-------|
| 1 | Less than 1 hour per day | 453 | 18.5% |
| 2 | 1 to 2 hours per day | 602 | 24.5% |
| 3 | 3 to 4 hours per day | 650 | 26.5% |
| 4 | 5 to 6 hours per day | 391 | 15.9% |
| 5 | 7 to 8 hours per day | 139 | 5.7% |
| 6 | More than 8 hours per day | 220 | 9% |
| Sysmiss | | 53 | |

Q53: Miss school no permission

Data file: THA2015_Public_Use_public

Overview

Valid: 2443 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

| Value | Category | Cases | |
|---------|-----------------|-------|-------|
| 1 | 0 days | 1966 | 80.5% |
| 2 | 1 or 2 days | 278 | 11.4% |
| 3 | 3 to 5 days | 111 | 4.5% |
| 4 | 6 to 9 days | 48 | 2% |
| 5 | 10 or more days | 40 | 1.6% |
| Sysmiss | | 65 | |

Q54: Other students kind and helpful

Data file: THA2015_Public_Use_public

Overview

Valid: 2438 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 282 | 11.6% |
| 2 | Rarely | 321 | 13.2% |
| 3 | Sometimes | 857 | 35.2% |
| 4 | Most of the time | 595 | 24.4% |
| 5 | Always | 383 | 15.7% |
| Sysmiss | | 70 | |

Q55: Parents check homework

Data file: THA2015_Public_Use_public

Overview

Valid: 2398 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 700 | 29.2% |
| 2 | Rarely | 414 | 17.3% |
| 3 | Sometimes | 592 | 24.7% |
| 4 | Most of the time | 292 | 12.2% |
| 5 | Always | 400 | 16.7% |
| Sysmiss | | 110 | |

Q56: Parents understand problems

Data file: THA2015_Public_Use_public

Overview

Valid: 2446 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 684 | 28% |
| 2 | Rarely | 420 | 17.2% |
| 3 | Sometimes | 638 | 26.1% |
| 4 | Most of the time | 353 | 14.4% |
| 5 | Always | 351 | 14.3% |
| Sysmiss | | 62 | |

Q57: Parents know about free time

Data file: THA2015_Public_Use_public

Overview

Valid: 2427 Invalid: 81
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

| Value | Category | Cases | |
|---------|------------------|-------|-------|
| 1 | Never | 397 | 16.4% |
| 2 | Rarely | 347 | 14.3% |
| 3 | Sometimes | 632 | 26% |
| 4 | Most of the time | 464 | 19.1% |
| 5 | Always | 587 | 24.2% |
| Sysmiss | | 81 | |

Q58: Parents go through their things

Data file: THA2015_Public_Use_public

Overview

Valid: 2417 Invalid: 91 Mean: 2.073 Standard deviation: 1.283
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | | 1174 | 48.6% |
| 2 | | 438 | 18.1% |
| 3 | | 449 | 18.6% |
| 4 | | 167 | 6.9% |
| 5 | | 189 | 7.8% |
| Sysmiss | | 91 | |

QN6: Most of the time or always went hungry**Data file: THA2015_Public_Use_public****Overview**

Valid: 2504 Invalid: 4 Mean: 1.962 Standard deviation: 0.19
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 94 | 3.8% |
| 2 | No | 2410 | 96.2% |
| Sysmiss | | 4 | |

QN7: Did not eat fruit**Data file: THA2015_Public_Use_public****Overview**

Valid: 2476 Invalid: 32 Mean: 1.941 Standard deviation: 0.236
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 146 | 5.9% |
| 2 | No | 2330 | 94.1% |
| Sysmiss | | 32 | |

QN8: Did not eat vegetables**Data file: THA2015_Public_Use_public****Overview**

Valid: 2439 Invalid: 69 Mean: 1.969 Standard deviation: 0.173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 75 | 3.1% |
| 2 | No | 2364 | 96.9% |
| Sysmiss | | 69 | |

QN9: Did not drink carbonated soft drinks

Data file: THA2015_Public_Use_public

OverviewValid: 2491 Invalid: 17 Mean: 1.888 Standard deviation: 0.316
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 280 | 11.2% |
| 2 | No | 2211 | 88.8% |
| Sysmiss | | 17 | |

QN10: Did not eat food from a fast food restaurant

Data file: THA2015_Public_Use_public

OverviewValid: 2476 Invalid: 32 Mean: 1.816 Standard deviation: 0.387
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 455 | 18.4% |
| 2 | No | 2021 | 81.6% |
| Sysmiss | | 32 | |

QN11: Usually cleaned or brushed their teeth

Data file: THA2015_Public_Use_public

Overview

Valid: 2498 Invalid: 10 Mean: 1.048 Standard deviation: 0.215
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2377 | 95.2% |
| 2 | No | 121 | 4.8% |
| Sysmiss | | 10 | |

QN12: Never or rarely washed their hands before eating

Data file: THA2015_Public_Use_public

Overview

Valid: 2481 Invalid: 27 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 382 | 15.4% |
| 2 | No | 2099 | 84.6% |
| Sysmiss | | 27 | |

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2480 Invalid: 28 Mean: 1.94 Standard deviation: 0.238
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 150 | 6% |
| 2 | No | 2330 | 94% |
| Sysmiss | | 28 | |

QN14: Never or rarely used soap when washing their hands**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2446 Invalid: 62 Mean: 1.855 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 354 | 14.5% |
| 2 | No | 2092 | 85.5% |
| Sysmiss | | 62 | |

QN15: Were physically attacked**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2438 Invalid: 70 Mean: 1.752 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 605 | 24.8% |
| 2 | No | 1833 | 75.2% |
| Sysmiss | | 70 | |

QN16: Were in a physical fight

Data file: THA2015_Public_Use_public

Overview

Valid: 2493 Invalid: 15 Mean: 1.758 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 603 | 24.2% |
| 2 | No | 1890 | 75.8% |
| Sysmiss | | 15 | |

QN17: Were seriously injured

Data file: THA2015_Public_Use_public

Overview

Valid: 2056 Invalid: 452 Mean: 1.624 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 774 | 37.6% |
| 2 | No | 1282 | 62.4% |
| Sysmiss | | 452 | |

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: THA2015_Public_Use_public

Overview

Valid: 607 Invalid: 1901 Mean: 1.881 Standard deviation: 0.324
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 72 | 11.9% |
| 2 | No | 535 | 88.1% |
| Sysmiss | | 1901 | |

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: THA2015_Public_Use_public

Overview

Valid: 643 Invalid: 1865 Mean: 1.725 Standard deviation: 0.447
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 177 | 27.5% |
| 2 | No | 466 | 72.5% |
| Sysmiss | | 1865 | |

QN20: Were bullied**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2203 Invalid: 305 Mean: 1.724 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 609 | 27.6% |
| 2 | No | 1594 | 72.4% |
| Sysmiss | | 305 | |

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** THA2015_Public_Use_public**Overview**

Valid: 522 Invalid: 1986 Mean: 1.774 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 118 | 22.6% |
| 2 | No | 404 | 77.4% |
| Sysmiss | | 1986 | |

QN22: Most of the time or always felt lonely**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2468 Invalid: 40 Mean: 1.905 Standard deviation: 0.294
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 235 | 9.5% |
| 2 | No | 2233 | 90.5% |
| Sysmiss | | 40 | |

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: THA2015_Public_Use_public

Overview

Valid: 2451 Invalid: 57 Mean: 1.913 Standard deviation: 0.282
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 213 | 8.7% |
| 2 | No | 2238 | 91.3% |
| Sysmiss | | 57 | |

QN24: Seriously considered attempting suicide

Data file: THA2015_Public_Use_public

Overview

Valid: 2376 Invalid: 132 Mean: 1.876 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 294 | 12.4% |
| 2 | No | 2082 | 87.6% |
| Sysmiss | | 132 | |

QN25: Made a plan about how they would attempt suicide

Data file: THA2015_Public_Use_public

Overview

Valid: 2398 Invalid: 110 Mean: 1.86 Standard deviation: 0.347
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 335 | 14% |
| 2 | No | 2063 | 86% |
| Sysmiss | | 110 | |

QN26: Attempted suicide

Data file: THA2015_Public_Use_public

Overview

Valid: 2466 Invalid: 42 Mean: 1.871 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 318 | 12.9% |
| 2 | No | 2148 | 87.1% |
| Sysmiss | | 42 | |

QN27: Did not have any close friends**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2466 Invalid: 42 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 155 | 6.3% |
| 2 | No | 2311 | 93.7% |
| Sysmiss | | 42 | |

QN28: Tried a cigarette before age 14 years**Data file:** THA2015_Public_Use_public**Overview**

Valid: 478 Invalid: 2030 Mean: 1.293 Standard deviation: 0.456
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 338 | 70.7% |
| 2 | No | 140 | 29.3% |
| Sysmiss | | 2030 | |

QN29: Currently smoked cigarettes**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2417 Invalid: 91 Mean: 1.905 Standard deviation: 0.293
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 230 | 9.5% |
| 2 | No | 2187 | 90.5% |
| Sysmiss | | 91 | |

QN30: Currently used any tobacco products other than cigarettes

Data file: THA2015_Public_Use_public

Overview

Valid: 2479 Invalid: 29 Mean: 1.912 Standard deviation: 0.283
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 218 | 8.8% |
| 2 | No | 2261 | 91.2% |
| Sysmiss | | 29 | |

QN31: Tried to quit smoking cigarettes

Data file: THA2015_Public_Use_public

Overview

Valid: 210 Invalid: 2298 Mean: 1.195 Standard deviation: 0.397
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 169 | 80.5% |
| 2 | No | 41 | 19.5% |
| Sysmiss | | 2298 | |

QN32: Reported that people smoked in their presence

Data file: THA2015_Public_Use_public

Overview

Valid: 2449 Invalid: 59 Mean: 1.584 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1020 | 41.6% |
| 2 | No | 1429 | 58.4% |
| Sysmiss | | 59 | |

QN33: Had parents or guardians who used any form of tobacco

Data file: THA2015_Public_Use_public

Overview

Valid: 2474 Invalid: 34 Mean: 1.679 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 793 | 32.1% |
| 2 | No | 1681 | 67.9% |
| Sysmiss | | 34 | |

QN34: Drank alcohol before age 14 years**Data file:** THA2015_Public_Use_public**Overview**

Valid: 1013 Invalid: 1495 Mean: 1.464 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 543 | 53.6% |
| 2 | No | 470 | 46.4% |
| Sysmiss | | 1495 | |

QN35: Currently drank alcohol**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2426 Invalid: 82 Mean: 1.778 Standard deviation: 0.416
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 538 | 22.2% |
| 2 | No | 1888 | 77.8% |
| Sysmiss | | 82 | |

QN36: Usually drank two or more drinks per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 587 Invalid: 1921 Mean: 1.491 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 299 | 50.9% |
| 2 | No | 288 | 49.1% |
| Sysmiss | | 1921 | |

QN37: Usually obtained the alcohol they drank from friends

Data file: THA2015_Public_Use_public

Overview

Valid: 551 Invalid: 1957 Mean: 1.817 Standard deviation: 0.387
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 101 | 18.3% |
| 2 | No | 450 | 81.7% |
| Sysmiss | | 1957 | |

QN38: Ever drank so much alcohol that they were really drunk

Data file: THA2015_Public_Use_public

Overview

Valid: 2382 Invalid: 126 Mean: 1.755 Standard deviation: 0.43
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 584 | 24.5% |
| 2 | No | 1798 | 75.5% |
| Sysmiss | | 126 | |

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: THA2015_Public_Use_public

Overview

Valid: 2356 Invalid: 152 Mean: 1.894 Standard deviation: 0.308
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 250 | 10.6% |
| 2 | No | 2106 | 89.4% |
| Sysmiss | | 152 | |

QN40: Used drugs before age 14 years

Data file: THA2015_Public_Use_public

Overview

Valid: 215 Invalid: 2293 Mean: 1.27 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 157 | 73% |
| 2 | No | 58 | 27% |
| Sysmiss | | 2293 | |

QN41: Ever used marijuana**Data file: THA2015_Public_Use_public****Overview**

Valid: 2390 Invalid: 118 Mean: 1.939 Standard deviation: 0.24
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 146 | 6.1% |
| 2 | No | 2244 | 93.9% |
| Sysmiss | | 118 | |

QN42: Currently used marijuana**Data file: THA2015_Public_Use_public****Overview**

Valid: 2430 Invalid: 78 Mean: 1.951 Standard deviation: 0.216
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 119 | 4.9% |
| 2 | No | 2311 | 95.1% |
| Sysmiss | | 78 | |

QN43: Ever used amphetamines or methamphetamines**Data file: THA2015_Public_Use_public****Overview**

Valid: 2434 Invalid: 74 Mean: 1.958 Standard deviation: 0.201
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 103 | 4.2% |
| 2 | No | 2331 | 95.8% |
| Sysmiss | | 74 | |

QN44: Ever had sexual intercourse

Data file: THA2015_Public_Use_public

Overview

Valid: 2296 Invalid: 212 Mean: 1.817 Standard deviation: 0.387
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 421 | 18.3% |
| 2 | No | 1875 | 81.7% |
| Sysmiss | | 212 | |

QN45: Had sexual intercourse before age 14 years

Data file: THA2015_Public_Use_public

Overview

Valid: 337 Invalid: 2171 Mean: 1.611 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 131 | 38.9% |
| 2 | No | 206 | 61.1% |
| Sysmiss | | 2171 | |

QN46: Had sexual intercourse with two or more persons

Data file: THA2015_Public_Use_public

Overview

Valid: 2411 Invalid: 97 Mean: 1.929 Standard deviation: 0.257
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 171 | 7.1% |
| 2 | No | 2240 | 92.9% |
| Sysmiss | | 97 | |

QN47: Used a condom

Data file: THA2015_Public_Use_public

Overview

Valid: 271 Invalid: 2237 Mean: 1.354 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 175 | 64.6% |
| 2 | No | 96 | 35.4% |
| Sysmiss | | 2237 | |

QN48: Used a method of birth control other than condoms**Data file:** THA2015_Public_Use_public**Overview**

Valid: 286 Invalid: 2222 Mean: 1.392 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 174 | 60.8% |
| 2 | No | 112 | 39.2% |
| Sysmiss | | 2222 | |

QN49: Were not physically active**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2477 Invalid: 31 Mean: 1.756 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 604 | 24.4% |
| 2 | No | 1873 | 75.6% |
| Sysmiss | | 31 | |

QN50: Did not walk or ride a bicycle to or from school**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2418 Invalid: 90 Mean: 1.486 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1244 | 51.4% |
| 2 | No | 1174 | 48.6% |
| Sysmiss | | 90 | |

QN51: Did not attend physical education classes

Data file: THA2015_Public_Use_public

Overview

Valid: 2453 Invalid: 55 Mean: 1.865 Standard deviation: 0.342
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 331 | 13.5% |
| 2 | No | 2122 | 86.5% |
| Sysmiss | | 55 | |

QN52: Spent three or more hours per day doing sitting activities

Data file: THA2015_Public_Use_public

Overview

Valid: 2455 Invalid: 53 Mean: 1.43 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-----|
| 1 | Yes | 1400 | 57% |
| 2 | No | 1055 | 43% |
| Sysmiss | | 53 | |

QN53: Missed classes or school without permission

Data file: THA2015_Public_Use_public

Overview

Valid: 2443 Invalid: 65 Mean: 1.805 Standard deviation: 0.396
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 477 | 19.5% |
| 2 | No | 1966 | 80.5% |
| Sysmiss | | 65 | |

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: THA2015_Public_Use_public

Overview

Valid: 2438 Invalid: 70 Mean: 1.599 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 978 | 40.1% |
| 2 | No | 1460 | 59.9% |
| Sysmiss | | 70 | |

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: THA2015_Public_Use_public

Overview

Valid: 2398 Invalid: 110 Mean: 1.711 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 692 | 28.9% |
| 2 | No | 1706 | 71.1% |
| Sysmiss | | 110 | |

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: THA2015_Public_Use_public

Overview

Valid: 2446 Invalid: 62 Mean: 1.712 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 704 | 28.8% |
| 2 | No | 1742 | 71.2% |
| Sysmiss | | 62 | |

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: THA2015_Public_Use_public

Overview

Valid: 2427 Invalid: 81 Mean: 1.567 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1051 | 43.3% |
| 2 | No | 1376 | 56.7% |
| Sysmiss | | 81 | |

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: THA2015_Public_Use_public

Overview

Valid: 2417 Invalid: 91 Mean: 1.333 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1612 | 66.7% |
| 2 | No | 805 | 33.3% |
| Sysmiss | | 91 | |

QNUNWTG: Were underweight

Data file: THA2015_Public_Use_public

Overview

Valid: 2395 Invalid: 113 Mean: 1.919 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 195 | 8.1% |
| 2 | No | 2200 | 91.9% |
| Sysmiss | | 113 | |

QNOWTG: Were overweight

Data file: THA2015_Public_Use_public

Overview

Valid: 2395 Invalid: 113 Mean: 1.833 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 399 | 16.7% |
| 2 | No | 1996 | 83.3% |
| Sysmiss | | 113 | |

QNOBESEG: Were obese

Data file: THA2015_Public_Use_public

Overview

Valid: 2395 Invalid: 113 Mean: 1.944 Standard deviation: 0.229
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 133 | 5.6% |
| 2 | No | 2262 | 94.4% |
| Sysmiss | | 113 | |

QNFR1G: Usually ate fruit less than one time per day

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32 Mean: 1.798 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 501 | 20.2% |
| 2 | No | 1975 | 79.8% |
| Sysmiss | | 32 | |

QNFR1G: Usually ate fruit one or more times per day

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32 Mean: 1.261 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1829 | 73.9% |
| 2 | No | 647 | 26.1% |
| Sysmiss | | 32 | |

QNFR2G: Usually ate fruit two or more times per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2476 Invalid: 32 Mean: 1.587 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1022 | 41.3% |
| 2 | No | 1454 | 58.7% |
| Sysmiss | | 32 | |

QNFR3G: Usually ate fruit three or more times per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2476 Invalid: 32 Mean: 1.815 Standard deviation: 0.388
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 458 | 18.5% |
| 2 | No | 2018 | 81.5% |
| Sysmiss | | 32 | |

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2439 Invalid: 69 Mean: 1.89 Standard deviation: 0.313
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-----|
| 1 | Yes | 269 | 11% |
| 2 | No | 2170 | 89% |
| Sysmiss | | 69 | |

QNVEG1G: Usually ate vegetables one or more times per day

Data file: THA2015_Public_Use_public

Overview

Valid: 2439 Invalid: 69 Mean: 1.141 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2095 | 85.9% |
| 2 | No | 344 | 14.1% |
| Sysmiss | | 69 | |

QNVEG2G: Usually ate vegetables two or more times per day

Data file: THA2015_Public_Use_public

Overview

Valid: 2439 Invalid: 69 Mean: 1.374 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 1528 | 62.6% |
| 2 | No | 911 | 37.4% |
| Sysmiss | | 69 | |

QNVEG3G: Usually ate vegetables three or more times per day

Data file: THA2015_Public_Use_public

Overview

Valid: 2439 Invalid: 69 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 798 | 32.7% |
| 2 | No | 1641 | 67.3% |
| Sysmiss | | 69 | |

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: THA2015_Public_Use_public

Overview

Valid: 2491 Invalid: 17 Mean: 1.682 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 793 | 31.8% |
| 2 | No | 1698 | 68.2% |
| Sysmiss | | 17 | |

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2491 Invalid: 17 Mean: 1.431 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1418 | 56.9% |
| 2 | No | 1073 | 43.1% |
| Sysmiss | | 17 | |

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2491 Invalid: 17 Mean: 1.695 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 761 | 30.5% |
| 2 | No | 1730 | 69.5% |
| Sysmiss | | 17 | |

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2491 Invalid: 17 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 369 | 14.8% |
| 2 | No | 2122 | 85.2% |
| Sysmiss | | 17 | |

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32 Mean: 1.184 Standard deviation: 0.387
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2021 | 81.6% |
| 2 | No | 455 | 18.4% |
| Sysmiss | | 32 | |

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32 Mean: 1.328 Standard deviation: 0.469
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|-------|----------|-------|--|
|-------|----------|-------|--|

| | | | |
|---------|-----|------|-------|
| 1 | Yes | 1665 | 67.2% |
| 2 | No | 811 | 32.8% |
| Sysmiss | | 32 | |

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: THA2015_Public_Use_public

Overview

Valid: 2476 Invalid: 32 Mean: 1.445 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 1374 | 55.5% |
| 2 | No | 1102 | 44.5% |
| Sysmiss | | 32 | |

QNC2G: Were bullied and could not sleep at night

Data file: THA2015_Public_Use_public

Overview

Valid: 178 Invalid: 2330 Mean: 1.449 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 98 | 55.1% |
| 2 | No | 80 | 44.9% |
| Sysmiss | | 2330 | |

QNTOB2G: Currently used any tobacco product**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2450 Invalid: 58 Mean: 1.867 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 326 | 13.3% |
| 2 | No | 2124 | 86.7% |
| Sysmiss | | 58 | |

QNNOTB2G: Did not currently use any tobacco products**Data file:** THA2015_Public_Use_public**Overview**

Valid: 2411 Invalid: 97 Mean: 1.119 Standard deviation: 0.324
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 2124 | 88.1% |
| 2 | No | 287 | 11.9% |
| Sysmiss | | 97 | |

QNBCANYG: Used a method of birth control**Data file:** THA2015_Public_Use_public**Overview**

Valid: 244 Invalid: 2264 Mean: 1.123 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 214 | 87.7% |
| 2 | No | 30 | 12.3% |
| Sysmiss | | 2264 | |

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: THA2015_Public_Use_public

Overview

Valid: 518 Invalid: 1990 Mean: 1.627 Standard deviation: 0.484
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 193 | 37.3% |
| 2 | No | 325 | 62.7% |
| Sysmiss | | 1990 | |

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: THA2015_Public_Use_public

Overview

Valid: 2477 Invalid: 31 Mean: 1.807 Standard deviation: 0.395
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 479 | 19.3% |
| 2 | No | 1998 | 80.7% |
| Sysmiss | | 31 | |

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: THA2015_Public_Use_public

Overview

Valid: 2477 Invalid: 31 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 281 | 11.3% |
| 2 | No | 2196 | 88.7% |
| Sysmiss | | 31 | |

QNPE3G: Attended physical education classes on three or more days

Data file: THA2015_Public_Use_public

Overview

Valid: 2453 Invalid: 55 Mean: 1.894 Standard deviation: 0.307
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 259 | 10.6% |
| 2 | No | 2194 | 89.4% |
| Sysmiss | | 55 | |

QNPE5G: Attended physical education classes on five or more days**Data file: THA2015_Public_Use_public****Overview**

Valid: 2453 Invalid: 55 Mean: 1.936 Standard deviation: 0.246
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

| Value | Category | Cases | |
|---------|----------|-------|-------|
| 1 | Yes | 158 | 6.4% |
| 2 | No | 2295 | 93.6% |
| Sysmiss | | 55 | |

WEIGHT:**Data file: THA2015_Public_Use_public****Overview**

Valid: 2508 Invalid: 0 Mean: 1163.636 Standard deviation: 217.472
 Type: Continuous Decimal: 0 Width: 10 Range: 835.4446 - 2654.2813 Format: Numeric

STRATUM:**Data file: THA2015_Public_Use_public****Overview**

Valid: 2508 Invalid: 0 Mean: 201501007.841 Standard deviation: 22.578
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501016 Format: Numeric

Questions and instructions

CATEGORIES

| Value | Category | Cases | |
|-----------|----------|-------|------|
| 201501001 | | 144 | 5.7% |
| 201501002 | | 225 | 9% |
| 201501003 | | 168 | 6.7% |
| 201501004 | | 194 | 7.7% |
| 201501005 | | 196 | 7.8% |

| | | | |
|-----------|--|-----|------|
| 201501006 | | 182 | 7.3% |
| 201501007 | | 160 | 6.4% |
| 201501008 | | 143 | 5.7% |
| 201501009 | | 162 | 6.5% |
| 201501010 | | 105 | 4.2% |
| 201501011 | | 154 | 6.1% |
| 201501012 | | 184 | 7.3% |
| 201501013 | | 123 | 4.9% |
| 201501014 | | 161 | 6.4% |
| 201501015 | | 120 | 4.8% |
| 201501016 | | 87 | 3.5% |

PSU:

Data file: THA2015_Public_Use_public

Overview

Valid: 2508 Invalid: 0 Mean: 15.171 Standard deviation: 8.951
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 32 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2014_Thailand_GSHS_Questionnaire.pdf

reports

National Fact Sheet

title National Fact Sheet
filename 2015-Thailand-GSHS-Fact-Sheet_national.pdf

Private Fact Sheet

title Private Fact Sheet
filename 2015-Thailand-GSHS-Fact-Sheet-private-schools.pdf

Public Fact Sheet

title Public Fact Sheet
filename 2015-Thailand-GSHS-Fact-Sheet-public-schools.pdf

Graphic Fact Sheet (English)

title Graphic Fact Sheet (English)
filename Thailand-GSHS-2015-Graphic-Fact-Sheet-English.pdf

Graphic Fact Sheet (Thai)

title Graphic Fact Sheet (Thai)
filename Thailand-GSHS-2015-Graphic-Fact-Sheet-Thai.pdf

technical_documents

National Codebook

title National Codebook
filename THA2015_public_use_codebook_national.pdf

Private Codebook

title Private Codebook

filename THA2015_public_use_codebook_private.pdf

Public Codebook

title Public Codebook

filename THA2015_public_use_codebook_public.pdf
