

Global School-Based Student Health Survey 2015

report_generated_on: September 16, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
TLS_2015_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2015

ABBREVIATION OR ACRONYM
GSHS 2015

COUNTRY

Name	Country code
Timor-Leste	TLS

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Timor-Leste.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Class 7-11 in Timor-Leste. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were

randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 79%, and the overall response rate was 79%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2015	2015

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.

- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_TLS_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-14

DDI DOCUMENT VERSION

Identical to a metadata (TLS_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
TLH2015_Public_Use	3704	144

Data file: TLH2015_Public_Use

Cases: 3704

variables: 144

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity ≥ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V112	site	Site Code	
V113	schoolid	School Identifier	
V114	classid	Class Identifier	
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

ID	Name	Label	Question
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 144

Q1: Custom Age**Data file: TLH2015_Public_Use****Overview**

Valid: 3630 Invalid: 74 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	127	3.5%
2	12 years old	153	4.2%
3	13 years old	320	8.8%
4	14 years old	568	15.6%
5	15 years old	590	16.3%
6	16 years old	651	17.9%
7	17 years old	724	19.9%
8	18 years old or older	497	13.7%
Sysmiss		74	

Q10: Fast food eating**Data file: TLH2015_Public_Use****Overview**

Valid: 3631 Invalid: 73 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1240	34.2%
2	1 day	1421	39.1%
3	2 days	332	9.1%

4	3 days	219	6%
5	4 days	99	2.7%
6	5 days	70	1.9%
7	6 days	81	2.2%
8	7 days	169	4.7%
Sysmiss		73	

Q2: Sex

Data file: TLH2015_Public_Use

Overview

Valid: 3502 Invalid: 202 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1625	46.4%
2	Female	1877	53.6%
Sysmiss		202	

Q3: In what grade are you

Data file: TLH2015_Public_Use

Overview

Valid: 3596 Invalid: 108 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Class 7 (EBC. 3 Ciclo)	1029	28.6%
2	Class 8 (EBC. 3 Ciclo)	910	25.3%
3	Class 9 (EBC. 3 Ciclo)	502	14%

4	Class 10 (ES)	603	16.8%
5	Class 11 (ES)	517	14.4%
6	Class 12 (ES)	35	1%
Sysmiss		108	

Q4: How tall are you

Data file: TLH2015_Public_Use

Overview

Valid: 3024 Invalid: 680 Minimum: 1.23 Maximum: 1.94 Mean: 1.548 Standard deviation: 0.0929
Type: Continuous Decimal: 2 Width: 5 Range: 1.23 - 1.94 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: TLH2015_Public_Use

Overview

Valid: 3024 Invalid: 680 Minimum: 25 Maximum: 153 Mean: 44.657 Standard deviation: 7.96
Type: Continuous Decimal: 2 Width: 5 Range: 25 - 153 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: TLH2015_Public_Use

Overview

Valid: 3644 Invalid: 60 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1781	48.9%
2	Rarely	539	14.8%
3	Sometimes	895	24.6%
4	Most of the time	174	4.8%
5	Always	255	7%
Sysmiss		60	

Q7: No fruit eating

Data file: TLH2015_Public_Use

Overview

Valid: 3595 Invalid: 109 Minimum: 1 Maximum: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	390	10.8%
2	Less than one time per day	1528	42.5%
3	1 time per day	985	27.4%
4	2 times per day	259	7.2%
5	3 times per day	160	4.5%
6	4 times per day	60	1.7%
7	5 or more times per day	213	5.9%
Sysmiss		109	

Q8: No vegetable eating**Data file: TLH2015_Public_Use****Overview**

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	246	6.7%
2	Less than one time per day	1292	35.4%
3	1 time per day	958	26.2%
4	2 times per day	496	13.6%
5	3 times per day	344	9.4%
6	4 times per day	73	2%
7	5 or more times per day	244	6.7%
Sysmiss		51	

Q9: Soft drinks**Data file: TLH2015_Public_Use****Overview**

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	492	13.6%
2	Less than one time per day	1593	43.9%

3	1 time per day	912	25.2%
4	2 times per day	250	6.9%
5	3 times per day	123	3.4%
6	4 times per day	72	2%
7	5 or more times per day	183	5%
Sysmiss		79	

Q11: Tooth brushing

Data file: TLH2015_Public_Use

Overview

Valid: 3667 Invalid: 37 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	176	4.8%
2	Less than 1 time per day	440	12%
3	1 time per day	495	13.5%
4	2 times per day	1087	29.6%
5	3 times per day	1265	34.5%
6	4 or more times per day	204	5.6%
Sysmiss		37	

Q12: Hand washing before eating

Data file: TLH2015_Public_Use

Overview

Valid: 3649 Invalid: 55 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	302	8.3%
2	Rarely	372	10.2%
3	Sometimes	739	20.3%
4	Most of the time	654	17.9%
5	Always	1582	43.4%
Sysmiss		55	

Q13: Hand washing after toilet

Data file: TLH2015_Public_Use

Overview

Valid: 3665 Invalid: 39 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	606	16.5%
2	Rarely	272	7.4%
3	Sometimes	493	13.5%
4	Most of the time	771	21%
5	Always	1523	41.6%
Sysmiss		39	

Q14: Hand washing with soap

Data file: TLH2015_Public_Use

Overview

Valid: 3628 Invalid: 76 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	264	7.3%
2	Rarely	341	9.4%
3	Sometimes	558	15.4%
4	Most of the time	1009	27.8%
5	Always	1456	40.1%
Sysmiss		76	

Q15: Physically attacked

Data file: TLH2015_Public_Use

Overview

Valid: 3683 Invalid: 21 Minimum: 1 Maximum: 8
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2242	60.9%
2	1 time	687	18.7%
3	2 or 3 times	427	11.6%
4	4 or 5 times	113	3.1%
5	6 or 7 times	50	1.4%
6	8 or 9 times	32	0.9%
7	10 or 11 times	21	0.6%
8	12 or more times	111	3%
Sysmiss		21	

Q16: Physical fighting**Data file: TLH2015_Public_Use****Overview**

Valid: 3676 Invalid: 28 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2576	70.1%
2	1 time	583	15.9%
3	2 or 3 times	302	8.2%
4	4 or 5 times	81	2.2%
5	6 or 7 times	41	1.1%
6	8 or 9 times	20	0.5%
7	10 or 11 times	18	0.5%
8	12 or more times	55	1.5%
Sysmiss		28	

Q17: Seriously injured**Data file: TLH2015_Public_Use****Overview**

Valid: 1767 Invalid: 1937 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	504	28.5%
2	1 time	717	40.6%
3	2 or 3 times	313	17.7%
4	4 or 5 times	94	5.3%
5	6 or 7 times	34	1.9%
6	8 or 9 times	16	0.9%
7	10 or 11 times	21	1.2%
8	12 or more times	68	3.8%
Sysmiss		1937	

Q18: Serious injury broken bone

Data file: TLH2015_Public_Use

Overview

Valid: 3237 Invalid: 467 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2338	72.2%
2	Broken bone/dislocated joint	252	7.8%
3	I had a cut or stab wound	236	7.3%
4	Concussion/head injury	54	1.7%
5	I had a gunshot wound	22	0.7%
6	I had a bad burn	72	2.2%
7	I was poisoned	25	0.8%
8	Something else happened to me	238	7.4%
Sysmiss		467	

Q19: Serious injury motor vehicle

Data file: TLH2015_Public_Use

Overview

Valid: 1723 Invalid: 1981 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	582	33.8%
2	Motor vehicle accident	171	9.9%
3	I fell	596	34.6%
4	Something fell on me or hit me	119	6.9%
5	I was attacked	53	3.1%
6	Was in a fire	56	3.3%
7	breathed something bad	31	1.8%
8	Something else	115	6.7%
Sysmiss		1981	

Q20: Bullied

Data file: TLH2015_Public_Use

Overview

Valid: 3217 Invalid: 487 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2253	70%

2	1 or 2 days	720	22.4%
3	3 to 5 days	113	3.5%
4	6 to 9 days	50	1.6%
5	10 to 19 days	31	1%
6	20 to 29 days	16	0.5%
7	All 30 days	34	1.1%
Sysmiss		487	

Q21: Bullied by hitting

Data file: TLH2015_Public_Use

Overview

Valid: 3283 Invalid: 421 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2653	80.8%
2	Kicked, pushed, or shoved	165	5%
3	Made fun of race	47	1.4%
4	Made fun because of religion	53	1.6%
5	Made fun of about sex	214	6.5%
6	Left out of activities	29	0.9%
7	Made fun of about body	17	0.5%
8	Some other way	105	3.2%
Sysmiss		421	

Q22: Felt lonely

Data file: TLH2015_Public_Use

Overview

Valid: 3593 Invalid: 111 Minimum: 1 Maximum: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1385	38.5%
2	Rarely	604	16.8%
3	Sometimes	1085	30.2%
4	Most of the time	274	7.6%
5	Always	245	6.8%
Sysmiss		111	

Q23: Could not sleep

Data file: TLH2015_Public_Use

Overview

Valid: 3669 Invalid: 35 Minimum: 1 Maximum: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1756	47.9%
2	Rarely	542	14.8%
3	Sometimes	932	25.4%
4	Most of the time	230	6.3%
5	Always	209	5.7%
Sysmiss		35	

Q24: Considered suicide**Data file:** TLH2015_Public_Use**Overview**

Valid: 3547 Invalid: 157 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	354	10%
2	No	3193	90%
Sysmiss		157	

Q25: Made a suicide plan**Data file:** TLH2015_Public_Use**Overview**

Valid: 3560 Invalid: 144 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	368	10.3%
2	No	3192	89.7%
Sysmiss		144	

Q26: Attempted suicide**Data file:** TLH2015_Public_Use

Overview

Valid: 3675 Invalid: 29 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3298	89.7%
2	1 time	234	6.4%
3	2 or 3 times	87	2.4%
4	4 or 5 times	26	0.7%
5	6 or more times	30	0.8%
Sysmiss		29	

Q27: Close friends

Data file: TLH2015_Public_Use

Overview

Valid: 3616 Invalid: 88 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	172	4.8%
2	1	374	10.3%
3	2	574	15.9%
4	3 or more	2496	69%
Sysmiss		88	

Q28: Initiation of cigarette use**Data file: TLH2015_Public_Use****Overview**

Valid: 2765 Invalid: 939 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1897	68.6%
2	7 years old or younger	120	4.3%
3	8 or 9 years old	67	2.4%
4	10 or 11 years old	93	3.4%
5	12 or 13 years old	99	3.6%
6	14 or 15 years old	194	7%
7	16 or 17 years old	205	7.4%
8	18 years old or older	90	3.3%
Sysmiss		939	

Q29: Current cigarette use**Data file: TLH2015_Public_Use****Overview**

Valid: 3544 Invalid: 160 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2805	79.1%
2	1 or 2 days	441	12.4%

3	3 to 5 days	95	2.7%
4	6 to 9 days	46	1.3%
5	10 to 19 days	30	0.8%
6	20 to 29 days	34	1%
7	All 30 days	93	2.6%
Sysmiss		160	

Q30: Other tobacco use

Data file: TLH2015_Public_Use

Overview

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2963	81.1%
2	1 or 2 days	444	12.2%
3	3 to 5 days	105	2.9%
4	6 to 9 days	50	1.4%
5	10 to 19 days	27	0.7%
6	20 to 29 days	25	0.7%
7	All 30 days	39	1.1%
Sysmiss		51	

Q31: Smoking cessation

Data file: TLH2015_Public_Use

Overview

Valid: 2971 Invalid: 733 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2213	74.5%
2	Did not smoke cigarettes	164	5.5%
3	Yes	434	14.6%
4	No	160	5.4%
Sysmiss		733	

Q32: Smoking in their presence

Data file: TLH2015_Public_Use

Overview

Valid: 3656 Invalid: 48 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	798	21.8%
2	1 or 2 days	1269	34.7%
3	3 or 4 days	326	8.9%
4	5 or 6 days	202	5.5%
5	All 7 days	1061	29%
Sysmiss		48	

Q33: Parental tobacco use

Data file: TLH2015_Public_Use

Overview

Valid: 3618 Invalid: 86 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1557	43%
2	My father or male guardian	596	16.5%
3	My mother or female guardian	127	3.5%
4	Both	463	12.8%
5	I do not know	875	24.2%
Sysmiss		86	

Q34: Initiation of alcohol use

Data file: TLH2015_Public_Use

Overview

Valid: 2646 Invalid: 1058 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1884	71.2%
2	7 years old or younger	236	8.9%
3	8 or 9 years old	86	3.3%
4	10 or 11 years old	72	2.7%
5	12 or 13 years old	72	2.7%
6	14 or 15 years old	114	4.3%

7	16 or 17 years old	131	5%
8	18 years old or older	51	1.9%
Sysmiss		1058	

Q35: Current alcohol use

Data file: TLH2015_Public_Use

Overview

Valid: 3356 Invalid: 348 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2793	83.2%
2	1 or 2 days	342	10.2%
3	3 to 5 days	74	2.2%
4	6 to 9 days	47	1.4%
5	10 to 19 days	35	1%
6	20 to 29 days	28	0.8%
7	All 30 days	37	1.1%
Sysmiss		348	

Q36: Drank 2+ drinks

Data file: TLH2015_Public_Use

Overview

Valid: 3490 Invalid: 214 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2670	76.5%
2	Less than one drink	494	14.2%
3	1 drink	215	6.2%
4	2 drinks	54	1.5%
5	3 drinks	24	0.7%
6	4 drinks	9	0.3%
7	5 or more drinks	24	0.7%
Sysmiss		214	

Q37: Source of alcohol

Data file: TLH2015_Public_Use

Overview

Valid: 3252 Invalid: 452 Minimum: 1 Maximum: 7
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2703	83.1%
2	I bought in a store	200	6.2%
3	I gave someone money to buy	59	1.8%
4	I got it from my friends	145	4.5%
5	I got it from my family	117	3.6%
6	I stole it	7	0.2%
7	Some other way	21	0.6%
Sysmiss		452	

Q38: Really drunk**Data file:** TLH2015_Public_Use**Overview**

Valid: 3426 Invalid: 278 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3038	88.7%
2	1 or 2 times	298	8.7%
3	3 to 9 times	54	1.6%
4	10 or more times	36	1.1%
Sysmiss		278	

Q39: Trouble from drinking**Data file:** TLH2015_Public_Use**Overview**

Valid: 3229 Invalid: 475 Minimum: 1 Maximum: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2917	90.3%

2	1 or 2 times	201	6.2%
3	3 to 9 times	67	2.1%
4	10 or more times	44	1.4%
Sysmiss		475	

Q40: Initiation of drug use

Data file: TLH2015_Public_Use

Overview

Valid: 3208 Invalid: 496 Minimum: 1 Maximum: 8
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2868	89.4%
2	7 years old or younger	155	4.8%
3	8 or 9 years old	57	1.8%
4	10 or 11 years old	45	1.4%
5	12 or 13 years old	28	0.9%
6	14 or 15 years old	23	0.7%
7	16 or 17 years old	22	0.7%
8	18 years old or older	10	0.3%
Sysmiss		496	

Q41: Ever marijuana use

Data file: TLH2015_Public_Use

Overview

Valid: 3463 Invalid: 241 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3245	93.7%
2	1 or 2 times	98	2.8%
3	3 to 9 times	67	1.9%
4	10 to 19 times	27	0.8%
5	20 or more times	26	0.8%
Sysmiss		241	

Q42: Current marijuana use

Data file: TLH2015_Public_Use

Overview

Valid: 3426 Invalid: 278 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3217	93.9%
2	1 or 2 times	98	2.9%
3	3 to 9 times	50	1.5%
4	10 to 19 times	34	1%
5	20 or more times	27	0.8%
Sysmiss		278	

Q43: Amphetamine or methamphetamine use

Data file: TLH2015_Public_Use

Overview

Valid: 3374 Invalid: 330 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3182	94.3%
2	1 or 2 times	111	3.3%
3	3 to 9 times	42	1.2%
4	10 to 19 times	24	0.7%
5	20 or more times	15	0.4%
Sysmiss		330	

Q44: Ever sexual intercourse

Data file: TLH2015_Public_Use

Overview

Valid: 2750 Invalid: 954 Minimum: 1 Maximum: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	699	25.4%
2	No	2051	74.6%
Sysmiss		954	

Q45: Sex before 14 years**Data file: TLH2015_Public_Use****Overview**

Valid: 3323 Invalid: 381 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2893	87.1%
2	11 years old or younger	125	3.8%
3	12 years old	35	1.1%
4	13 years old	29	0.9%
5	14 years old	36	1.1%
6	15 years old	54	1.6%
7	16 or 17 years old	103	3.1%
8	18 years old or older	48	1.4%
Sysmiss		381	

Q46: Multiple sex partners**Data file: TLH2015_Public_Use****Overview**

Valid: 3449 Invalid: 255 Minimum: 1 Maximum: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3030	87.9%
2	1 person	187	5.4%

3	2 people	84	2.4%
4	3 people	43	1.2%
5	4 people	33	1%
6	5 people	15	0.4%
7	6 or more people	57	1.7%
Sysmiss		255	

Q47: Condom use

Data file: TLH2015_Public_Use

Overview

Valid: 3156 Invalid: 548 Minimum: 1 Maximum: 3
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2724	86.3%
2	Yes	232	7.4%
3	No	200	6.3%
Sysmiss		548	

Q48: Birth control used

Data file: TLH2015_Public_Use

Overview

Valid: 2968 Invalid: 736 Minimum: 1 Maximum: 4
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2514	84.7%
2	Yes	173	5.8%
3	No	158	5.3%
4	I do not know	123	4.1%
Sysmiss		736	

Q49: Physical activity \geq 5 days**Data file:** TLH2015_Public_Use**Overview**

Valid: 3657 Invalid: 47 Minimum: 1 Maximum: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1082	29.6%
2	1 day	1373	37.5%
3	2 days	428	11.7%
4	3 days	207	5.7%
5	4 days	100	2.7%
6	5 days	59	1.6%
7	6 days	67	1.8%
8	7 days	341	9.3%
Sysmiss		47	

Q50: Walk or bike to school**Data file:** TLH2015_Public_Use**Overview**

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2169	59.8%
2	1 day	637	17.6%
3	2 days	237	6.5%
4	3 days	97	2.7%
5	4 days	46	1.3%
6	5 days	37	1%
7	6 days	115	3.2%
8	7 days	287	7.9%
Sysmiss		79	

Q51: PE attendance

Data file: TLH2015_Public_Use

Overview

Valid: 3564 Invalid: 140 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	623	17.5%
2	1 day	1575	44.2%
3	2 days	433	12.1%

4	3 days	134	3.8%
5	4 days	122	3.4%
6	5 or more days	677	19%
Sysmiss		140	

Q52: Sitting activities

Data file: TLH2015_Public_Use

Overview

Valid: 3658 Invalid: 46 Minimum: 1 Maximum: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1931	52.8%
2	1 to 2 hours per day	1197	32.7%
3	3 to 4 hours per day	274	7.5%
4	5 to 6 hours per day	82	2.2%
5	7 to 8 hours per day	73	2%
6	More than 8 hours per day	101	2.8%
Sysmiss		46	

Q53: Miss school no permission

Data file: TLH2015_Public_Use

Overview

Valid: 3609 Invalid: 95 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2307	63.9%
2	1 or 2 days	979	27.1%
3	3 to 5 days	150	4.2%
4	6 to 9 days	72	2%
5	10 or more days	101	2.8%
Sysmiss		95	

Q54: Other students kind and helpful

Data file: TLH2015_Public_Use

Overview

Valid: 3567 Invalid: 137 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	781	21.9%
2	Rarely	560	15.7%
3	Sometimes	1266	35.5%
4	Most of the time	476	13.3%
5	Always	484	13.6%
Sysmiss		137	

Q55: Parents check homework

Data file: TLH2015_Public_Use

Overview

Valid: 3629 Invalid: 75 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1112	30.6%
2	Rarely	489	13.5%
3	Sometimes	1006	27.7%
4	Most of the time	437	12%
5	Always	585	16.1%
Sysmiss		75	

Q56: Parents understand problems

Data file: TLH2015_Public_Use

Overview

Valid: 3626 Invalid: 78 Minimum: 1 Maximum: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1863	51.4%
2	Rarely	561	15.5%
3	Sometimes	795	21.9%
4	Most of the time	194	5.4%
5	Always	213	5.9%
Sysmiss		78	

Q57: Parents know about free time

Data file: TLH2015_Public_Use

Overview

Valid: 3580 Invalid: 124 Minimum: 1 Maximum: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	1289	36%
2	Rarely	534	14.9%
3	Sometimes	950	26.5%
4	Most of the time	359	10%
5	Always	448	12.5%
Sysmiss		124	

Q58: Parents go through their things

Data file: TLH2015_Public_Use

Overview

Valid: 3603 Invalid: 101 Minimum: 1 Maximum: 5 Mean: 1.781 Standard deviation: 1.071
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2096	58.2%
2		550	15.3%
3		706	19.6%
4		152	4.2%
5		99	2.7%
Sysmiss		101	

QN6: Most of the time or always went hungry**Data file:** TLH2015_Public_Use**Overview**

Valid: 3644 Invalid: 60 Minimum: 1 Maximum: 2 Mean: 1.882 Standard deviation: 0.322
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		429	11.8%
2		3215	88.2%
Sysmiss		60	

QN7: Did not eat fruit**Data file:** TLH2015_Public_Use**Overview**

Valid: 3595 Invalid: 109 Minimum: 1 Maximum: 2 Mean: 1.892 Standard deviation: 0.311
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		390	10.8%
2		3205	89.2%
Sysmiss		109	

QN8: Did not eat vegetables**Data file:** TLH2015_Public_Use**Overview**

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 2 Mean: 1.933 Standard deviation: 0.251

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		246	6.7%
2		3407	93.3%
Sysmiss		51	

QN9: Did not drink carbonated soft drinks

Data file: TLH2015_Public_Use

Overview

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 2 Mean: 1.864 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		492	13.6%
2		3133	86.4%
Sysmiss		79	

QN10: Did not eat food from a fast food restaurant

Data file: TLH2015_Public_Use

Overview

Valid: 3631 Invalid: 73 Minimum: 1 Maximum: 2 Mean: 1.658 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1240	34.2%
2		2391	65.8%
Sysmiss		73	

QN11: Usually cleaned or brushed their teeth

Data file: TLH2015_Public_Use

Overview

Valid: 3667 Invalid: 37 Minimum: 1 Maximum: 2 Mean: 1.168 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3051	83.2%
2		616	16.8%
Sysmiss		37	

QN12: Never or rarely washed their hands before eating

Data file: TLH2015_Public_Use

Overview

Valid: 3649 Invalid: 55 Minimum: 1 Maximum: 2 Mean: 1.815 Standard deviation: 0.388
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		674	18.5%
2		2975	81.5%
Sysmiss		55	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** TLH2015_Public_Use**Overview**

Valid: 3665 Invalid: 39 Minimum: 1 Maximum: 2 Mean: 1.76 Standard deviation: 0.427
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		878	24%
2		2787	76%
Sysmiss		39	

QN14: Never or rarely used soap when washing their hands**Data file:** TLH2015_Public_Use**Overview**

Valid: 3628 Invalid: 76 Minimum: 1 Maximum: 2 Mean: 1.833 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		605	16.7%
2		3023	83.3%
Sysmiss		76	

QN15: Were physically attacked**Data file:** TLH2015_Public_Use**Overview**

Valid: 3683 Invalid: 21 Minimum: 1 Maximum: 2 Mean: 1.609 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1441	39.1%
2		2242	60.9%
Sysmiss		21	

QN16: Were in a physical fight

Data file: TLH2015_Public_Use

Overview

Valid: 3676 Invalid: 28 Minimum: 1 Maximum: 2 Mean: 1.701 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1100	29.9%
2		2576	70.1%
Sysmiss		28	

QN17: Were seriously injured

Data file: TLH2015_Public_Use

Overview

Valid: 1767 Invalid: 1937 Minimum: 1 Maximum: 2 Mean: 1.285 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1263	71.5%
2		504	28.5%
Sysmiss		1937	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: TLH2015_Public_Use

Overview

Valid: 899 Invalid: 2805 Minimum: 1 Maximum: 2 Mean: 1.72 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		252	28%
2		647	72%
Sysmiss		2805	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: TLH2015_Public_Use

Overview

Valid: 1141 Invalid: 2563 Minimum: 1 Maximum: 2 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		171	15%
2		970	85%
Sysmiss		2563	

QN20: Were bullied**Data file:** TLH2015_Public_Use**Overview**

Valid: 3217 Invalid: 487 Minimum: 1 Maximum: 2 Mean: 1.7 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		964	30%
2		2253	70%
Sysmiss		487	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** TLH2015_Public_Use**Overview**

Valid: 630 Invalid: 3074 Minimum: 1 Maximum: 2 Mean: 1.738 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		165	26.2%
2		465	73.8%
Sysmiss		3074	

QN22: Most of the time or always felt lonely**Data file:** TLH2015_Public_Use**Overview**

Valid: 3593 Invalid: 111 Minimum: 1 Maximum: 2 Mean: 1.856 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		519	14.4%
2		3074	85.6%
Sysmiss		111	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: TLH2015_Public_Use

Overview

Valid: 3669 Invalid: 35 Minimum: 1 Maximum: 2 Mean: 1.88 Standard deviation: 0.325
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		439	12%
2		3230	88%
Sysmiss		35	

QN24: Seriously considered attempting suicide

Data file: TLH2015_Public_Use

Overview

Valid: 3547 Invalid: 157 Minimum: 1 Maximum: 2 Mean: 1.9 Standard deviation: 0.3
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		354	10%
2		3193	90%
Sysmiss		157	

QN25: Made a plan about how they would attempt suicide

Data file: TLH2015_Public_Use

Overview

Valid: 3560 Invalid: 144 Minimum: 1 Maximum: 2 Mean: 1.897 Standard deviation: 0.304
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		368	10.3%
2		3192	89.7%
Sysmiss		144	

QN26: Attempted suicide

Data file: TLH2015_Public_Use

Overview

Valid: 3675 Invalid: 29 Minimum: 1 Maximum: 2 Mean: 1.897 Standard deviation: 0.303
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		377	10.3%
2		3298	89.7%
Sysmiss		29	

QN27: Did not have any close friends**Data file:** TLH2015_Public_Use**Overview**

Valid: 3616 Invalid: 88 Minimum: 1 Maximum: 2 Mean: 1.952 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		172	4.8%
2		3444	95.2%
Sysmiss		88	

QN28: Tried a cigarette before age 14 years**Data file:** TLH2015_Public_Use**Overview**

Valid: 868 Invalid: 2836 Minimum: 1 Maximum: 2 Mean: 1.563 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		379	43.7%
2		489	56.3%
Sysmiss		2836	

QN29: Currently smoked cigarettes**Data file:** TLH2015_Public_Use**Overview**

Valid: 3544 Invalid: 160 Minimum: 1 Maximum: 2 Mean: 1.791 Standard deviation: 0.406
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		739	20.9%
2		2805	79.1%
Sysmiss		160	

QN30: Currently used any tobacco products other than cigarettes

Data file: TLH2015_Public_Use

Overview

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 2 Mean: 1.811 Standard deviation: 0.391
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		690	18.9%
2		2963	81.1%
Sysmiss		51	

QN31: Tried to quit smoking cigarettes

Data file: TLH2015_Public_Use

Overview

Valid: 594 Invalid: 3110 Minimum: 1 Maximum: 2 Mean: 1.269 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		434	73.1%
2		160	26.9%
Sysmiss		3110	

QN32: Reported that people smoked in their presence

Data file: TLH2015_Public_Use

Overview

Valid: 3656 Invalid: 48 Minimum: 1 Maximum: 2 Mean: 1.218 Standard deviation: 0.413
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2858	78.2%
2		798	21.8%
Sysmiss		48	

QN33: Had parents or guardians who used any form of tobacco

Data file: TLH2015_Public_Use

Overview

Valid: 3618 Invalid: 86 Minimum: 1 Maximum: 2 Mean: 1.672 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		1186	32.8%
2		2432	67.2%
Sysmiss		86	

QN34: Drank alcohol before age 14 years**Data file:** TLH2015_Public_Use**Overview**

Valid: 762 Invalid: 2942 Minimum: 1 Maximum: 2 Mean: 1.388 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		466	61.2%
2		296	38.8%
Sysmiss		2942	

QN35: Currently drank alcohol**Data file:** TLH2015_Public_Use**Overview**

Valid: 3356 Invalid: 348 Minimum: 1 Maximum: 2 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		563	16.8%
2		2793	83.2%
Sysmiss		348	

QN36: Usually drank two or more drinks per day**Data file:** TLH2015_Public_Use**Overview**

Valid: 820 Invalid: 2884 Minimum: 1 Maximum: 2 Mean: 1.865 Standard deviation: 0.342
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		111	13.5%
2		709	86.5%
Sysmiss		2884	

QN37: Usually obtained the alcohol they drank from friends

Data file: TLH2015_Public_Use

Overview

Valid: 549 Invalid: 3155 Minimum: 1 Maximum: 2 Mean: 1.736 Standard deviation: 0.441
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		145	26.4%
2		404	73.6%
Sysmiss		3155	

QN47: Used a condom

Data file: TLH2015_Public_Use

Overview

Valid: 432 Invalid: 3272 Minimum: 1 Maximum: 2 Mean: 1.463 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		232	53.7%
2		200	46.3%
Sysmiss		3272	

QN38: Ever drank so much alcohol that they were really drunk

Data file: TLH2015_Public_Use

Overview

Valid: 3426 Invalid: 278 Minimum: 1 Maximum: 2 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		388	11.3%
2		3038	88.7%
Sysmiss		278	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: TLH2015_Public_Use

Overview

Valid: 3229 Invalid: 475 Minimum: 1 Maximum: 2 Mean: 1.903 Standard deviation: 0.295
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		312	9.7%
2		2917	90.3%
Sysmiss		475	

QN40: Used drugs before age 14 years**Data file:** TLH2015_Public_Use**Overview**

Valid: 340 Invalid: 3364 Minimum: 1 Maximum: 2 Mean: 1.162 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		285	83.8%
2		55	16.2%
Sysmiss		3364	

QN41: Ever used marijuana**Data file:** TLH2015_Public_Use**Overview**

Valid: 3463 Invalid: 241 Minimum: 1 Maximum: 2 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		218	6.3%
2		3245	93.7%
Sysmiss		241	

QN42: Currently used marijuana**Data file:** TLH2015_Public_Use**Overview**

Valid: 3426 Invalid: 278 Minimum: 1 Maximum: 2 Mean: 1.939 Standard deviation: 0.239
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		209	6.1%
2		3217	93.9%
Sysmiss		278	

QN43: Ever used amphetamines or methamphetamines

Data file: TLH2015_Public_Use

Overview

Valid: 3374 Invalid: 330 Minimum: 1 Maximum: 2 Mean: 1.943 Standard deviation: 0.232
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		192	5.7%
2		3182	94.3%
Sysmiss		330	

QN44: Ever had sexual intercourse

Data file: TLH2015_Public_Use

Overview

Valid: 2750 Invalid: 954 Minimum: 1 Maximum: 2 Mean: 1.746 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		699	25.4%
2		2051	74.6%
Sysmiss		954	

QN45: Had sexual intercourse before age 14 years

Data file: TLH2015_Public_Use

Overview

Valid: 430 Invalid: 3274 Minimum: 1 Maximum: 2 Mean: 1.56 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		189	44%
2		241	56%
Sysmiss		3274	

QN46: Had sexual intercourse with two or more persons

Data file: TLH2015_Public_Use

Overview

Valid: 3449 Invalid: 255 Minimum: 1 Maximum: 2 Mean: 1.933 Standard deviation: 0.251
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1		232	6.7%
2		3217	93.3%
Sysmiss		255	

QN48: Used a method of birth control other than condoms**Data file:** TLH2015_Public_Use**Overview**

Valid: 454 Invalid: 3250 Minimum: 1 Maximum: 2 Mean: 1.619 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		173	38.1%
2		281	61.9%
Sysmiss		3250	

QN49: Were not physically active**Data file:** TLH2015_Public_Use**Overview**

Valid: 3657 Invalid: 47 Minimum: 1 Maximum: 2 Mean: 1.704 Standard deviation: 0.456
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1082	29.6%
2		2575	70.4%
Sysmiss		47	

QN50: Did not walk or ride a bicycle to or from school**Data file:** TLH2015_Public_Use**Overview**

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 2 Mean: 1.402 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2169	59.8%
2		1456	40.2%
Sysmiss		79	

QN51: Did not attend physical education classes

Data file: TLH2015_Public_Use

Overview

Valid: 3564 Invalid: 140 Minimum: 1 Maximum: 2 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		623	17.5%
2		2941	82.5%
Sysmiss		140	

QN52: Spent three or more hours per day doing sitting activities

Data file: TLH2015_Public_Use

Overview

Valid: 3658 Invalid: 46 Minimum: 1 Maximum: 2 Mean: 1.855 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		530	14.5%
2		3128	85.5%
Sysmiss		46	

QN53: Missed classes or school without permission

Data file: TLH2015_Public_Use

Overview

Valid: 3609 Invalid: 95 Minimum: 1 Maximum: 2 Mean: 1.639 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1302	36.1%
2		2307	63.9%
Sysmiss		95	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: TLH2015_Public_Use

Overview

Valid: 3567 Invalid: 137 Minimum: 1 Maximum: 2 Mean: 1.731 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		960	26.9%
2		2607	73.1%
Sysmiss		137	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: TLH2015_Public_Use

Overview

Valid: 3629 Invalid: 75 Minimum: 1 Maximum: 2 Mean: 1.718 Standard deviation: 0.45
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1022	28.2%
2		2607	71.8%
Sysmiss		75	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: TLH2015_Public_Use

Overview

Valid: 3626 Invalid: 78 Minimum: 1 Maximum: 2 Mean: 1.888 Standard deviation: 0.316
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		407	11.2%
2		3219	88.8%
Sysmiss		78	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: TLH2015_Public_Use

Overview

Valid: 3580 Invalid: 124 Minimum: 1 Maximum: 2 Mean: 1.775 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		807	22.5%
2		2773	77.5%
Sysmiss		124	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: TLH2015_Public_Use

Overview

Valid: 3603 Invalid: 101 Minimum: 1 Maximum: 2 Mean: 1.266 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2646	73.4%
2		957	26.6%
Sysmiss		101	

SITE: Site Code

Data file: TLH2015_Public_Use

Overview

Valid: 0 Invalid: 3704
 Type: Discrete Decimal: 0 Width: 3 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

SCHOOLID: School Identifier

Data file: TLH2015_Public_Use

Overview

Valid: 0 Invalid: 3704

Type: Discrete Decimal: 0 Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

CLASSID: Class Identifier

Data file: TLH2015_Public_Use

Overview

Valid: 0 Invalid: 3704

Type: Discrete Decimal: 0 Width: 3 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

QNUNWTG: Were underweight

Data file: TLH2015_Public_Use

Overview

Valid: 3024 Invalid: 680 Minimum: 1 Maximum: 2 Mean: 1.8 Standard deviation: 0.4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		606	20%
2		2418	80%
Sysmiss		680	

QNOWTG: Were overweight

Data file: TLH2015_Public_Use

Overview

Valid: 3024 Invalid: 680 Minimum: 1 Maximum: 2 Mean: 1.941 Standard deviation: 0.236
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		179	5.9%
2		2845	94.1%
Sysmiss		680	

QNOBESEG: Were obese

Data file: TLH2015_Public_Use

Overview

Valid: 3024 Invalid: 680 Minimum: 1 Maximum: 2 Mean: 1.986 Standard deviation: 0.116
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		41	1.4%
2		2983	98.6%
Sysmiss		680	

QNFR1G: Usually ate fruit less than one time per day

Data file: TLH2015_Public_Use

Overview

Valid: 3595 Invalid: 109 Minimum: 1 Maximum: 2 Mean: 1.575 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1528	42.5%
2		2067	57.5%
Sysmiss		109	

QNFR1G: Usually ate fruit one or more times per day

Data file: TLH2015_Public_Use

Overview

Valid: 3595 Invalid: 109 Minimum: 1 Maximum: 2 Mean: 1.534 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1677	46.6%
2		1918	53.4%
Sysmiss		109	

QNFR2G: Usually ate fruit two or more times per day**Data file: TLH2015_Public_Use****Overview**

Valid: 3595 Invalid: 109 Minimum: 1 Maximum: 2 Mean: 1.808 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		692	19.2%
2		2903	80.8%
Sysmiss		109	

QNFR3G: Usually ate fruit three or more times per day**Data file: TLH2015_Public_Use****Overview**

Valid: 3595 Invalid: 109 Minimum: 1 Maximum: 2 Mean: 1.88 Standard deviation: 0.326
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		433	12%
2		3162	88%
Sysmiss		109	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: TLH2015_Public_Use****Overview**

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 2 Mean: 1.646 Standard deviation: 0.478
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1292	35.4%
2		2361	64.6%
Sysmiss		51	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: TLH2015_Public_Use

Overview

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 2 Mean: 1.421 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2115	57.9%
2		1538	42.1%
Sysmiss		51	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: TLH2015_Public_Use

Overview

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 2 Mean: 1.683 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1157	31.7%
2		2496	68.3%
Sysmiss		51	

QNVG3G: Usually ate vegetables three or more times per day

Data file: TLH2015_Public_Use

Overview

Valid: 3653 Invalid: 51 Minimum: 1 Maximum: 2 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		661	18.1%
2		2992	81.9%
Sysmiss		51	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: TLH2015_Public_Use

Overview

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 2 Mean: 1.561 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1593	43.9%
2		2032	56.1%
Sysmiss		79	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: TLH2015_Public_Use****Overview**

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 2 Mean: 1.575 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1540	42.5%
2		2085	57.5%
Sysmiss		79	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: TLH2015_Public_Use****Overview**

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 2 Mean: 1.827 Standard deviation: 0.379
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		628	17.3%
2		2997	82.7%
Sysmiss		79	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: TLH2015_Public_Use****Overview**

Valid: 3625 Invalid: 79 Minimum: 1 Maximum: 2 Mean: 1.896 Standard deviation: 0.306
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		378	10.4%
2		3247	89.6%
Sysmiss		79	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: TLH2015_Public_Use

Overview

Valid: 3631 Invalid: 73 Minimum: 1 Maximum: 2 Mean: 1.342 Standard deviation: 0.474
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2391	65.8%
2		1240	34.2%
Sysmiss		73	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: TLH2015_Public_Use

Overview

Valid: 3631 Invalid: 73 Minimum: 1 Maximum: 2 Mean: 1.733 Standard deviation: 0.443
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		970	26.7%
2		2661	73.3%
Sysmiss		73	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: TLH2015_Public_Use

Overview

Valid: 3631 Invalid: 73 Minimum: 1 Maximum: 2 Mean: 1.824 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		638	17.6%
2		2993	82.4%
Sysmiss		73	

QNC2G: Were bullied and could not sleep at night

Data file: TLH2015_Public_Use

Overview

Valid: 374 Invalid: 3330 Minimum: 1 Maximum: 2 Mean: 1.561 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		164	43.9%
2		210	56.1%
Sysmiss		3330	

QNTOB2G: Currently used any tobacco product**Data file:** TLH2015_Public_Use**Overview**

Valid: 3590 Invalid: 114 Minimum: 1 Maximum: 2 Mean: 1.709 Standard deviation: 0.454
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1046	29.1%
2		2544	70.9%
Sysmiss		114	

QNNOTB2G: Did not currently use any tobacco products**Data file:** TLH2015_Public_Use**Overview**

Valid: 3516 Invalid: 188 Minimum: 1 Maximum: 2 Mean: 1.276 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2544	72.4%
2		972	27.6%
Sysmiss		188	

QNBCANYG: Used a method of birth control**Data file:** TLH2015_Public_Use**Overview**

Valid: 313 Invalid: 3391 Minimum: 1 Maximum: 2 Mean: 1.204 Standard deviation: 0.404
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		249	79.6%
2		64	20.4%
Sysmiss		3391	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: TLH2015_Public_Use

Overview

Valid: 274 Invalid: 3430 Minimum: 1 Maximum: 2 Mean: 1.504 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		136	49.6%
2		138	50.4%
Sysmiss		3430	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: TLH2015_Public_Use

Overview

Valid: 3657 Invalid: 47 Minimum: 1 Maximum: 2 Mean: 1.872 Standard deviation: 0.334
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		467	12.8%
2		3190	87.2%
Sysmiss		47	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: TLH2015_Public_Use

Overview

Valid: 3657 Invalid: 47 Minimum: 1 Maximum: 2 Mean: 1.907 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		341	9.3%
2		3316	90.7%
Sysmiss		47	

QNPE3G: Attended physical education classes on three or more days

Data file: TLH2015_Public_Use

Overview

Valid: 3564 Invalid: 140 Minimum: 1 Maximum: 2 Mean: 1.738 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		933	26.2%
2		2631	73.8%
Sysmiss		140	

QNPE5G: Attended physical education classes on five or more days**Data file: TLH2015_Public_Use****Overview**

Valid: 3564 Invalid: 140 Minimum: 1 Maximum: 2 Mean: 1.81 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		677	19%
2		2887	81%
Sysmiss		140	

WEIGHT:**Data file: TLH2015_Public_Use****Overview**

Valid: 3704 Invalid: 0 Minimum: 8.217 Maximum: 56.779 Mean: 23.112 Standard deviation: 8.794
 Type: Continuous Decimal: 0 Width: 10 Range: 8.2172 - 56.7787 Format: Numeric

STRATUM:**Data file: TLH2015_Public_Use****Overview**

Valid: 3704 Invalid: 0 Minimum: 201501001 Maximum: 201501019 Mean: 201501010.596 Standard deviation: 32.451
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201501001		83	2.2%
201501002		178	4.8%
201501003		147	4%
201501004		171	4.6%

201501005		162	4.4%
201501006		226	6.1%
201501007		243	6.6%
201501008		113	3.1%
201501009		207	5.6%
201501010		284	7.7%
201501011		247	6.7%
201501012		188	5.1%
201501013		277	7.5%
201501014		152	4.1%
201501015		197	5.3%
201501016		164	4.4%
201501017		233	6.3%
201501018		240	6.5%
201501019		192	5.2%

PSU:**Data file: TLH2015_Public_Use****Overview**

Valid: 3704 Invalid: 0 Minimum: 1 Maximum: 38 Mean: 20.671 Standard deviation: 10.369
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2014-GSHS-Timor-Leste-Questionnaire.pdf

Questionnaire (Tetum)

title Questionnaire (Tetum)
filename 2014-GSHS-Timor-Leste-Questionnaire-Tetum.pdf

reports

Fact Sheet

title Fact Sheet
filename GSHS_2015_Timor-Leste_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook
filename 2015TLH_Public_Use_Codebook.pdf
