

# Global School-Based Student Health Survey 2017

**Ministry of Health**

report\_generated\_on: September 16, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

TTO\_2017\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2017

### ABBREVIATION OR ACRONYM

GSHS 2017

### COUNTRY

Name	Country code
Trinidad and Tobago	TTO

### STUDY TYPE

Other Household Survey [hh/oth]

### SERIES INFORMATION

This is the third GSHS conducted by Trinidad and Tobago.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

## Scope

### NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

### TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

## KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

## GEOGRAPHIC COVERAGE

National coverage plus Trinidad and Tobago separately

## UNIVERSE

School-going adolescents aged 13-17 years.

## Producers and sponsors

## PRIMARY INVESTIGATORS

Name
Ministry of Health

## FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Forms 1-6 in Trinidad and Tobago. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

### RESPONSE RATE

The school response rate was 100%, the student response rate was 89%, and the overall response rate was 89%.

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## Data collection

### DATES OF DATA COLLECTION

Start	End
2017	2017

### DATA COLLECTION MODE

self-administered

## questionnaires

### QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

## ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

## CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

## DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

## DDI DOCUMENT ID

DDI\_TTO\_2017\_GSHS\_v01\_M

## PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

## DATE OF METADATA PRODUCTION

2020-02-25

## DDI DOCUMENT VERSION

Identical to a metadata (TTO\_2017\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>TTO2017 National</b>	3869	141
<b>TTO2017 Tobago</b>	1033	141
<b>TTO2017 Trinidad</b>	2836	141



**Data file: TTO2017 National**

Cases: 3869

variables: 141

**variables**

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?



ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity $\geq 5$ days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight	Overall Analysis Weight	
V143	stratum	Sampling Strata	
V144	psu	Primary Sampling Unit	

total: 141

**Data file: TTO2017 Tobago**

Cases: 1033

variables: 141

**variables**

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V190	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity $\geq$ 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )



ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight	Overall Analysis Weight	
V287	stratum	Sampling Strata	
V288	psu	Primary Sampling Unit	

total: 141

**Data file: TTO2017 Trinidad**

Cases: 2836

variables: 141

**variables**

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V334	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity $\geq 5$ days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

ID	Name	Label	Question
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)



ID	Name	Label	Question
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V423	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V424	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight	Overall Analysis Weight	
V431	stratum	Sampling Strata	
V432	psu	Primary Sampling Unit	

total: 141



**Q1: Custom Age****Data file: TTO2017 National****Overview**

Valid: 3858 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	163	4.2%
2	12 years old	610	15.8%
3	13 years old	653	16.9%
4	14 years old	765	19.8%
5	15 years old	735	19.1%
6	16 years old	552	14.3%
7	17 years old	306	7.9%
8	18 years old or older	74	1.9%
Sysmiss		11	

**Q10: Fast food eating****Data file: TTO2017 National****Overview**

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1221	31.7%
2	1 day	1247	32.4%
3	2 days	641	16.7%

4	3 days	348	9%
5	4 days	156	4.1%
6	5 days	70	1.8%
7	6 days	36	0.9%
8	7 days	128	3.3%
Sysmiss		22	

## Q2: Sex

Data file: TTO2017 National

### Overview

Valid: 3840 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

What is your sex?

#### CATEGORIES

Value	Category	Cases	
1	Male	1790	46.6%
2	Female	2050	53.4%
Sysmiss		29	

## Q3: In what grade are you

Data file: TTO2017 National

### Overview

Valid: 3843 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

#### CATEGORIES

Value	Category	Cases	
1	Form 1	896	23.3%
2	Form 2	667	17.4%
3	Form 3	851	22.1%

4	Form 4	767	20%
5	FORM 5	462	12%
6	FORM 6	200	5.2%
Sysmiss		26	

#### Q4: How tall are you

Data file: TTO2017 National

##### Overview

Valid: 3482   Invalid: 387   Minimum: 1.22   Maximum: 2.02   Mean: 1.632   Standard deviation: 0.0989  
 Type: Continuous   Decimal: 2   Width: 5   Range: 1.22 - 2.02   Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q5: How much do you weigh

Data file: TTO2017 National

##### Overview

Valid: 3482   Invalid: 387   Minimum: 24   Maximum: 178   Mean: 59.393   Standard deviation: 18.778  
 Type: Continuous   Decimal: 2   Width: 5   Range: 24 - 178   Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q6: How often went hungry

Data file: TTO2017 National

##### Overview

Valid: 3836   Invalid: 33  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1851	48.3%
2	Rarely	851	22.2%
3	Sometimes	821	21.4%
4	Most of the time	218	5.7%
5	Always	95	2.5%
Sysmiss		33	

## Q7: No fruit eating

Data file: TTO2017 National

### Overview

Valid: 3833 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	871	22.7%
2	Less than one time per day	1056	27.6%
3	1 time per day	935	24.4%
4	2 times per day	550	14.3%
5	3 times per day	210	5.5%
6	4 times per day	62	1.6%
7	5 or more times per day	149	3.9%
Sysmiss		36	

**Q8: No vegetable eating****Data file: TTO2017 National****Overview**

Valid: 3783 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

**LITERAL QUESTION**

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	Did not eat vegetables	475	12.6%
2	Less than one time per day	793	21%
3	1 time per day	1067	28.2%
4	2 times per day	724	19.1%
5	3 times per day	338	8.9%
6	4 times per day	118	3.1%
7	5 or more times per day	268	7.1%
Sysmiss		86	

**Q9: Soft drinks****Data file: TTO2017 National****Overview**

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

**LITERAL QUESTION**

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

**CATEGORIES**

Value	Category	Cases	
1	Did not drink soft drinks	716	18.6%
2	Less than one time per day	1202	31.2%

3	1 time per day	686	17.8%
4	2 times per day	577	15%
5	3 times per day	310	8.1%
6	4 times per day	107	2.8%
7	5 or more times per day	249	6.5%
Sysmiss		22	

## Q11: Tooth brushing

Data file: TTO2017 National

### Overview

Valid: 3836 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	81	2.1%
2	Less than 1 time per day	113	2.9%
3	1 time per day	622	16.2%
4	2 times per day	2097	54.7%
5	3 times per day	665	17.3%
6	4 or more times per day	258	6.7%
Sysmiss		33	

## Q12: Hand washing before eating

Data file: TTO2017 National

### Overview

Valid: 3817 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.



## LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

## CATEGORIES

Value	Category	Cases	
1	Never	161	4.2%
2	Rarely	471	12.3%
3	Sometimes	914	23.9%
4	Most of the time	1060	27.8%
5	Always	1211	31.7%
Sysmiss		52	

### Q13: Hand washing after toilet

Data file: TTO2017 National

#### Overview

Valid: 3758 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

## LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

## CATEGORIES

Value	Category	Cases	
1	Never	73	1.9%
2	Rarely	83	2.2%
3	Sometimes	164	4.4%
4	Most of the time	447	11.9%
5	Always	2991	79.6%
Sysmiss		111	

### Q14: Hand washing with soap

Data file: TTO2017 National

#### Overview

Valid: 3836 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	134	3.5%
2	Rarely	356	9.3%
3	Sometimes	738	19.2%
4	Most of the time	1089	28.4%
5	Always	1519	39.6%
Sysmiss		33	

## Q15: Physically attacked

Data file: TTO2017 National

### Overview

Valid: 3827 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	2749	71.8%
2	1 time	361	9.4%
3	2 or 3 times	316	8.3%
4	4 or 5 times	109	2.8%
5	6 or 7 times	51	1.3%
6	8 or 9 times	38	1%
7	10 or 11 times	17	0.4%
8	12 or more times	186	4.9%
Sysmiss		42	

**Q16: Physical fighting****Data file: TTO2017 National****Overview**

Valid: 3818    Invalid: 51

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2575	67.4%
2	1 time	532	13.9%
3	2 or 3 times	392	10.3%
4	4 or 5 times	117	3.1%
5	6 or 7 times	44	1.2%
6	8 or 9 times	24	0.6%
7	10 or 11 times	18	0.5%
8	12 or more times	116	3%
Sysmiss		51	

**Q17: Seriously injured****Data file: TTO2017 National****Overview**

Valid: 3379    Invalid: 490

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1920	56.8%
2	1 time	731	21.6%
3	2 or 3 times	470	13.9%
4	4 or 5 times	118	3.5%
5	6 or 7 times	45	1.3%
6	8 or 9 times	18	0.5%
7	10 or 11 times	10	0.3%
8	12 or more times	67	2%
Sysmiss		490	

### Q18: Serious injury broken bone

Data file: TTO2017 National

#### Overview

Valid: 3426 Invalid: 443

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2313	67.5%
2	Broken bone/dislocated joint	246	7.2%
3	I had a cut or stab wound	266	7.8%
4	Concussion/head injury	85	2.5%
5	I had a gunshot wound	15	0.4%
6	I had a bad burn	51	1.5%
7	I was poisoned	15	0.4%
8	Something else happened to me	435	12.7%
Sysmiss		443	

### Q19: Serious injury motor vehicle

Data file: TTO2017 National

## Overview

Valid: 3406 Invalid: 463

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2346	68.9%
2	Motor vehicle accident	47	1.4%
3	I fell	311	9.1%
4	Something fell on me or hit me	139	4.1%
5	I was attacked	79	2.3%
6	Was in a fire	37	1.1%
7	breathed something bad	21	0.6%
8	Something else	426	12.5%
Sysmiss		463	

## Q20: Bullied

Data file: TTO2017 National

## Overview

Valid: 3728 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	3109	83.4%

2	1 or 2 days	351	9.4%
3	3 to 5 days	110	3%
4	6 to 9 days	56	1.5%
5	10 to 19 days	26	0.7%
6	20 to 29 days	14	0.4%
7	All 30 days	62	1.7%
Sysmiss		141	

## Q21: Bullied by hitting

Data file: TTO2017 National

### Overview

Valid: 3677 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	3167	86.1%
2	Kicked, pushed, or shoved	87	2.4%
3	Made fun of race	70	1.9%
4	Made fun because of religion	17	0.5%
5	Made fun of about sex	64	1.7%
6	Left out of activities	32	0.9%
7	Made fun of about body	115	3.1%
8	Some other way	125	3.4%
Sysmiss		192	

## Q22: Felt lonely

Data file: TTO2017 National

### Overview

Valid: 3775 Invalid: 94

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	1427	37.8%
2	Rarely	835	22.1%
3	Sometimes	951	25.2%
4	Most of the time	336	8.9%
5	Always	226	6%
Sysmiss		94	

## Q23: Could not sleep

Data file: TTO2017 National

### Overview

Valid: 3849    Invalid: 20

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	1637	42.5%
2	Rarely	844	21.9%
3	Sometimes	834	21.7%
4	Most of the time	351	9.1%
5	Always	183	4.8%
Sysmiss		20	

**Q24: Considered suicide****Data file: TTO2017 National****Overview**

Valid: 3766 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	836	22.2%
2	No	2930	77.8%
Sysmiss		103	

**Q25: Made a suicide plan****Data file: TTO2017 National****Overview**

Valid: 3730 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	818	21.9%
2	No	2912	78.1%
Sysmiss		139	

**Q26: Attempted suicide****Data file: TTO2017 National**



## Overview

Valid: 3830 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	3301	86.2%
2	1 time	267	7%
3	2 or 3 times	147	3.8%
4	4 or 5 times	63	1.6%
5	6 or more times	52	1.4%
Sysmiss		39	

## Q27: Close friends

Data file: TTO2017 National

## Overview

Valid: 3775 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	339	9%
2	1	476	12.6%
3	2	612	16.2%
4	3 or more	2348	62.2%
Sysmiss		94	

**Q28: Initiation of cigarette use****Data file: TTO2017 National****Overview**

Valid: 3637 Invalid: 232

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2713	74.6%
2	7 years old or younger	170	4.7%
3	8 or 9 years old	131	3.6%
4	10 or 11 years old	182	5%
5	12 or 13 years old	231	6.4%
6	14 or 15 years old	166	4.6%
7	16 or 17 years old	44	1.2%
8	18 years old or older	0	0%
Sysmiss		232	

**Q29: Current cigarette use****Data file: TTO2017 National****Overview**

Valid: 3812 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	3438	90.2%
2	1 or 2 days	179	4.7%

3	3 to 5 days	67	1.8%
4	6 to 9 days	41	1.1%
5	10 to 19 days	31	0.8%
6	20 to 29 days	11	0.3%
7	All 30 days	45	1.2%
Sysmiss		57	

### Q30: Other tobacco use

Data file: TTO2017 National

#### Overview

Valid: 3822 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	3572	93.5%
2	1 or 2 days	113	3%
3	3 to 5 days	47	1.2%
4	6 to 9 days	30	0.8%
5	10 to 19 days	25	0.7%
6	20 to 29 days	9	0.2%
7	All 30 days	26	0.7%
Sysmiss		47	

### Q31: Smoking cessation

Data file: TTO2017 National

#### Overview

Valid: 3661 Invalid: 208

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2910	79.5%
2	Did not smoke cigarettes	375	10.2%
3	Yes	277	7.6%
4	No	99	2.7%
Sysmiss		208	

## Q32: Smoking in their presence

Data file: TTO2017 National

### Overview

Valid: 3815 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	1845	48.4%
2	1 or 2 days	824	21.6%
3	3 or 4 days	314	8.2%
4	5 or 6 days	123	3.2%
5	All 7 days	709	18.6%
Sysmiss		54	

## Q33: Parental tobacco use

Data file: TTO2017 National

## Overview

Valid: 3789 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	2582	68.1%
2	My father or male guardian	623	16.4%
3	My mother or female guardian	137	3.6%
4	Both	175	4.6%
5	I do not know	272	7.2%
Sysmiss		80	

## Q34: Initiation of alcohol use

Data file: TTO2017 National

## Overview

Valid: 3535 Invalid: 334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1312	37.1%
2	7 years old or younger	440	12.4%
3	8 or 9 years old	322	9.1%
4	10 or 11 years old	377	10.7%
5	12 or 13 years old	593	16.8%
6	14 or 15 years old	373	10.6%

7	16 or 17 years old	109	3.1%
8	18 years old or older	9	0.3%
Sysmiss		334	

### Q35: Current alcohol use

Data file: TTO2017 National

#### Overview

Valid: 3685 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	2569	69.7%
2	1 or 2 days	687	18.6%
3	3 to 5 days	202	5.5%
4	6 to 9 days	99	2.7%
5	10 to 19 days	66	1.8%
6	20 to 29 days	32	0.9%
7	All 30 days	30	0.8%
Sysmiss		184	

### Q36: Drank 2+ drinks

Data file: TTO2017 National

#### Overview

Valid: 3740 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2531	67.7%
2	Less than one drink	448	12%
3	1 drink	316	8.4%
4	2 drinks	195	5.2%
5	3 drinks	107	2.9%
6	4 drinks	41	1.1%
7	5 or more drinks	102	2.7%
Sysmiss		129	

### Q37: Source of alcohol

Data file: TTO2017 National

#### Overview

Valid: 3650 Invalid: 219

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2559	70.1%
2	I bought in a store	156	4.3%
3	I gave someone money to buy	85	2.3%
4	I got it from my friends	155	4.2%
5	I got it from my family	443	12.1%
6	I stole it	74	2%
7	Some other way	178	4.9%
Sysmiss		219	

**Q38: Really drunk****Data file: TTO2017 National****Overview**

Valid: 3723 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	2879	77.3%
2	1 or 2 times	549	14.7%
3	3 to 9 times	174	4.7%
4	10 or more times	121	3.3%
Sysmiss		146	

**Q39: Trouble from drinking****Data file: TTO2017 National****Overview**

Valid: 3634 Invalid: 235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	3301	90.8%



2	1 or 2 times	224	6.2%
3	3 to 9 times	69	1.9%
4	10 or more times	40	1.1%
Sysmiss		235	

## Q40: Initiation of drug use

Data file: TTO2017 National

### Overview

Valid: 3625 Invalid: 244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3153	87%
2	7 years old or younger	92	2.5%
3	8 or 9 years old	79	2.2%
4	10 or 11 years old	54	1.5%
5	12 or 13 years old	108	3%
6	14 or 15 years old	101	2.8%
7	16 or 17 years old	38	1%
8	18 years old or older	0	0%
Sysmiss		244	

## Q41: Ever marijuana use

Data file: TTO2017 National

### Overview

Valid: 3652 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3297	90.3%
2	1 or 2 times	133	3.6%
3	3 to 9 times	90	2.5%
4	10 to 19 times	35	1%
5	20 or more times	97	2.7%
Sysmiss		217	

### Q42: Current marijuana use

Data file: TTO2017 National

#### Overview

Valid: 3665 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	3425	93.5%
2	1 or 2 times	105	2.9%
3	3 to 9 times	55	1.5%
4	10 to 19 times	29	0.8%
5	20 or more times	51	1.4%
Sysmiss		204	

### Q43: Amphetamine or methamphetamine use

Data file: TTO2017 National

## Overview

Valid: 3716 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	3605	97%
2	1 or 2 times	62	1.7%
3	3 to 9 times	24	0.6%
4	10 to 19 times	15	0.4%
5	20 or more times	10	0.3%
Sysmiss		153	

## Q44: Ever sexual intercourse

Data file: TTO2017 National

## Overview

Valid: 3490 Invalid: 379

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	932	26.7%
2	No	2558	73.3%
Sysmiss		379	

**Q45: Sex before 14 years****Data file: TTO2017 National****Overview**

Valid: 3691 Invalid: 178

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	2998	81.2%
2	11 years old or younger	190	5.1%
3	12 years old	102	2.8%
4	13 years old	111	3%
5	14 years old	108	2.9%
6	15 years old	91	2.5%
7	16 or 17 years old	86	2.3%
8	18 years old or older	5	0.1%
Sysmiss		178	

**Q46: Multiple sex partners****Data file: TTO2017 National****Overview**

Valid: 3704 Invalid: 165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	2985	80.6%
2	1 person	286	7.7%

3	2 people	143	3.9%
4	3 people	102	2.8%
5	4 people	56	1.5%
6	5 people	33	0.9%
7	6 or more people	99	2.7%
Sysmiss		165	

## Q47: Condom use

Data file: TTO2017 National

### Overview

Valid: 3546 Invalid: 323

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	2895	81.6%
2	Yes	342	9.6%
3	No	309	8.7%
Sysmiss		323	

## Q48: Birth control used

Data file: TTO2017 National

### Overview

Valid: 3625 Invalid: 244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	2956	81.5%
2	Yes	158	4.4%
3	No	401	11.1%
4	I do not know	110	3%
Sysmiss		244	

**Q49: Physical activity  $\geq$  5 days****Data file: TTO2017 National****Overview**

Valid: 3699 Invalid: 170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	1042	28.2%
2	1 day	510	13.8%
3	2 days	475	12.8%
4	3 days	352	9.5%
5	4 days	267	7.2%
6	5 days	238	6.4%
7	6 days	103	2.8%
8	7 days	712	19.2%
Sysmiss		170	

**Q50: Walk or bike to school****Data file: TTO2017 National****Overview**

Valid: 3698 Invalid: 171

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	2581	69.8%
2	1 day	177	4.8%
3	2 days	123	3.3%
4	3 days	110	3%
5	4 days	81	2.2%
6	5 days	169	4.6%
7	6 days	26	0.7%
8	7 days	431	11.7%
Sysmiss		171	

**Q51: PE attendance****Data file: TTO2017 National****Overview**

Valid: 3709    Invalid: 160

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1364	36.8%
2	1 day	938	25.3%
3	2 days	474	12.8%

4	3 days	197	5.3%
5	4 days	122	3.3%
6	5 or more days	614	16.6%
Sysmiss		160	

## Q52: Sitting activities

Data file: TTO2017 National

### Overview

Valid: 3696 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	880	23.8%
2	1 to 2 hours per day	981	26.5%
3	3 to 4 hours per day	819	22.2%
4	5 to 6 hours per day	402	10.9%
5	7 to 8 hours per day	164	4.4%
6	More than 8 hours per day	450	12.2%
Sysmiss		173	

## Q53: Miss school no permission

Data file: TTO2017 National

### Overview

Valid: 3692 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION



During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	2983	80.8%
2	1 or 2 days	433	11.7%
3	3 to 5 days	168	4.6%
4	6 to 9 days	59	1.6%
5	10 or more days	49	1.3%
Sysmiss		177	

### Q54: Other students kind and helpful

Data file: TTO2017 National

#### Overview

Valid: 3620 Invalid: 249

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	574	15.9%
2	Rarely	870	24%
3	Sometimes	1192	32.9%
4	Most of the time	621	17.2%
5	Always	363	10%
Sysmiss		249	

### Q55: Parents check homework

Data file: TTO2017 National

#### Overview

Valid: 3650 Invalid: 219

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	1045	28.6%
2	Rarely	550	15.1%
3	Sometimes	700	19.2%
4	Most of the time	478	13.1%
5	Always	877	24%
Sysmiss		219	

## Q56: Parents understand problems

Data file: TTO2017 National

### Overview

Valid: 3625 Invalid: 244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	1068	29.5%
2	Rarely	600	16.6%
3	Sometimes	679	18.7%
4	Most of the time	481	13.3%
5	Always	797	22%
Sysmiss		244	

## Q57: Parents know about free time

Data file: TTO2017 National

## Overview

Valid: 3622 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	693	19.1%
2	Rarely	475	13.1%
3	Sometimes	667	18.4%
4	Most of the time	670	18.5%
5	Always	1117	30.8%
Sysmiss		247	

## Q58: Parents go through their things

Data file: TTO2017 National

## Overview

Valid: 3559 Invalid: 310

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		1609	45.2%
2		673	18.9%
3		566	15.9%
4		281	7.9%
5		430	12.1%
Sysmiss		310	

**QN6: Most of the time or always went hungry****Data file: TTO2017 National****Overview**

Valid: 3836 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		313	8.2%
2		3523	91.8%
Sysmiss		33	

**QN7: Did not eat fruit****Data file: TTO2017 National****Overview**

Valid: 3833 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		871	22.7%
2		2962	77.3%
Sysmiss		36	

**QN8: Did not eat vegetables****Data file: TTO2017 National****Overview**

Valid: 3783 Invalid: 86

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		475	12.6%
2		3308	87.4%
Sysmiss		86	

## QN9: Did not drink carbonated soft drinks

Data file: TTO2017 National

### Overview

Valid: 3847    Invalid: 22

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		716	18.6%
2		3131	81.4%
Sysmiss		22	

## QN10: Did not eat food from a fast food restaurant

Data file: TTO2017 National

### Overview

Valid: 3847    Invalid: 22

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1221	31.7%
2		2626	68.3%
Sysmiss		22	

## QN11: Usually cleaned or brushed their teeth

Data file: TTO2017 National

### Overview

Valid: 3836 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		3642	94.9%
2		194	5.1%
Sysmiss		33	

## QN12: Never or rarely washed their hands before eating

Data file: TTO2017 National

### Overview

Valid: 3817 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		632	16.6%
2		3185	83.4%
Sysmiss		52	

**QN13: Never or rarely washed their hands after using the toilet or latrine****Data file: TTO2017 National****Overview**

Valid: 3758 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		156	4.2%
2		3602	95.8%
Sysmiss		111	

**QN14: Never or rarely used soap when washing their hands****Data file: TTO2017 National****Overview**

Valid: 3836 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		490	12.8%
2		3346	87.2%
Sysmiss		33	

**QN15: Were physically attacked****Data file: TTO2017 National****Overview**

Valid: 3827 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1078	28.2%
2		2749	71.8%
Sysmiss		42	

### QN16: Were in a physical fight

Data file: TTO2017 National

#### Overview

Valid: 3818 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1243	32.6%
2		2575	67.4%
Sysmiss		51	

### QN17: Were seriously injured

Data file: TTO2017 National

#### Overview

Valid: 3379 Invalid: 490

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1		1459	43.2%
2		1920	56.8%
Sysmiss		490	

### QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: TTO2017 National

#### Overview

Valid: 1113 Invalid: 2756

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		246	22.1%
2		867	77.9%
Sysmiss		2756	

### QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: TTO2017 National

#### Overview

Valid: 1060 Invalid: 2809

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		47	4.4%
2		1013	95.6%
Sysmiss		2809	

**QN20: Were bullied****Data file: TTO2017 National****Overview**

Valid: 3728 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		619	16.6%
2		3109	83.4%
Sysmiss		141	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file: TTO2017 National****Overview**

Valid: 510 Invalid: 3359

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1		87	17.1%
2		423	82.9%
Sysmiss		3359	

**QN22: Most of the time or always felt lonely****Data file: TTO2017 National****Overview**

Valid: 3775 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		562	14.9%
2		3213	85.1%
Sysmiss		94	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: TTO2017 National

### Overview

Valid: 3849 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		534	13.9%
2		3315	86.1%
Sysmiss		20	

## QN24: Seriously considered attempting suicide

Data file: TTO2017 National

### Overview

Valid: 3766 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		836	22.2%
2		2930	77.8%
Sysmiss		103	

## QN25: Made a plan about how they would attempt suicide

Data file: TTO2017 National

### Overview

Valid: 3730 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		818	21.9%
2		2912	78.1%
Sysmiss		139	

## QN26: Attempted suicide

Data file: TTO2017 National

### Overview

Valid: 3830 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		529	13.8%
2		3301	86.2%
Sysmiss		39	

**QN27: Did not have any close friends****Data file: TTO2017 National****Overview**

Valid: 3775 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1		339	9%
2		3436	91%
Sysmiss		94	

**QN28: Tried a cigarette before age 14 years****Data file: TTO2017 National****Overview**

Valid: 924 Invalid: 2945

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

## CATEGORIES

Value	Category	Cases	
1		714	77.3%
2		210	22.7%
Sysmiss		2945	

**QN29: Currently smoked cigarettes****Data file: TTO2017 National****Overview**

Valid: 3812 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		374	9.8%
2		3438	90.2%
Sysmiss		57	

## QN30: Currently used any tobacco products other than cigarettes

Data file: TTO2017 National

### Overview

Valid: 3822 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		250	6.5%
2		3572	93.5%
Sysmiss		47	

## QN31: Tried to quit smoking cigarettes

Data file: TTO2017 National

### Overview

Valid: 376 Invalid: 3493

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		277	73.7%
2		99	26.3%
Sysmiss		3493	

### QN32: Reported that people smoked in their presence

Data file: TTO2017 National

#### Overview

Valid: 3815 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1970	51.6%
2		1845	48.4%
Sysmiss		54	

### QN33: Had parents or guardians who used any form of tobacco

Data file: TTO2017 National

#### Overview

Valid: 3789 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

##### CATEGORIES

Value	Category	Cases	
1		935	24.7%
2		2854	75.3%
Sysmiss		80	

**QN34: Drank alcohol before age 14 years****Data file: TTO2017 National****Overview**

Valid: 2223 Invalid: 1646

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

## CATEGORIES

Value	Category	Cases	
1		1732	77.9%
2		491	22.1%
Sysmiss		1646	

**QN35: Currently drank alcohol****Data file: TTO2017 National****Overview**

Valid: 3685 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1116	30.3%
2		2569	69.7%
Sysmiss		184	

**QN36: Usually drank two or more drinks per day****Data file: TTO2017 National****Overview**

Valid: 1209 Invalid: 2660

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		445	36.8%
2		764	63.2%
Sysmiss		2660	

## QN37: Usually obtained the alcohol they drank from friends

Data file: TTO2017 National

### Overview

Valid: 1091 Invalid: 2778

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		155	14.2%
2		936	85.8%
Sysmiss		2778	

## QN47: Used a condom

Data file: TTO2017 National

### Overview

Valid: 651 Invalid: 3218

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		342	52.5%
2		309	47.5%
Sysmiss		3218	

### QN38: Ever drank so much alcohol that they were really drunk

Data file: TTO2017 National

#### Overview

Valid: 3723 Invalid: 146

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		844	22.7%
2		2879	77.3%
Sysmiss		146	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: TTO2017 National

#### Overview

Valid: 3634 Invalid: 235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		333	9.2%
2		3301	90.8%
Sysmiss		235	

**QN40: Used drugs before age 14 years****Data file: TTO2017 National****Overview**

Valid: 472 Invalid: 3397

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

**CATEGORIES**

Value	Category	Cases	
1		333	70.6%
2		139	29.4%
Sysmiss		3397	

**QN41: Ever used marijuana****Data file: TTO2017 National****Overview**

Valid: 3652 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1		355	9.7%
2		3297	90.3%
Sysmiss		217	

**QN42: Currently used marijuana****Data file: TTO2017 National****Overview**

Valid: 3665 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		240	6.5%
2		3425	93.5%
Sysmiss		204	

## QN43: Ever used amphetamines or methamphetamines

Data file: TTO2017 National

### Overview

Valid: 3716 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		111	3%
2		3605	97%
Sysmiss		153	

## QN44: Ever had sexual intercourse

Data file: TTO2017 National

### Overview

Valid: 3490 Invalid: 379

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		932	26.7%
2		2558	73.3%
Sysmiss		379	

### QN45: Had sexual intercourse before age 14 years

Data file: TTO2017 National

#### Overview

Valid: 693 Invalid: 3176

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1		403	58.2%
2		290	41.8%
Sysmiss		3176	

### QN46: Had sexual intercourse with two or more persons

Data file: TTO2017 National

#### Overview

Valid: 3704 Invalid: 165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1		433	11.7%
2		3271	88.3%
Sysmiss		165	

**QN48: Used a method of birth control other than condoms****Data file: TTO2017 National****Overview**

Valid: 669 Invalid: 3200

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

**CATEGORIES**

Value	Category	Cases	
1		158	23.6%
2		511	76.4%
Sysmiss		3200	

**QN49: Were not physically active****Data file: TTO2017 National****Overview**

Valid: 3699 Invalid: 170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1042	28.2%
2		2657	71.8%
Sysmiss		170	

**QN50: Did not walk or ride a bicycle to or from school****Data file: TTO2017 National****Overview**

Valid: 3698 Invalid: 171

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2581	69.8%
2		1117	30.2%
Sysmiss		171	

## QN51: Did not attend physical education classes

Data file: TTO2017 National

### Overview

Valid: 3709 Invalid: 160

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1		1364	36.8%
2		2345	63.2%
Sysmiss		160	

## QN52: Spent three or more hours per day doing sitting activities

Data file: TTO2017 National

### Overview

Valid: 3696 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1835	49.6%
2		1861	50.4%
Sysmiss		173	

### QN53: Missed classes or school without permission

Data file: TTO2017 National

#### Overview

Valid: 3692 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		709	19.2%
2		2983	80.8%
Sysmiss		177	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: TTO2017 National

#### Overview

Valid: 3620 Invalid: 249

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		984	27.2%
2		2636	72.8%
Sysmiss		249	



### QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: TTO2017 National

#### Overview

Valid: 3650 Invalid: 219

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1355	37.1%
2		2295	62.9%
Sysmiss		219	

### QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: TTO2017 National

#### Overview

Valid: 3625 Invalid: 244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1278	35.3%
2		2347	64.7%
Sysmiss		244	

### QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: TTO2017 National

**Overview**

Valid: 3622 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1787	49.3%
2		1835	50.7%
Sysmiss		247	

### QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: TTO2017 National

**Overview**

Valid: 3559 Invalid: 310

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		2282	64.1%
2		1277	35.9%
Sysmiss		310	

### QNUNWTG: Were underweight

Data file: TTO2017 National

**Overview**

Valid: 3482 Invalid: 387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		222	6.4%
2		3260	93.6%
Sysmiss		387	

## QNOWTG: Were overweight

Data file: TTO2017 National

### Overview

Valid: 3482 Invalid: 387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		1220	35%
2		2262	65%
Sysmiss		387	

## QNOBESEG: Were obese

Data file: TTO2017 National

### Overview

Valid: 3482 Invalid: 387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		609	17.5%
2		2873	82.5%
Sysmiss		387	

### QNFR1G: Usually ate fruit less than one time per day

Data file: TTO2017 National

#### Overview

Valid: 3833 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1056	27.6%
2		2777	72.4%
Sysmiss		36	

### QNFR1G: Usually ate fruit one or more times per day

Data file: TTO2017 National

#### Overview

Valid: 3833 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1906	49.7%
2		1927	50.3%
Sysmiss		36	

**QNFR2G: Usually ate fruit two or more times per day****Data file: TTO2017 National****Overview**

Valid: 3833 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		971	25.3%
2		2862	74.7%
Sysmiss		36	

**QNFR3G: Usually ate fruit three or more times per day****Data file: TTO2017 National****Overview**

Valid: 3833 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		421	11%
2		3412	89%
Sysmiss		36	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file: TTO2017 National****Overview**

Valid: 3783 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		793	21%
2		2990	79%
Sysmiss		86	

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: TTO2017 National

### Overview

Valid: 3783 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2515	66.5%
2		1268	33.5%
Sysmiss		86	

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: TTO2017 National

### Overview

Valid: 3783 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1448	38.3%
2		2335	61.7%
Sysmiss		86	

### QNVEG3G: Usually ate vegetables three or more times per day

Data file: TTO2017 National

#### Overview

Valid: 3783 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		724	19.1%
2		3059	80.9%
Sysmiss		86	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: TTO2017 National

#### Overview

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1202	31.2%
2		2645	68.8%
Sysmiss		22	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: TTO2017 National****Overview**

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1929	50.1%
2		1918	49.9%
Sysmiss		22	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: TTO2017 National****Overview**

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1243	32.3%
2		2604	67.7%
Sysmiss		22	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: TTO2017 National****Overview**

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		666	17.3%
2		3181	82.7%
Sysmiss		22	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: TTO2017 National

### Overview

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		2626	68.3%
2		1221	31.7%
Sysmiss		22	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: TTO2017 National

### Overview

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1379	35.8%
2		2468	64.2%
Sysmiss		22	

### QNFF3G: Ate food from a fast food restaurant three or more days

Data file: TTO2017 National

#### Overview

Valid: 3847 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		738	19.2%
2		3109	80.8%
Sysmiss		22	

### QNC2G: Were bullied and could not sleep at night

Data file: TTO2017 National

#### Overview

Valid: 515 Invalid: 3354

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		174	33.8%
2		341	66.2%
Sysmiss		3354	

**QNTOB2G: Currently used any tobacco product****Data file: TTO2017 National****Overview**

Valid: 3811 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		458	12%
2		3353	88%
Sysmiss		58	

**QNNOTB2G: Did not currently use any tobacco products****Data file: TTO2017 National****Overview**

Valid: 3791 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		3353	88.4%
2		438	11.6%
Sysmiss		78	

**QNBCANYG: Used a method of birth control****Data file: TTO2017 National****Overview**

Valid: 583 Invalid: 3286

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		384	65.9%
2		199	34.1%
Sysmiss		3286	

## QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: TTO2017 National

### Overview

Valid: 750 Invalid: 3119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		355	47.3%
2		395	52.7%
Sysmiss		3119	

## QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: TTO2017 National

### Overview

Valid: 3699 Invalid: 170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1053	28.5%
2		2646	71.5%
Sysmiss		170	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file: TTO2017 National****Overview**

Valid: 3699 Invalid: 170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

## CATEGORIES

Value	Category	Cases	
1		712	19.2%
2		2987	80.8%
Sysmiss		170	

**QNPE3G: Attended physical education classes on three or more days****Data file: TTO2017 National****Overview**

Valid: 3709 Invalid: 160

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		933	25.2%
2		2776	74.8%
Sysmiss		160	

**QNPE5G: Attended physical education classes on five or more days****Data file: TTO2017 National****Overview**

Valid: 3709 Invalid: 160

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		614	16.6%
2		3095	83.4%
Sysmiss		160	

**WEIGHT: Overall Analysis Weight****Data file: TTO2017 National****Overview**

Valid: 3869 Invalid: 0 Minimum: 2.371 Maximum: 70.65 Mean: 20.397 Standard deviation: 11.989

Type: Continuous Decimal: 0 Width: 10 Range: 2.3709 - 70.6504 Format: Numeric

**STRATUM: Sampling Strata****Data file: TTO2017 National****Overview**

Valid: 3869 Invalid: 0 Minimum: 201701001 Maximum: 201701015 Mean: 201701007.069 Standard deviation: 14.841

Type: Continuous Decimal: 0 Width: 9 Range: 201701001 - 201701015 Format: Numeric

**PSU: Primary Sampling Unit****Data file: TTO2017 National****Overview**

Valid: 3869 Invalid: 0 Minimum: 1 Maximum: 53 Mean: 18.227 Standard deviation: 11.939

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 53 Format: Numeric

**Q1: Custom Age****Data file: TTO2017 Tobago****Overview**

Valid: 1030 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	51	5%
2	12 years old	175	17%
3	13 years old	180	17.5%
4	14 years old	177	17.2%
5	15 years old	195	18.9%
6	16 years old	152	14.8%
7	17 years old	78	7.6%
8	18 years old or older	22	2.1%
Sysmiss		3	

**Q2: Sex****Data file: TTO2017 Tobago****Overview**

Valid: 1023 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	524	51.2%
2	Female	499	48.8%
Sysmiss		10	

**Q3: In what grade are you****Data file: TTO2017 Tobago****Overview**

Valid: 1029 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	Form 1	225	21.9%
2	Form 2	246	23.9%
3	Form 3	166	16.1%
4	Form 4	235	22.8%
5	FORM 5	99	9.6%
6	FORM 6	58	5.6%
Sysmiss		4	

**Q4: How tall are you****Data file: TTO2017 Tobago****Overview**

Valid: 965 Invalid: 68 Minimum: 1.26 Maximum: 2.02 Mean: 1.651 Standard deviation: 0.0979

Type: Continuous Decimal: 2 Width: 5 Range: 1.26 - 2.02 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: TTO2017 Tobago****Overview**

Valid: 965 Invalid: 68 Minimum: 24 Maximum: 178 Mean: 62.501 Standard deviation: 20.427

Type: Continuous Decimal: 2 Width: 5 Range: 24 - 178 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: TTO2017 Tobago

### Overview

Valid: 1020 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	443	43.4%
2	Rarely	227	22.3%
3	Sometimes	258	25.3%
4	Most of the time	65	6.4%
5	Always	27	2.6%
Sysmiss		13	

## Q7: No fruit eating

Data file: TTO2017 Tobago

### Overview

Valid: 1021 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	248	24.3%
2	Less than one time per day	280	27.4%
3	1 time per day	221	21.6%
4	2 times per day	136	13.3%
5	3 times per day	59	5.8%
6	4 times per day	23	2.3%
7	5 or more times per day	54	5.3%
Sysmiss		12	

## Q8: No vegetable eating

Data file: TTO2017 Tobago

### Overview

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	172	17.1%
2	Less than one time per day	221	21.9%
3	1 time per day	290	28.8%
4	2 times per day	167	16.6%
5	3 times per day	63	6.3%
6	4 times per day	29	2.9%
7	5 or more times per day	66	6.5%
Sysmiss		25	

## Q9: Soft drinks

Data file: TTO2017 Tobago

## Overview

Valid: 1028 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	234	22.8%
2	Less than one time per day	322	31.3%
3	1 time per day	177	17.2%
4	2 times per day	134	13%
5	3 times per day	74	7.2%
6	4 times per day	24	2.3%
7	5 or more times per day	63	6.1%
Sysmiss		5	

## Q10: Fast food eating

Data file: TTO2017 Tobago

## Overview

Valid: 1024 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	346	33.8%
2	1 day	318	31.1%
3	2 days	163	15.9%
4	3 days	81	7.9%

5	4 days	42	4.1%
6	5 days	18	1.8%
7	6 days	10	1%
8	7 days	46	4.5%
Sysmiss		9	

## Q11: Tooth brushing

Data file: TTO2017 Tobago

### Overview

Valid: 1020 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	20	2%
2	Less than 1 time per day	40	3.9%
3	1 time per day	136	13.3%
4	2 times per day	523	51.3%
5	3 times per day	208	20.4%
6	4 or more times per day	93	9.1%
Sysmiss		13	

## Q12: Hand washing before eating

Data file: TTO2017 Tobago

### Overview

Valid: 1011 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	47	4.6%
2	Rarely	148	14.6%
3	Sometimes	291	28.8%
4	Most of the time	268	26.5%
5	Always	257	25.4%
Sysmiss		22	

### Q13: Hand washing after toilet

Data file: TTO2017 Tobago

#### Overview

Valid: 995 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	18	1.8%
2	Rarely	29	2.9%
3	Sometimes	57	5.7%
4	Most of the time	149	15%
5	Always	742	74.6%
Sysmiss		38	

### Q14: Hand washing with soap

Data file: TTO2017 Tobago

#### Overview

Valid: 1020 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	43	4.2%
2	Rarely	107	10.5%
3	Sometimes	228	22.4%
4	Most of the time	256	25.1%
5	Always	386	37.8%
Sysmiss		13	

## Q15: Physically attacked

Data file: TT02017 Tobago

### Overview

Valid: 1017 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	703	69.1%
2	1 time	98	9.6%
3	2 or 3 times	82	8.1%
4	4 or 5 times	39	3.8%
5	6 or 7 times	14	1.4%
6	8 or 9 times	11	1.1%
7	10 or 11 times	4	0.4%
8	12 or more times	66	6.5%
Sysmiss		16	

**Q16: Physical fighting****Data file: TTO2017 Tobago****Overview**

Valid: 1016 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	626	61.6%
2	1 time	172	16.9%
3	2 or 3 times	120	11.8%
4	4 or 5 times	37	3.6%
5	6 or 7 times	11	1.1%
6	8 or 9 times	10	1%
7	10 or 11 times	6	0.6%
8	12 or more times	34	3.3%
Sysmiss		17	

**Q17: Seriously injured****Data file: TTO2017 Tobago****Overview**

Valid: 893 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	459	51.4%
2	1 time	219	24.5%
3	2 or 3 times	136	15.2%
4	4 or 5 times	41	4.6%
5	6 or 7 times	15	1.7%
6	8 or 9 times	6	0.7%
7	10 or 11 times	1	0.1%
8	12 or more times	16	1.8%
Sysmiss		140	

### Q18: Serious injury broken bone

Data file: TTO2017 Tobago

#### Overview

Valid: 908 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	563	62%
2	Broken bone/dislocated joint	82	9%
3	I had a cut or stab wound	79	8.7%
4	Concussion/head injury	29	3.2%
5	I had a gunshot wound	7	0.8%
6	I had a bad burn	10	1.1%
7	I was poisoned	5	0.6%
8	Something else happened to me	133	14.6%
Sysmiss		125	

### Q19: Serious injury motor vehicle

Data file: TTO2017 Tobago



## Overview

Valid: 894 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	575	64.3%
2	Motor vehicle accident	13	1.5%
3	I fell	94	10.5%
4	Something fell on me or hit me	36	4%
5	I was attacked	26	2.9%
6	Was in a fire	8	0.9%
7	breathed something bad	5	0.6%
8	Something else	137	15.3%
Sysmiss		139	

## Q20: Bullied

Data file: TTO2017 Tobago

## Overview

Valid: 991 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	777	78.4%

2	1 or 2 days	118	11.9%
3	3 to 5 days	37	3.7%
4	6 to 9 days	23	2.3%
5	10 to 19 days	9	0.9%
6	20 to 29 days	5	0.5%
7	All 30 days	22	2.2%
Sysmiss		42	

## Q21: Bullied by hitting

Data file: TTO2017 Tobago

### Overview

Valid: 974 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	801	82.2%
2	Kicked, pushed, or shoved	34	3.5%
3	Made fun of race	24	2.5%
4	Made fun because of religion	3	0.3%
5	Made fun of about sex	24	2.5%
6	Left out of activities	9	0.9%
7	Made fun of about body	31	3.2%
8	Some other way	48	4.9%
Sysmiss		59	

## Q22: Felt lonely

Data file: TTO2017 Tobago

### Overview

Valid: 1003 Invalid: 30

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	366	36.5%
2	Rarely	212	21.1%
3	Sometimes	257	25.6%
4	Most of the time	108	10.8%
5	Always	60	6%
Sysmiss		30	

## Q23: Could not sleep

Data file: TT02017 Tobago

### Overview

Valid: 1027    Invalid: 6

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	462	45%
2	Rarely	192	18.7%
3	Sometimes	229	22.3%
4	Most of the time	98	9.5%
5	Always	46	4.5%
Sysmiss		6	

**Q24: Considered suicide****Data file:** TTO2017 Tobago**Overview**

Valid: 1000 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	209	20.9%
2	No	791	79.1%
Sysmiss		33	

**Q25: Made a suicide plan****Data file:** TTO2017 Tobago**Overview**

Valid: 990 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	233	23.5%
2	No	757	76.5%
Sysmiss		43	

**Q26: Attempted suicide****Data file:** TTO2017 Tobago

## Overview

Valid: 1018 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	874	85.9%
2	1 time	70	6.9%
3	2 or 3 times	39	3.8%
4	4 or 5 times	13	1.3%
5	6 or more times	22	2.2%
Sysmiss		15	

## Q27: Close friends

Data file: TTO2017 Tobago

## Overview

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	97	9.6%
2	1	119	11.8%
3	2	152	15.1%
4	3 or more	640	63.5%
Sysmiss		25	

**Q28: Initiation of cigarette use****Data file: TTO2017 Tobago****Overview**

Valid: 954 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	701	73.5%
2	7 years old or younger	44	4.6%
3	8 or 9 years old	39	4.1%
4	10 or 11 years old	78	8.2%
5	12 or 13 years old	48	5%
6	14 or 15 years old	35	3.7%
7	16 or 17 years old	9	0.9%
8	18 years old or older	0	0%
Sysmiss		79	

**Q29: Current cigarette use****Data file: TTO2017 Tobago****Overview**

Valid: 1012 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	911	90%
2	1 or 2 days	55	5.4%

3	3 to 5 days	21	2.1%
4	6 to 9 days	9	0.9%
5	10 to 19 days	5	0.5%
6	20 to 29 days	1	0.1%
7	All 30 days	10	1%
Sysmiss		21	

### Q30: Other tobacco use

Data file: TTO2017 Tobago

#### Overview

Valid: 1013 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	936	92.4%
2	1 or 2 days	37	3.7%
3	3 to 5 days	15	1.5%
4	6 to 9 days	11	1.1%
5	10 to 19 days	8	0.8%
6	20 to 29 days	1	0.1%
7	All 30 days	5	0.5%
Sysmiss		20	

### Q31: Smoking cessation

Data file: TTO2017 Tobago

#### Overview

Valid: 959 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	754	78.6%
2	Did not smoke cigarettes	97	10.1%
3	Yes	76	7.9%
4	No	32	3.3%
Sysmiss		74	

## Q32: Smoking in their presence

Data file: TTO2017 Tobago

### Overview

Valid: 1009 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	545	54%
2	1 or 2 days	189	18.7%
3	3 or 4 days	81	8%
4	5 or 6 days	31	3.1%
5	All 7 days	163	16.2%
Sysmiss		24	

## Q33: Parental tobacco use

Data file: TTO2017 Tobago



## Overview

Valid: 1006 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	732	72.8%
2	My father or male guardian	122	12.1%
3	My mother or female guardian	28	2.8%
4	Both	37	3.7%
5	I do not know	87	8.6%
Sysmiss		27	

## Q34: Initiation of alcohol use

Data file: TTO2017 Tobago

## Overview

Valid: 940 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	288	30.6%
2	7 years old or younger	155	16.5%
3	8 or 9 years old	114	12.1%
4	10 or 11 years old	115	12.2%
5	12 or 13 years old	154	16.4%
6	14 or 15 years old	83	8.8%

7	16 or 17 years old	29	3.1%
8	18 years old or older	2	0.2%
Sysmiss		93	

### Q35: Current alcohol use

Data file: TTO2017 Tobago

#### Overview

Valid: 979 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	647	66.1%
2	1 or 2 days	198	20.2%
3	3 to 5 days	61	6.2%
4	6 to 9 days	32	3.3%
5	10 to 19 days	21	2.1%
6	20 to 29 days	7	0.7%
7	All 30 days	13	1.3%
Sysmiss		54	

### Q36: Drank 2+ drinks

Data file: TTO2017 Tobago

#### Overview

Valid: 986 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	612	62.1%
2	Less than one drink	126	12.8%
3	1 drink	104	10.5%
4	2 drinks	66	6.7%
5	3 drinks	33	3.3%
6	4 drinks	16	1.6%
7	5 or more drinks	29	2.9%
Sysmiss		47	

### Q37: Source of alcohol

Data file: TT02017 Tobago

#### Overview

Valid: 964 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	641	66.5%
2	I bought in a store	55	5.7%
3	I gave someone money to buy	31	3.2%
4	I got it from my friends	50	5.2%
5	I got it from my family	108	11.2%
6	I stole it	17	1.8%
7	Some other way	62	6.4%
Sysmiss		69	

**Q38: Really drunk****Data file: TTO2017 Tobago****Overview**

Valid: 983 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	731	74.4%
2	1 or 2 times	164	16.7%
3	3 to 9 times	49	5%
4	10 or more times	39	4%
Sysmiss		50	

**Q39: Trouble from drinking****Data file: TTO2017 Tobago****Overview**

Valid: 957 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	867	90.6%

2	1 or 2 times	52	5.4%
3	3 to 9 times	29	3%
4	10 or more times	9	0.9%
Sysmiss		76	

## Q40: Initiation of drug use

Data file: TTO2017 Tobago

### Overview

Valid: 934 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	806	86.3%
2	7 years old or younger	28	3%
3	8 or 9 years old	21	2.2%
4	10 or 11 years old	21	2.2%
5	12 or 13 years old	28	3%
6	14 or 15 years old	17	1.8%
7	16 or 17 years old	13	1.4%
8	18 years old or older	0	0%
Sysmiss		99	

## Q41: Ever marijuana use

Data file: TTO2017 Tobago

### Overview

Valid: 945 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	853	90.3%
2	1 or 2 times	38	4%
3	3 to 9 times	20	2.1%
4	10 to 19 times	10	1.1%
5	20 or more times	24	2.5%
Sysmiss		88	

### Q42: Current marijuana use

Data file: TTO2017 Tobago

#### Overview

Valid: 957 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	889	92.9%
2	1 or 2 times	28	2.9%
3	3 to 9 times	12	1.3%
4	10 to 19 times	11	1.1%
5	20 or more times	17	1.8%
Sysmiss		76	

### Q43: Amphetamine or methamphetamine use

Data file: TTO2017 Tobago

## Overview

Valid: 966 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	933	96.6%
2	1 or 2 times	14	1.4%
3	3 to 9 times	10	1%
4	10 to 19 times	4	0.4%
5	20 or more times	5	0.5%
Sysmiss		67	

## Q44: Ever sexual intercourse

Data file: TTO2017 Tobago

## Overview

Valid: 902 Invalid: 131

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	302	33.5%
2	No	600	66.5%
Sysmiss		131	

**Q45: Sex before 14 years****Data file: TTO2017 Tobago****Overview**

Valid: 967 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	723	74.8%
2	11 years old or younger	74	7.7%
3	12 years old	37	3.8%
4	13 years old	37	3.8%
5	14 years old	36	3.7%
6	15 years old	30	3.1%
7	16 or 17 years old	29	3%
8	18 years old or older	1	0.1%
Sysmiss		66	

**Q46: Multiple sex partners****Data file: TTO2017 Tobago****Overview**

Valid: 963 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	724	75.2%
2	1 person	94	9.8%



3	2 people	47	4.9%
4	3 people	34	3.5%
5	4 people	11	1.1%
6	5 people	10	1%
7	6 or more people	43	4.5%
Sysmiss		70	

## Q47: Condom use

Data file: TTO2017 Tobago

### Overview

Valid: 921 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	696	75.6%
2	Yes	128	13.9%
3	No	97	10.5%
Sysmiss		112	

## Q48: Birth control used

Data file: TTO2017 Tobago

### Overview

Valid: 937 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	698	74.5%
2	Yes	49	5.2%
3	No	143	15.3%
4	I do not know	47	5%
Sysmiss		96	

**Q49: Physical activity  $\geq$  5 days****Data file:** TTO2017 Tobago**Overview**

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	320	33.2%
2	1 day	137	14.2%
3	2 days	102	10.6%
4	3 days	97	10.1%
5	4 days	70	7.3%
6	5 days	51	5.3%
7	6 days	26	2.7%
8	7 days	162	16.8%
Sysmiss		68	

**Q50: Walk or bike to school****Data file:** TTO2017 Tobago**Overview**

Valid: 958 Invalid: 75

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	673	70.3%
2	1 day	54	5.6%
3	2 days	37	3.9%
4	3 days	31	3.2%
5	4 days	13	1.4%
6	5 days	31	3.2%
7	6 days	10	1%
8	7 days	109	11.4%
Sysmiss		75	

**Q51: PE attendance****Data file: TTO2017 Tobago****Overview**

Valid: 965    Invalid: 68

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	348	36.1%
2	1 day	205	21.2%
3	2 days	128	13.3%

4	3 days	52	5.4%
5	4 days	33	3.4%
6	5 or more days	199	20.6%
Sysmiss		68	

## Q52: Sitting activities

Data file: TTO2017 Tobago

### Overview

Valid: 957 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	224	23.4%
2	1 to 2 hours per day	230	24%
3	3 to 4 hours per day	225	23.5%
4	5 to 6 hours per day	108	11.3%
5	7 to 8 hours per day	40	4.2%
6	More than 8 hours per day	130	13.6%
Sysmiss		76	

## Q53: Miss school no permission

Data file: TTO2017 Tobago

### Overview

Valid: 952 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

## CATEGORIES

Value	Category	Cases	
1	0 days	719	75.5%
2	1 or 2 days	144	15.1%
3	3 to 5 days	56	5.9%
4	6 to 9 days	21	2.2%
5	10 or more days	12	1.3%
Sysmiss		81	

## Q54: Other students kind and helpful

Data file: TTO2017 Tobago

### Overview

Valid: 926 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	172	18.6%
2	Rarely	252	27.2%
3	Sometimes	325	35.1%
4	Most of the time	123	13.3%
5	Always	54	5.8%
Sysmiss		107	

## Q55: Parents check homework

Data file: TTO2017 Tobago

### Overview

Valid: 944 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	293	31%
2	Rarely	154	16.3%
3	Sometimes	197	20.9%
4	Most of the time	105	11.1%
5	Always	195	20.7%
Sysmiss		89	

## Q56: Parents understand problems

Data file: TTO2017 Tobago

### Overview

Valid: 931 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	267	28.7%
2	Rarely	172	18.5%
3	Sometimes	189	20.3%
4	Most of the time	113	12.1%
5	Always	190	20.4%
Sysmiss		102	

## Q57: Parents know about free time

Data file: TTO2017 Tobago

## Overview

Valid: 924 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	187	20.2%
2	Rarely	154	16.7%
3	Sometimes	187	20.2%
4	Most of the time	160	17.3%
5	Always	236	25.5%
Sysmiss		109	

## Q58: Parents go through their things

Data file: TTO2017 Tobago

## Overview

Valid: 907 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		439	48.4%
2		176	19.4%
3		130	14.3%
4		66	7.3%
5		96	10.6%
Sysmiss		126	

**QN6: Most of the time or always went hungry****Data file: TTO2017 Tobago****Overview**

Valid: 1020 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		92	9%
2		928	91%
Sysmiss		13	

**QN7: Did not eat fruit****Data file: TTO2017 Tobago****Overview**

Valid: 1021 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		248	24.3%
2		773	75.7%
Sysmiss		12	

**QN8: Did not eat vegetables****Data file: TTO2017 Tobago****Overview**

Valid: 1008 Invalid: 25



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		172	17.1%
2		836	82.9%
Sysmiss		25	

## QN9: Did not drink carbonated soft drinks

Data file: TTO2017 Tobago

### Overview

Valid: 1028    Invalid: 5

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		234	22.8%
2		794	77.2%
Sysmiss		5	

## QN10: Did not eat food from a fast food restaurant

Data file: TTO2017 Tobago

### Overview

Valid: 1024    Invalid: 9

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		346	33.8%
2		678	66.2%
Sysmiss		9	

### QN11: Usually cleaned or brushed their teeth

Data file: TTO2017 Tobago

#### Overview

Valid: 1020 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		960	94.1%
2		60	5.9%
Sysmiss		13	

### QN12: Never or rarely washed their hands before eating

Data file: TTO2017 Tobago

#### Overview

Valid: 1011 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		195	19.3%
2		816	80.7%
Sysmiss		22	

**QN13: Never or rarely washed their hands after using the toilet or latrine****Data file:** TTO2017 Tobago**Overview**

Valid: 995 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		47	4.7%
2		948	95.3%
Sysmiss		38	

**QN14: Never or rarely used soap when washing their hands****Data file:** TTO2017 Tobago**Overview**

Valid: 1020 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		150	14.7%
2		870	85.3%
Sysmiss		13	

**QN15: Were physically attacked****Data file:** TTO2017 Tobago**Overview**

Valid: 1017 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		314	30.9%
2		703	69.1%
Sysmiss		16	

## QN16: Were in a physical fight

Data file: TTO2017 Tobago

### Overview

Valid: 1016 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		390	38.4%
2		626	61.6%
Sysmiss		17	

## QN17: Were seriously injured

Data file: TTO2017 Tobago

### Overview

Valid: 893 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		434	48.6%
2		459	51.4%
Sysmiss		140	

### QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: TTO2017 Tobago

#### Overview

Valid: 345 Invalid: 688

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		82	23.8%
2		263	76.2%
Sysmiss		688	

### QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: TTO2017 Tobago

#### Overview

Valid: 319 Invalid: 714

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		13	4.1%
2		306	95.9%
Sysmiss		714	

**QN20: Were bullied****Data file: TTO2017 Tobago****Overview**

Valid: 991 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		214	21.6%
2		777	78.4%
Sysmiss		42	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file: TTO2017 Tobago****Overview**

Valid: 173 Invalid: 860

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1		34	19.7%
2		139	80.3%
Sysmiss		860	

**QN22: Most of the time or always felt lonely****Data file: TTO2017 Tobago****Overview**

Valid: 1003 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		168	16.7%
2		835	83.3%
Sysmiss		30	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: TTO2017 Tobago

### Overview

Valid: 1027 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		144	14%
2		883	86%
Sysmiss		6	

## QN24: Seriously considered attempting suicide

Data file: TTO2017 Tobago

### Overview

Valid: 1000 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		209	20.9%
2		791	79.1%
Sysmiss		33	

## QN25: Made a plan about how they would attempt suicide

Data file: TTO2017 Tobago

### Overview

Valid: 990 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		233	23.5%
2		757	76.5%
Sysmiss		43	

## QN26: Attempted suicide

Data file: TTO2017 Tobago

### Overview

Valid: 1018 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		144	14.1%
2		874	85.9%
Sysmiss		15	



**QN27: Did not have any close friends****Data file:** TTO2017 Tobago**Overview**

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1		97	9.6%
2		911	90.4%
Sysmiss		25	

**QN28: Tried a cigarette before age 14 years****Data file:** TTO2017 Tobago**Overview**

Valid: 253 Invalid: 780

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

## CATEGORIES

Value	Category	Cases	
1		209	82.6%
2		44	17.4%
Sysmiss		780	

**QN29: Currently smoked cigarettes****Data file:** TTO2017 Tobago**Overview**

Valid: 1012 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		101	10%
2		911	90%
Sysmiss		21	

## QN30: Currently used any tobacco products other than cigarettes

Data file: TTO2017 Tobago

### Overview

Valid: 1013 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		77	7.6%
2		936	92.4%
Sysmiss		20	

## QN31: Tried to quit smoking cigarettes

Data file: TTO2017 Tobago

### Overview

Valid: 108 Invalid: 925

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		76	70.4%
2		32	29.6%
Sysmiss		925	

## QN32: Reported that people smoked in their presence

Data file: TTO2017 Tobago

### Overview

Valid: 1009 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		464	46%
2		545	54%
Sysmiss		24	

## QN33: Had parents or guardians who used any form of tobacco

Data file: TTO2017 Tobago

### Overview

Valid: 1006 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

#### CATEGORIES

Value	Category	Cases	
1		187	18.6%
2		819	81.4%
Sysmiss		27	

**QN34: Drank alcohol before age 14 years****Data file:** TTO2017 Tobago**Overview**

Valid: 652 Invalid: 381

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

## CATEGORIES

Value	Category	Cases	
1		538	82.5%
2		114	17.5%
Sysmiss		381	

**QN35: Currently drank alcohol****Data file:** TTO2017 Tobago**Overview**

Valid: 979 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		332	33.9%
2		647	66.1%
Sysmiss		54	

**QN36: Usually drank two or more drinks per day****Data file:** TTO2017 Tobago**Overview**

Valid: 374 Invalid: 659

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		144	38.5%
2		230	61.5%
Sysmiss		659	

## QN37: Usually obtained the alcohol they drank from friends

Data file: TTO2017 Tobago

### Overview

Valid: 323 Invalid: 710

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		50	15.5%
2		273	84.5%
Sysmiss		710	

## QN38: Ever drank so much alcohol that they were really drunk

Data file: TTO2017 Tobago

### Overview

Valid: 983 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		252	25.6%
2		731	74.4%
Sysmiss		50	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: TTO2017 Tobago

#### Overview

Valid: 957 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		90	9.4%
2		867	90.6%
Sysmiss		76	

### QN40: Used drugs before age 14 years

Data file: TTO2017 Tobago

#### Overview

Valid: 128 Invalid: 905

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

##### CATEGORIES

Value	Category	Cases	
1		98	76.6%
2		30	23.4%
Sysmiss		905	

**QN41: Ever used marijuana****Data file:** TTO2017 Tobago**Overview**

Valid: 945 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

## CATEGORIES

Value	Category	Cases	
1		92	9.7%
2		853	90.3%
Sysmiss		88	

**QN42: Currently used marijuana****Data file:** TTO2017 Tobago**Overview**

Valid: 957 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		68	7.1%
2		889	92.9%
Sysmiss		76	

**QN43: Ever used amphetamines or methamphetamines****Data file:** TTO2017 Tobago**Overview**

Valid: 966 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		33	3.4%
2		933	96.6%
Sysmiss		67	

## QN44: Ever had sexual intercourse

Data file: TTO2017 Tobago

### Overview

Valid: 902 Invalid: 131

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1		302	33.5%
2		600	66.5%
Sysmiss		131	

## QN45: Had sexual intercourse before age 14 years

Data file: TTO2017 Tobago

### Overview

Valid: 244 Invalid: 789

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1		148	60.7%
2		96	39.3%
Sysmiss		789	

### QN46: Had sexual intercourse with two or more persons

Data file: TTO2017 Tobago

#### Overview

Valid: 963 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1		145	15.1%
2		818	84.9%
Sysmiss		70	

### QN47: Used a condom

Data file: TTO2017 Tobago

#### Overview

Valid: 225 Invalid: 808

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1		128	56.9%
2		97	43.1%
Sysmiss		808	

**QN48: Used a method of birth control other than condoms****Data file:** TTO2017 Tobago**Overview**

Valid: 239 Invalid: 794

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1		49	20.5%
2		190	79.5%
Sysmiss		794	

**QN49: Were not physically active****Data file:** TTO2017 Tobago**Overview**

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		320	33.2%
2		645	66.8%
Sysmiss		68	

**QN50: Did not walk or ride a bicycle to or from school****Data file:** TTO2017 Tobago**Overview**

Valid: 958 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		673	70.3%
2		285	29.7%
Sysmiss		75	

## QN51: Did not attend physical education classes

Data file: TTO2017 Tobago

### Overview

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1		348	36.1%
2		617	63.9%
Sysmiss		68	

## QN52: Spent three or more hours per day doing sitting activities

Data file: TTO2017 Tobago

### Overview

Valid: 957 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		503	52.6%
2		454	47.4%
Sysmiss		76	

### QN53: Missed classes or school without permission

Data file: TTO2017 Tobago

#### Overview

Valid: 952 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		233	24.5%
2		719	75.5%
Sysmiss		81	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: TTO2017 Tobago

#### Overview

Valid: 926 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		177	19.1%
2		749	80.9%
Sysmiss		107	

### QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: TTO2017 Tobago

#### Overview

Valid: 944 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		300	31.8%
2		644	68.2%
Sysmiss		89	

### QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: TTO2017 Tobago

#### Overview

Valid: 931 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		303	32.5%
2		628	67.5%
Sysmiss		102	

### QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: TTO2017 Tobago

## Overview

Valid: 924 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		396	42.9%
2		528	57.1%
Sysmiss		109	

## QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: TTO2017 Tobago

## Overview

Valid: 907 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		615	67.8%
2		292	32.2%
Sysmiss		126	

## QNUNWTG: Were underweight

Data file: TTO2017 Tobago

## Overview

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		38	3.9%
2		927	96.1%
Sysmiss		68	

## QNOWTG: Were overweight

Data file: TTO2017 Tobago

### Overview

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		383	39.7%
2		582	60.3%
Sysmiss		68	

## QNOBESEG: Were obese

Data file: TTO2017 Tobago

### Overview

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		191	19.8%
2		774	80.2%
Sysmiss		68	

### QNFR1G: Usually ate fruit less than one time per day

Data file: TTO2017 Tobago

#### Overview

Valid: 1021 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		280	27.4%
2		741	72.6%
Sysmiss		12	

### QNFR1G: Usually ate fruit one or more times per day

Data file: TTO2017 Tobago

#### Overview

Valid: 1021 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		493	48.3%
2		528	51.7%
Sysmiss		12	



**QNFR2G: Usually ate fruit two or more times per day****Data file:** TTO2017 Tobago**Overview**

Valid: 1021 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		272	26.6%
2		749	73.4%
Sysmiss		12	

**QNFR3G: Usually ate fruit three or more times per day****Data file:** TTO2017 Tobago**Overview**

Valid: 1021 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		136	13.3%
2		885	86.7%
Sysmiss		12	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file:** TTO2017 Tobago**Overview**

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		221	21.9%
2		787	78.1%
Sysmiss		25	

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: TTO2017 Tobago

### Overview

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		615	61%
2		393	39%
Sysmiss		25	

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: TTO2017 Tobago

### Overview

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		325	32.2%
2		683	67.8%
Sysmiss		25	

### QNVEG3G: Usually ate vegetables three or more times per day

Data file: TTO2017 Tobago

#### Overview

Valid: 1008 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		158	15.7%
2		850	84.3%
Sysmiss		25	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: TTO2017 Tobago

#### Overview

Valid: 1028 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		322	31.3%
2		706	68.7%
Sysmiss		5	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: TTO2017 Tobago****Overview**

Valid: 1028 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		472	45.9%
2		556	54.1%
Sysmiss		5	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: TTO2017 Tobago****Overview**

Valid: 1028 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		295	28.7%
2		733	71.3%
Sysmiss		5	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: TTO2017 Tobago****Overview**

Valid: 1028 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		161	15.7%
2		867	84.3%
Sysmiss		5	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: TTO2017 Tobago

### Overview

Valid: 1024 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		678	66.2%
2		346	33.8%
Sysmiss		9	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: TTO2017 Tobago

### Overview

Valid: 1024 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		360	35.2%
2		664	64.8%
Sysmiss		9	

### QNFF3G: Ate food from a fast food restaurant three or more days

Data file: TTO2017 Tobago

#### Overview

Valid: 1024 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		197	19.2%
2		827	80.8%
Sysmiss		9	

### QNC2G: Were bullied and could not sleep at night

Data file: TTO2017 Tobago

#### Overview

Valid: 140 Invalid: 893

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		59	42.1%
2		81	57.9%
Sysmiss		893	

**QNTOB2G: Currently used any tobacco product****Data file:** TTO2017 Tobago**Overview**

Valid: 1009 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		127	12.6%
2		882	87.4%
Sysmiss		24	

**QNNOTB2G: Did not currently use any tobacco products****Data file:** TTO2017 Tobago**Overview**

Valid: 1005 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		882	87.8%
2		123	12.2%
Sysmiss		28	

**QNBCANYG: Used a method of birth control****Data file:** TTO2017 Tobago**Overview**

Valid: 198 Invalid: 835

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		145	73.2%
2		53	26.8%
Sysmiss		835	

## QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: TTO2017 Tobago

### Overview

Valid: 214 Invalid: 819

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		115	53.7%
2		99	46.3%
Sysmiss		819	

## QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: TTO2017 Tobago

### Overview

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)



## CATEGORIES

Value	Category	Cases	
1		239	24.8%
2		726	75.2%
Sysmiss		68	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days**

Data file: TTO2017 Tobago

**Overview**

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

## CATEGORIES

Value	Category	Cases	
1		162	16.8%
2		803	83.2%
Sysmiss		68	

**QNPE3G: Attended physical education classes on three or more days**

Data file: TTO2017 Tobago

**Overview**

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		284	29.4%
2		681	70.6%
Sysmiss		68	

**QNPE5G: Attended physical education classes on five or more days****Data file: TTO2017 Tobago****Overview**

Valid: 965 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		199	20.6%
2		766	79.4%
Sysmiss		68	

**WEIGHT: Overall Analysis Weight****Data file: TTO2017 Tobago****Overview**

Valid: 1033 Invalid: 0 Minimum: 2.371 Maximum: 6.163 Mean: 3.26 Standard deviation: 0.892

Type: Continuous Decimal: 0 Width: 10 Range: 2.3709 - 6.1629 Format: Numeric

**STRATUM: Sampling Strata****Data file: TTO2017 Tobago****Overview**

Valid: 1033 Invalid: 0 Minimum: 201701001 Maximum: 201701009 Mean: 201701004.191 Standard deviation: 16.428

Type: Continuous Decimal: 0 Width: 9 Range: 201701001 - 201701009 Format: Numeric

**PSU: Primary Sampling Unit****Data file: TTO2017 Tobago****Overview**

Valid: 1033 Invalid: 0 Minimum: 1 Maximum: 53 Mean: 25.009 Standard deviation: 16.229

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 53 Format: Numeric

**Q1: Custom Age****Data file: TTO2017 Trinidad****Overview**

Valid: 2828 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	112	4%
2	12 years old	435	15.4%
3	13 years old	473	16.7%
4	14 years old	588	20.8%
5	15 years old	540	19.1%
6	16 years old	400	14.1%
7	17 years old	228	8.1%
8	18 years old or older	52	1.8%
Sysmiss		8	

**Q2: Sex****Data file: TTO2017 Trinidad****Overview**

Valid: 2817 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	1266	44.9%
2	Female	1551	55.1%
Sysmiss		19	

**Q3: In what grade are you****Data file: TTO2017 Trinidad****Overview**

Valid: 2814 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	Form 1	671	23.8%
2	Form 2	421	15%
3	Form 3	685	24.3%
4	Form 4	532	18.9%
5	FORM 5	363	12.9%
6	FORM 6	142	5%
Sysmiss		22	

**Q4: How tall are you****Data file: TTO2017 Trinidad****Overview**

Valid: 2517 Invalid: 319 Minimum: 1.22 Maximum: 1.95 Mean: 1.625 Standard deviation: 0.0984

Type: Continuous Decimal: 2 Width: 5 Range: 1.22 - 1.95 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: TTO2017 Trinidad****Overview**

Valid: 2517 Invalid: 319 Minimum: 24 Maximum: 178 Mean: 58.201 Standard deviation: 17.969

Type: Continuous Decimal: 2 Width: 5 Range: 24 - 178 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q6: How often went hungry

Data file: TTO2017 Trinidad

### Overview

Valid: 2816 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	1408	50%
2	Rarely	624	22.2%
3	Sometimes	563	20%
4	Most of the time	153	5.4%
5	Always	68	2.4%
Sysmiss		20	

## Q7: No fruit eating

Data file: TTO2017 Trinidad

### Overview

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	623	22.2%
2	Less than one time per day	776	27.6%
3	1 time per day	714	25.4%
4	2 times per day	414	14.7%
5	3 times per day	151	5.4%
6	4 times per day	39	1.4%
7	5 or more times per day	95	3.4%
Sysmiss		24	

## Q8: No vegetable eating

Data file: TTO2017 Trinidad

### Overview

Valid: 2775 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	303	10.9%
2	Less than one time per day	572	20.6%
3	1 time per day	777	28%
4	2 times per day	557	20.1%
5	3 times per day	275	9.9%
6	4 times per day	89	3.2%
7	5 or more times per day	202	7.3%
Sysmiss		61	

## Q9: Soft drinks

Data file: TTO2017 Trinidad

## Overview

Valid: 2819 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	482	17.1%
2	Less than one time per day	880	31.2%
3	1 time per day	509	18.1%
4	2 times per day	443	15.7%
5	3 times per day	236	8.4%
6	4 times per day	83	2.9%
7	5 or more times per day	186	6.6%
Sysmiss		17	

## Q10: Fast food eating

Data file: TTO2017 Trinidad

## Overview

Valid: 2823 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	875	31%
2	1 day	929	32.9%
3	2 days	478	16.9%
4	3 days	267	9.5%

5	4 days	114	4%
6	5 days	52	1.8%
7	6 days	26	0.9%
8	7 days	82	2.9%
Sysmiss		13	

## Q11: Tooth brushing

Data file: TTO2017 Trinidad

### Overview

Valid: 2816 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	61	2.2%
2	Less than 1 time per day	73	2.6%
3	1 time per day	486	17.3%
4	2 times per day	1574	55.9%
5	3 times per day	457	16.2%
6	4 or more times per day	165	5.9%
Sysmiss		20	

## Q12: Hand washing before eating

Data file: TTO2017 Trinidad

### Overview

Valid: 2806 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION



During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
1	Never	114	4.1%
2	Rarely	323	11.5%
3	Sometimes	623	22.2%
4	Most of the time	792	28.2%
5	Always	954	34%
Sysmiss		30	

### Q13: Hand washing after toilet

Data file: TTO2017 Trinidad

#### Overview

Valid: 2763 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

#### CATEGORIES

Value	Category	Cases	
1	Never	55	2%
2	Rarely	54	2%
3	Sometimes	107	3.9%
4	Most of the time	298	10.8%
5	Always	2249	81.4%
Sysmiss		73	

### Q14: Hand washing with soap

Data file: TTO2017 Trinidad

#### Overview

Valid: 2816 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category	Cases	
1	Never	91	3.2%
2	Rarely	249	8.8%
3	Sometimes	510	18.1%
4	Most of the time	833	29.6%
5	Always	1133	40.2%
Sysmiss		20	

## Q15: Physically attacked

Data file: TTO2017 Trinidad

### Overview

Valid: 2810 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	2046	72.8%
2	1 time	263	9.4%
3	2 or 3 times	234	8.3%
4	4 or 5 times	70	2.5%
5	6 or 7 times	37	1.3%
6	8 or 9 times	27	1%
7	10 or 11 times	13	0.5%
8	12 or more times	120	4.3%
Sysmiss		26	

**Q16: Physical fighting****Data file: TTO2017 Trinidad****Overview**

Valid: 2802 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

**LITERAL QUESTION**

During the past 12 months, how many times were you in a physical fight?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1949	69.6%
2	1 time	360	12.8%
3	2 or 3 times	272	9.7%
4	4 or 5 times	80	2.9%
5	6 or 7 times	33	1.2%
6	8 or 9 times	14	0.5%
7	10 or 11 times	12	0.4%
8	12 or more times	82	2.9%
Sysmiss		34	

**Q17: Seriously injured****Data file: TTO2017 Trinidad****Overview**

Valid: 2486 Invalid: 350

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

**LITERAL QUESTION**

During the past 12 months, how many times were you seriously injured?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1461	58.8%
2	1 time	512	20.6%
3	2 or 3 times	334	13.4%
4	4 or 5 times	77	3.1%
5	6 or 7 times	30	1.2%
6	8 or 9 times	12	0.5%
7	10 or 11 times	9	0.4%
8	12 or more times	51	2.1%
Sysmiss		350	

### Q18: Serious injury broken bone

Data file: TTO2017 Trinidad

#### Overview

Valid: 2518 Invalid: 318

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1750	69.5%
2	Broken bone/dislocated joint	164	6.5%
3	I had a cut or stab wound	187	7.4%
4	Concussion/head injury	56	2.2%
5	I had a gunshot wound	8	0.3%
6	I had a bad burn	41	1.6%
7	I was poisoned	10	0.4%
8	Something else happened to me	302	12%
Sysmiss		318	

### Q19: Serious injury motor vehicle

Data file: TTO2017 Trinidad

## Overview

Valid: 2512 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1771	70.5%
2	Motor vehicle accident	34	1.4%
3	I fell	217	8.6%
4	Something fell on me or hit me	103	4.1%
5	I was attacked	53	2.1%
6	Was in a fire	29	1.2%
7	breathed something bad	16	0.6%
8	Something else	289	11.5%
Sysmiss		324	

## Q20: Bullied

Data file: TTO2017 Trinidad

## Overview

Valid: 2737 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	2332	85.2%

2	1 or 2 days	233	8.5%
3	3 to 5 days	73	2.7%
4	6 to 9 days	33	1.2%
5	10 to 19 days	17	0.6%
6	20 to 29 days	9	0.3%
7	All 30 days	40	1.5%
Sysmiss		99	

## Q21: Bullied by hitting

Data file: TTO2017 Trinidad

### Overview

Valid: 2703 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	2366	87.5%
2	Kicked, pushed, or shoved	53	2%
3	Made fun of race	46	1.7%
4	Made fun because of religion	14	0.5%
5	Made fun of about sex	40	1.5%
6	Left out of activities	23	0.9%
7	Made fun of about body	84	3.1%
8	Some other way	77	2.8%
Sysmiss		133	

## Q22: Felt lonely

Data file: TTO2017 Trinidad

### Overview

Valid: 2772 Invalid: 64

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	1061	38.3%
2	Rarely	623	22.5%
3	Sometimes	694	25%
4	Most of the time	228	8.2%
5	Always	166	6%
Sysmiss		64	

## Q23: Could not sleep

Data file: TTO2017 Trinidad

### Overview

Valid: 2822    Invalid: 14

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	1175	41.6%
2	Rarely	652	23.1%
3	Sometimes	605	21.4%
4	Most of the time	253	9%
5	Always	137	4.9%
Sysmiss		14	

**Q24: Considered suicide****Data file:** TTO2017 Trinidad**Overview**

Valid: 2766 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	627	22.7%
2	No	2139	77.3%
Sysmiss		70	

**Q25: Made a suicide plan****Data file:** TTO2017 Trinidad**Overview**

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	585	21.4%
2	No	2155	78.6%
Sysmiss		96	

**Q26: Attempted suicide****Data file:** TTO2017 Trinidad



## Overview

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	2427	86.3%
2	1 time	197	7%
3	2 or 3 times	108	3.8%
4	4 or 5 times	50	1.8%
5	6 or more times	30	1.1%
Sysmiss		24	

## Q27: Close friends

Data file: TTO2017 Trinidad

## Overview

Valid: 2767 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	242	8.7%
2	1	357	12.9%
3	2	460	16.6%
4	3 or more	1708	61.7%
Sysmiss		69	

**Q28: Initiation of cigarette use****Data file: TTO2017 Trinidad****Overview**

Valid: 2683 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2012	75%
2	7 years old or younger	126	4.7%
3	8 or 9 years old	92	3.4%
4	10 or 11 years old	104	3.9%
5	12 or 13 years old	183	6.8%
6	14 or 15 years old	131	4.9%
7	16 or 17 years old	35	1.3%
8	18 years old or older	0	0%
Sysmiss		153	

**Q29: Current cigarette use****Data file: TTO2017 Trinidad****Overview**

Valid: 2800 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	2527	90.3%
2	1 or 2 days	124	4.4%

3	3 to 5 days	46	1.6%
4	6 to 9 days	32	1.1%
5	10 to 19 days	26	0.9%
6	20 to 29 days	10	0.4%
7	All 30 days	35	1.3%
Sysmiss		36	

### Q30: Other tobacco use

Data file: TTO2017 Trinidad

#### Overview

Valid: 2809 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	2636	93.8%
2	1 or 2 days	76	2.7%
3	3 to 5 days	32	1.1%
4	6 to 9 days	19	0.7%
5	10 to 19 days	17	0.6%
6	20 to 29 days	8	0.3%
7	All 30 days	21	0.7%
Sysmiss		27	

### Q31: Smoking cessation

Data file: TTO2017 Trinidad

#### Overview

Valid: 2702 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2156	79.8%
2	Did not smoke cigarettes	278	10.3%
3	Yes	201	7.4%
4	No	67	2.5%
Sysmiss		134	

## Q32: Smoking in their presence

Data file: TTO2017 Trinidad

### Overview

Valid: 2806 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	1300	46.3%
2	1 or 2 days	635	22.6%
3	3 or 4 days	233	8.3%
4	5 or 6 days	92	3.3%
5	All 7 days	546	19.5%
Sysmiss		30	

## Q33: Parental tobacco use

Data file: TTO2017 Trinidad

## Overview

Valid: 2783 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	1850	66.5%
2	My father or male guardian	501	18%
3	My mother or female guardian	109	3.9%
4	Both	138	5%
5	I do not know	185	6.6%
Sysmiss		53	

## Q34: Initiation of alcohol use

Data file: TTO2017 Trinidad

## Overview

Valid: 2595 Invalid: 241

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1024	39.5%
2	7 years old or younger	285	11%
3	8 or 9 years old	208	8%
4	10 or 11 years old	262	10.1%
5	12 or 13 years old	439	16.9%
6	14 or 15 years old	290	11.2%

7	16 or 17 years old	80	3.1%
8	18 years old or older	7	0.3%
Sysmiss		241	

### Q35: Current alcohol use

Data file: TTO2017 Trinidad

#### Overview

Valid: 2706 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	1922	71%
2	1 or 2 days	489	18.1%
3	3 to 5 days	141	5.2%
4	6 to 9 days	67	2.5%
5	10 to 19 days	45	1.7%
6	20 to 29 days	25	0.9%
7	All 30 days	17	0.6%
Sysmiss		130	

### Q36: Drank 2+ drinks

Data file: TTO2017 Trinidad

#### Overview

Valid: 2754 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1919	69.7%
2	Less than one drink	322	11.7%
3	1 drink	212	7.7%
4	2 drinks	129	4.7%
5	3 drinks	74	2.7%
6	4 drinks	25	0.9%
7	5 or more drinks	73	2.7%
Sysmiss		82	

### Q37: Source of alcohol

Data file: TTO2017 Trinidad

#### Overview

Valid: 2686 Invalid: 150

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1918	71.4%
2	I bought in a store	101	3.8%
3	I gave someone money to buy	54	2%
4	I got it from my friends	105	3.9%
5	I got it from my family	335	12.5%
6	I stole it	57	2.1%
7	Some other way	116	4.3%
Sysmiss		150	

**Q38: Really drunk****Data file: TTO2017 Trinidad****Overview**

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

**LITERAL QUESTION**

During your life, how many times did you drink so much alcohol that you were really drunk?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2148	78.4%
2	1 or 2 times	385	14.1%
3	3 to 9 times	125	4.6%
4	10 or more times	82	3%
Sysmiss		96	

**Q39: Trouble from drinking****Data file: TTO2017 Trinidad****Overview**

Valid: 2677 Invalid: 159

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

**LITERAL QUESTION**

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2434	90.9%



2	1 or 2 times	172	6.4%
3	3 to 9 times	40	1.5%
4	10 or more times	31	1.2%
Sysmiss		159	

## Q40: Initiation of drug use

Data file: TTO2017 Trinidad

### Overview

Valid: 2691 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2347	87.2%
2	7 years old or younger	64	2.4%
3	8 or 9 years old	58	2.2%
4	10 or 11 years old	33	1.2%
5	12 or 13 years old	80	3%
6	14 or 15 years old	84	3.1%
7	16 or 17 years old	25	0.9%
8	18 years old or older	0	0%
Sysmiss		145	

## Q41: Ever marijuana use

Data file: TTO2017 Trinidad

### Overview

Valid: 2707 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	2444	90.3%
2	1 or 2 times	95	3.5%
3	3 to 9 times	70	2.6%
4	10 to 19 times	25	0.9%
5	20 or more times	73	2.7%
Sysmiss		129	

### Q42: Current marijuana use

Data file: TTO2017 Trinidad

#### Overview

Valid: 2708 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	2536	93.6%
2	1 or 2 times	77	2.8%
3	3 to 9 times	43	1.6%
4	10 to 19 times	18	0.7%
5	20 or more times	34	1.3%
Sysmiss		128	

### Q43: Amphetamine or methamphetamine use

Data file: TTO2017 Trinidad

## Overview

Valid: 2750 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	2672	97.2%
2	1 or 2 times	48	1.7%
3	3 to 9 times	14	0.5%
4	10 to 19 times	11	0.4%
5	20 or more times	5	0.2%
Sysmiss		86	

## Q44: Ever sexual intercourse

Data file: TTO2017 Trinidad

## Overview

Valid: 2588 Invalid: 248

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	630	24.3%
2	No	1958	75.7%
Sysmiss		248	

**Q45: Sex before 14 years****Data file: TTO2017 Trinidad****Overview**

Valid: 2724 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	2275	83.5%
2	11 years old or younger	116	4.3%
3	12 years old	65	2.4%
4	13 years old	74	2.7%
5	14 years old	72	2.6%
6	15 years old	61	2.2%
7	16 or 17 years old	57	2.1%
8	18 years old or older	4	0.1%
Sysmiss		112	

**Q46: Multiple sex partners****Data file: TTO2017 Trinidad****Overview**

Valid: 2741 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	2261	82.5%
2	1 person	192	7%

3	2 people	96	3.5%
4	3 people	68	2.5%
5	4 people	45	1.6%
6	5 people	23	0.8%
7	6 or more people	56	2%
Sysmiss		95	

## Q47: Condom use

Data file: TTO2017 Trinidad

### Overview

Valid: 2625 Invalid: 211

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	2199	83.8%
2	Yes	214	8.2%
3	No	212	8.1%
Sysmiss		211	

## Q48: Birth control used

Data file: TTO2017 Trinidad

### Overview

Valid: 2688 Invalid: 148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	2258	84%
2	Yes	109	4.1%
3	No	258	9.6%
4	I do not know	63	2.3%
Sysmiss		148	

**Q49: Physical activity  $\geq$  5 days****Data file: TTO2017 Trinidad****Overview**

Valid: 2734 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	722	26.4%
2	1 day	373	13.6%
3	2 days	373	13.6%
4	3 days	255	9.3%
5	4 days	197	7.2%
6	5 days	187	6.8%
7	6 days	77	2.8%
8	7 days	550	20.1%
Sysmiss		102	

**Q50: Walk or bike to school****Data file: TTO2017 Trinidad****Overview**

Valid: 2740 Invalid: 96

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1908	69.6%
2	1 day	123	4.5%
3	2 days	86	3.1%
4	3 days	79	2.9%
5	4 days	68	2.5%
6	5 days	138	5%
7	6 days	16	0.6%
8	7 days	322	11.8%
Sysmiss		96	

**Q51: PE attendance****Data file: TTO2017 Trinidad****Overview**

Valid: 2744    Invalid: 92

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1016	37%
2	1 day	733	26.7%
3	2 days	346	12.6%

4	3 days	145	5.3%
5	4 days	89	3.2%
6	5 or more days	415	15.1%
Sysmiss		92	

## Q52: Sitting activities

Data file: TTO2017 Trinidad

### Overview

Valid: 2739 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	656	24%
2	1 to 2 hours per day	751	27.4%
3	3 to 4 hours per day	594	21.7%
4	5 to 6 hours per day	294	10.7%
5	7 to 8 hours per day	124	4.5%
6	More than 8 hours per day	320	11.7%
Sysmiss		97	

## Q53: Miss school no permission

Data file: TTO2017 Trinidad

### Overview

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION



During the past 30 days, on how many days did you miss classes or school without permission?

## CATEGORIES

Value	Category	Cases	
1	0 days	2264	82.6%
2	1 or 2 days	289	10.5%
3	3 to 5 days	112	4.1%
4	6 to 9 days	38	1.4%
5	10 or more days	37	1.4%
Sysmiss		96	

## Q54: Other students kind and helpful

Data file: TTO2017 Trinidad

### Overview

Valid: 2694 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	402	14.9%
2	Rarely	618	22.9%
3	Sometimes	867	32.2%
4	Most of the time	498	18.5%
5	Always	309	11.5%
Sysmiss		142	

## Q55: Parents check homework

Data file: TTO2017 Trinidad

### Overview

Valid: 2706 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	752	27.8%
2	Rarely	396	14.6%
3	Sometimes	503	18.6%
4	Most of the time	373	13.8%
5	Always	682	25.2%
Sysmiss		130	

## Q56: Parents understand problems

Data file: TTO2017 Trinidad

### Overview

Valid: 2694 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	801	29.7%
2	Rarely	428	15.9%
3	Sometimes	490	18.2%
4	Most of the time	368	13.7%
5	Always	607	22.5%
Sysmiss		142	

## Q57: Parents know about free time

Data file: TTO2017 Trinidad

## Overview

Valid: 2698 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	506	18.8%
2	Rarely	321	11.9%
3	Sometimes	480	17.8%
4	Most of the time	510	18.9%
5	Always	881	32.7%
Sysmiss		138	

## Q58: Parents go through their things

Data file: TTO2017 Trinidad

## Overview

Valid: 2652 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		1170	44.1%
2		497	18.7%
3		436	16.4%
4		215	8.1%
5		334	12.6%
Sysmiss		184	

**QN6: Most of the time or always went hungry****Data file: TTO2017 Trinidad****Overview**

Valid: 2816 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		221	7.8%
2		2595	92.2%
Sysmiss		20	

**QN7: Did not eat fruit****Data file: TTO2017 Trinidad****Overview**

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		623	22.2%
2		2189	77.8%
Sysmiss		24	

**QN8: Did not eat vegetables****Data file: TTO2017 Trinidad****Overview**

Valid: 2775 Invalid: 61

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		303	10.9%
2		2472	89.1%
Sysmiss		61	

## QN9: Did not drink carbonated soft drinks

Data file: TTO2017 Trinidad

### Overview

Valid: 2819    Invalid: 17

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		482	17.1%
2		2337	82.9%
Sysmiss		17	

## QN10: Did not eat food from a fast food restaurant

Data file: TTO2017 Trinidad

### Overview

Valid: 2823    Invalid: 13

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		875	31%
2		1948	69%
Sysmiss		13	

## QN11: Usually cleaned or brushed their teeth

Data file: TTO2017 Trinidad

### Overview

Valid: 2816 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		2682	95.2%
2		134	4.8%
Sysmiss		20	

## QN12: Never or rarely washed their hands before eating

Data file: TTO2017 Trinidad

### Overview

Valid: 2806 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		437	15.6%
2		2369	84.4%
Sysmiss		30	

**QN13: Never or rarely washed their hands after using the toilet or latrine****Data file: TTO2017 Trinidad****Overview**

Valid: 2763 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		109	3.9%
2		2654	96.1%
Sysmiss		73	

**QN14: Never or rarely used soap when washing their hands****Data file: TTO2017 Trinidad****Overview**

Valid: 2816 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		340	12.1%
2		2476	87.9%
Sysmiss		20	

**QN15: Were physically attacked****Data file: TTO2017 Trinidad****Overview**

Valid: 2810 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		764	27.2%
2		2046	72.8%
Sysmiss		26	

### QN16: Were in a physical fight

Data file: TTO2017 Trinidad

#### Overview

Valid: 2802 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		853	30.4%
2		1949	69.6%
Sysmiss		34	

### QN17: Were seriously injured

Data file: TTO2017 Trinidad

#### Overview

Valid: 2486 Invalid: 350

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1		1025	41.2%
2		1461	58.8%
Sysmiss		350	

### QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: TTO2017 Trinidad

#### Overview

Valid: 768 Invalid: 2068

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		164	21.4%
2		604	78.6%
Sysmiss		2068	

### QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: TTO2017 Trinidad

#### Overview

Valid: 741 Invalid: 2095

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		34	4.6%
2		707	95.4%
Sysmiss		2095	

**QN20: Were bullied****Data file:** TTO2017 Trinidad**Overview**

Valid: 2737 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		405	14.8%
2		2332	85.2%
Sysmiss		99	

**QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors****Data file:** TTO2017 Trinidad**Overview**

Valid: 337 Invalid: 2499

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

## CATEGORIES

Value	Category	Cases	
1		53	15.7%
2		284	84.3%
Sysmiss		2499	

**QN22: Most of the time or always felt lonely****Data file:** TTO2017 Trinidad**Overview**

Valid: 2772 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		394	14.2%
2		2378	85.8%
Sysmiss		64	

## QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: TTO2017 Trinidad

### Overview

Valid: 2822 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		390	13.8%
2		2432	86.2%
Sysmiss		14	

## QN24: Seriously considered attempting suicide

Data file: TTO2017 Trinidad

### Overview

Valid: 2766 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		627	22.7%
2		2139	77.3%
Sysmiss		70	

## QN25: Made a plan about how they would attempt suicide

Data file: TTO2017 Trinidad

### Overview

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		585	21.4%
2		2155	78.6%
Sysmiss		96	

## QN26: Attempted suicide

Data file: TTO2017 Trinidad

### Overview

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		385	13.7%
2		2427	86.3%
Sysmiss		24	

**QN27: Did not have any close friends****Data file:** TTO2017 Trinidad**Overview**

Valid: 2767 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not have any close friends

## CATEGORIES

Value	Category	Cases	
1		242	8.7%
2		2525	91.3%
Sysmiss		69	

**QN28: Tried a cigarette before age 14 years****Data file:** TTO2017 Trinidad**Overview**

Valid: 671 Invalid: 2165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

## CATEGORIES

Value	Category	Cases	
1		505	75.3%
2		166	24.7%
Sysmiss		2165	

**QN29: Currently smoked cigarettes****Data file:** TTO2017 Trinidad**Overview**

Valid: 2800 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		273	9.8%
2		2527	90.3%
Sysmiss		36	

## QN30: Currently used any tobacco products other than cigarettes

Data file: TTO2017 Trinidad

### Overview

Valid: 2809 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		173	6.2%
2		2636	93.8%
Sysmiss		27	

## QN31: Tried to quit smoking cigarettes

Data file: TTO2017 Trinidad

### Overview

Valid: 268 Invalid: 2568

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		201	75%
2		67	25%
Sysmiss		2568	

## QN32: Reported that people smoked in their presence

Data file: TTO2017 Trinidad

### Overview

Valid: 2806 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1506	53.7%
2		1300	46.3%
Sysmiss		30	

## QN33: Had parents or guardians who used any form of tobacco

Data file: TTO2017 Trinidad

### Overview

Valid: 2783 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

#### CATEGORIES

Value	Category	Cases	
1		748	26.9%
2		2035	73.1%
Sysmiss		53	

**QN34: Drank alcohol before age 14 years****Data file: TTO2017 Trinidad****Overview**

Valid: 1571 Invalid: 1265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

## CATEGORIES

Value	Category	Cases	
1		1194	76%
2		377	24%
Sysmiss		1265	

**QN35: Currently drank alcohol****Data file: TTO2017 Trinidad****Overview**

Valid: 2706 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		784	29%
2		1922	71%
Sysmiss		130	

**QN36: Usually drank two or more drinks per day****Data file: TTO2017 Trinidad****Overview**

Valid: 835 Invalid: 2001

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		301	36%
2		534	64%
Sysmiss		2001	

## QN37: Usually obtained the alcohol they drank from friends

Data file: TTO2017 Trinidad

### Overview

Valid: 768 Invalid: 2068

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		105	13.7%
2		663	86.3%
Sysmiss		2068	

## QN38: Ever drank so much alcohol that they were really drunk

Data file: TTO2017 Trinidad

### Overview

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		592	21.6%
2		2148	78.4%
Sysmiss		96	

### QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: TTO2017 Trinidad

#### Overview

Valid: 2677 Invalid: 159

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		243	9.1%
2		2434	90.9%
Sysmiss		159	

### QN40: Used drugs before age 14 years

Data file: TTO2017 Trinidad

#### Overview

Valid: 344 Invalid: 2492

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

##### CATEGORIES

Value	Category	Cases	
1		235	68.3%
2		109	31.7%
Sysmiss		2492	

**QN41: Ever used marijuana****Data file:** TTO2017 Trinidad**Overview**

Valid: 2707 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

## CATEGORIES

Value	Category	Cases	
1		263	9.7%
2		2444	90.3%
Sysmiss		129	

**QN42: Currently used marijuana****Data file:** TTO2017 Trinidad**Overview**

Valid: 2708 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		172	6.4%
2		2536	93.6%
Sysmiss		128	

**QN43: Ever used amphetamines or methamphetamines****Data file:** TTO2017 Trinidad**Overview**

Valid: 2750 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		78	2.8%
2		2672	97.2%
Sysmiss		86	

## QN44: Ever had sexual intercourse

Data file: TTO2017 Trinidad

### Overview

Valid: 2588 Invalid: 248

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1		630	24.3%
2		1958	75.7%
Sysmiss		248	

## QN45: Had sexual intercourse before age 14 years

Data file: TTO2017 Trinidad

### Overview

Valid: 449 Invalid: 2387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		255	56.8%
2		194	43.2%
Sysmiss		2387	

### QN46: Had sexual intercourse with two or more persons

Data file: TTO2017 Trinidad

#### Overview

Valid: 2741 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

##### CATEGORIES

Value	Category	Cases	
1		288	10.5%
2		2453	89.5%
Sysmiss		95	

### QN47: Used a condom

Data file: TTO2017 Trinidad

#### Overview

Valid: 426 Invalid: 2410

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1		214	50.2%
2		212	49.8%
Sysmiss		2410	

**QN48: Used a method of birth control other than condoms****Data file: TTO2017 Trinidad****Overview**

Valid: 430 Invalid: 2406

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

**CATEGORIES**

Value	Category	Cases	
1		109	25.3%
2		321	74.7%
Sysmiss		2406	

**QN49: Were not physically active****Data file: TTO2017 Trinidad****Overview**

Valid: 2734 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		722	26.4%
2		2012	73.6%
Sysmiss		102	

**QN50: Did not walk or ride a bicycle to or from school****Data file: TTO2017 Trinidad****Overview**

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1908	69.6%
2		832	30.4%
Sysmiss		96	

## QN51: Did not attend physical education classes

Data file: TTO2017 Trinidad

### Overview

Valid: 2744 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

### CATEGORIES

Value	Category	Cases	
1		1016	37%
2		1728	63%
Sysmiss		92	

## QN52: Spent three or more hours per day doing sitting activities

Data file: TTO2017 Trinidad

### Overview

Valid: 2739 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1332	48.6%
2		1407	51.4%
Sysmiss		97	

### QN53: Missed classes or school without permission

Data file: TTO2017 Trinidad

#### Overview

Valid: 2740 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		476	17.4%
2		2264	82.6%
Sysmiss		96	

### QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: TTO2017 Trinidad

#### Overview

Valid: 2694 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		807	30%
2		1887	70%
Sysmiss		142	



## QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: TTO2017 Trinidad

### Overview

Valid: 2706 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		1055	39%
2		1651	61%
Sysmiss		130	

## QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: TTO2017 Trinidad

### Overview

Valid: 2694 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		975	36.2%
2		1719	63.8%
Sysmiss		142	

## QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: TTO2017 Trinidad

**Overview**

Valid: 2698 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1391	51.6%
2		1307	48.4%
Sysmiss		138	

**QN58: Reported that their parents or guardians never or rarely went through their things without their approval**

Data file: TTO2017 Trinidad

**Overview**

Valid: 2652 Invalid: 184

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1667	62.9%
2		985	37.1%
Sysmiss		184	

**QNUNWTG: Were underweight**

Data file: TTO2017 Trinidad

**Overview**

Valid: 2517 Invalid: 319

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight ( $<-2SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		184	7.3%
2		2333	92.7%
Sysmiss		319	

## QNOWTG: Were overweight

Data file: TTO2017 Trinidad

### Overview

Valid: 2517 Invalid: 319

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		837	33.3%
2		1680	66.7%
Sysmiss		319	

## QNOBESEG: Were obese

Data file: TTO2017 Trinidad

### Overview

Valid: 2517 Invalid: 319

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		418	16.6%
2		2099	83.4%
Sysmiss		319	

### QNFR1G: Usually ate fruit less than one time per day

Data file: TTO2017 Trinidad

#### Overview

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		776	27.6%
2		2036	72.4%
Sysmiss		24	

### QNFR1G: Usually ate fruit one or more times per day

Data file: TTO2017 Trinidad

#### Overview

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1413	50.2%
2		1399	49.8%
Sysmiss		24	

**QNFR2G: Usually ate fruit two or more times per day****Data file: TTO2017 Trinidad****Overview**

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		699	24.9%
2		2113	75.1%
Sysmiss		24	

**QNFR3G: Usually ate fruit three or more times per day****Data file: TTO2017 Trinidad****Overview**

Valid: 2812 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		285	10.1%
2		2527	89.9%
Sysmiss		24	

**QNVEGLG: Usually ate vegetables less than one time per day****Data file: TTO2017 Trinidad****Overview**

Valid: 2775 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		572	20.6%
2		2203	79.4%
Sysmiss		61	

## QNVEG1G: Usually ate vegetables one or more times per day

Data file: TTO2017 Trinidad

### Overview

Valid: 2775 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1900	68.5%
2		875	31.5%
Sysmiss		61	

## QNVEG2G: Usually ate vegetables two or more times per day

Data file: TTO2017 Trinidad

### Overview

Valid: 2775 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1123	40.5%
2		1652	59.5%
Sysmiss		61	

### QNVEG3G: Usually ate vegetables three or more times per day

Data file: TTO2017 Trinidad

#### Overview

Valid: 2775 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		566	20.4%
2		2209	79.6%
Sysmiss		61	

### QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: TTO2017 Trinidad

#### Overview

Valid: 2819 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		880	31.2%
2		1939	68.8%
Sysmiss		17	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file: TTO2017 Trinidad****Overview**

Valid: 2819 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		1457	51.7%
2		1362	48.3%
Sysmiss		17	

**QNSODA2G: Usually drank carbonated soft drinks two or more times per day****Data file: TTO2017 Trinidad****Overview**

Valid: 2819 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		948	33.6%
2		1871	66.4%
Sysmiss		17	

**QNSODA3G: Usually drank carbonated soft drinks three or more times per day****Data file: TTO2017 Trinidad****Overview**

Valid: 2819 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		505	17.9%
2		2314	82.1%
Sysmiss		17	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: TTO2017 Trinidad

### Overview

Valid: 2823 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1948	69%
2		875	31%
Sysmiss		13	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: TTO2017 Trinidad

### Overview

Valid: 2823 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1019	36.1%
2		1804	63.9%
Sysmiss		13	

### QNFF3G: Ate food from a fast food restaurant three or more days

Data file: TTO2017 Trinidad

#### Overview

Valid: 2823 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		541	19.2%
2		2282	80.8%
Sysmiss		13	

### QNC2G: Were bullied and could not sleep at night

Data file: TTO2017 Trinidad

#### Overview

Valid: 375 Invalid: 2461

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		115	30.7%
2		260	69.3%
Sysmiss		2461	

**QNTOB2G: Currently used any tobacco product****Data file: TTO2017 Trinidad****Overview**

Valid: 2802 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		331	11.8%
2		2471	88.2%
Sysmiss		34	

**QNNOTB2G: Did not currently use any tobacco products****Data file: TTO2017 Trinidad****Overview**

Valid: 2786 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		2471	88.7%
2		315	11.3%
Sysmiss		50	

**QNBCANYG: Used a method of birth control****Data file: TTO2017 Trinidad****Overview**

Valid: 385 Invalid: 2451

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		239	62.1%
2		146	37.9%
Sysmiss		2451	

## QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: TTO2017 Trinidad

### Overview

Valid: 536 Invalid: 2300

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		240	44.8%
2		296	55.2%
Sysmiss		2300	

## QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: TTO2017 Trinidad

### Overview

Valid: 2734 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		814	29.8%
2		1920	70.2%
Sysmiss		102	

**QNPA7G: Were physically active at least 60 minutes per day on all 7 days**

Data file: TTO2017 Trinidad

**Overview**

Valid: 2734 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

## CATEGORIES

Value	Category	Cases	
1		550	20.1%
2		2184	79.9%
Sysmiss		102	

**QNPE3G: Attended physical education classes on three or more days**

Data file: TTO2017 Trinidad

**Overview**

Valid: 2744 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		649	23.7%
2		2095	76.3%
Sysmiss		92	

**QNPE5G: Attended physical education classes on five or more days****Data file: TTO2017 Trinidad****Overview**

Valid: 2744 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		415	15.1%
2		2329	84.9%
Sysmiss		92	

**WEIGHT: Overall Analysis Weight****Data file: TTO2017 Trinidad****Overview**

Valid: 2836 Invalid: 0 Minimum: 17.987 Maximum: 70.65 Mean: 26.639 Standard deviation: 7.06

Type: Continuous Decimal: 0 Width: 10 Range: 17.9869 - 70.6504 Format: Numeric

**STRATUM: Sampling Strata****Data file: TTO2017 Trinidad****Overview**

Valid: 2836 Invalid: 0 Minimum: 201701001 Maximum: 201701015 Mean: 201701008.118 Standard deviation: 5.889

Type: Continuous Decimal: 0 Width: 9 Range: 201701001 - 201701015 Format: Numeric

**PSU: Primary Sampling Unit****Data file: TTO2017 Trinidad****Overview**

Valid: 2836 Invalid: 0 Minimum: 1 Maximum: 31 Mean: 15.756 Standard deviation: 8.702

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 31 Format: Numeric

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
filename Trinidad\_Tobago\_2017\_qs\_GSHS.pdf

---

## reports

### National Fact Sheet

---

title National Fact Sheet  
filename Trinidad\_and\_Tobago\_2017\_GSHS\_FS.pdf

---

### Trinidad Fact Sheet

---

title Trinidad Fact Sheet  
filename Trinidad\_and\_Tobago\_Trinidad\_2017\_GSHS\_FS.pdf

---

### Tobago Fact Sheet

---

title Tobago Fact Sheet  
filename Trinidad\_and\_Tobago\_Tobago\_2017\_GSHS\_FS.pdf

---

## technical\_documents

### National Codebook

---

title National Codebook  
filename 2017TTH\_Public\_Use\_Codebook.pdf

---

### Trinidad Codebook

---

title Trinidad Codebook  
filename 2017TTAH\_Public\_Use\_Codebook.pdf

---

### Tobago Codebook

---

title Tobago Codebook  
filename 2017TTBH\_Public\_Use\_Codebook.pdf

---